

PRICE LIST

2 5 | 2 6



Augenti®

PRICE LIST

2 5 | 2 6

Augenti®

1



INCASSI A TERRA
GROUND RECESSED

35



PROIETTORI
FLOODLIGHTS

60



PALETTI
BOLLARDS

92



PARETE
WALL

128



INCASSI A PARETE
WALL RECESSED

149



INCASSI A SOFFITTO
CEILING RECESSED

158



SOFFITTO
CEILING

168



ARREDO URBANO
URBAN LIGHTING

182



RGBW
RGBW

186



STRISCE LUMINOSE
NEON STRIP

PRODUCTS' COLOR

CODE CONFIGURATION

Complete the code by entering the color code at the end of the article code.

To order article 5050W/WRRCNB in **Anthracite**, you will order the code 5050W/WRRCNB**30**.

*The **Steel** product code is already complete with the final **'99'** code.

BIANCO RAL 9016
WHITE RAL 9016
00



ANTRACITE
ANTHRACITE
30



VERDE RAL 6019
GREEN RAL 6019
55



BIANCO RAL 9010
WHITE RAL 9010
10



NERO RAL 9005
BLACK RAL 9005
01



GRIGIO RAL 9006
GREY RAL 9006
40



BRONZO
BRONZE
24



ARDESIA
SLATE GREY
35




RUGGINE
RUST
25




00



10



40



35



30




01



24



25



CUT 45



Recessed 1 window Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC1L	€ 140,00	Diffused/1 Window	2W	221 lm	21 lm	24Vdc	2700K	III	67	08
4045R/WRRC1L	€ 140,00	Diffused/1 Window	2W	221 lm	21 lm	24Vdc	3000K	III	67	08
4045R/NRRC1L	€ 140,00	Diffused/1 Window	2W	247 lm	26 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 2 windows Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC2L	€ 140,00	Diffused/2 Windows	2W	221 lm	35 lm	24Vdc	2700K	III	67	08
4045R/WRRC2L	€ 140,00	Diffused/2 Windows	2W	221 lm	35 lm	24Vdc	3000K	III	67	08
4045R/NRRC2L	€ 140,00	Diffused/2 Windows	2W	247 lm	40 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 4 windows Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC4L	€ 140,00	Diffused/4 Windows	2W	221 lm	53 lm	24Vdc	2700K	III	67	08
4045R/WRRC4L	€ 140,00	Diffused/4 Windows	2W	221 lm	53 lm	24Vdc	3000K	III	67	08
4045R/NRRC4L	€ 140,00	Diffused/4 Windows	2W	247 lm	59 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 1 window Ø45 - max 700mA - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC1L	€ 120,00	Diffused/1 Window	2W	221 lm	31 lm	max 700mA	2700K	III	67	08
4045R/WRCC1L	€ 120,00	Diffused/1 Window	2W	286 lm	31 lm	max 700mA	3000K	III	67	08
4045R/NRCC1L	€ 120,00	Diffused/1 Window	2W	312 lm	39 lm	max 700mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 2 windows Ø45 - max 700mA - H 70 x Ø 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC2L	€ 120,00	Diffused/2 Windows	2W	221 lm	53 lm	max 700mA	2700K	III	67	08
4045R/WRCC2L	€ 120,00	Diffused/2 Windows	2W	286 lm	53 lm	max 700mA	3000K	III	67	08
4045R/NRCC2L	€ 120,00	Diffused/2 Windows	2W	312 lm	61 lm	max 700mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 4 windows Ø45 - max 700mA - H 70 x Ø 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC4L	€ 120,00	Diffused/4 Windows	2W	221 lm	81 lm	max 700mA	2700K	III	67	08
4045R/WRCC4L	€ 120,00	Diffused/4 Windows	2W	286 lm	81 lm	max 700mA	3000K	III	67	08
4045R/NRCC4L	€ 120,00	Diffused/4 Windows	2W	312 lm	86 lm	max 700mA	4000K	III	67	08
Transparent polycarbonate										
Dimmable										


ACCESSORI:

	D.BOX.030.01 Inground polypropylene formwork for Rim/Cut 45 H 100 x Ø 115 8,00 €		D.BOX.032.01 Short aluminum formwork for Rim/Cut 45 H 80 x Ø 40 15,00 €		E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €
	E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €		E.TRA.621.700 Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22 50,00 €		E.TRA.623.700 Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21 30,00 €
	E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €		E.TRA.632 Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22 90,00 €		E.TRA.634.700 Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22 125,00 €
	E.TRA.635.700 Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22 135,00 €		E.TRA.636.700 Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22 235,00 €		E.TRA.658.700 Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26 45,00 €
	E.TRA.659.700 Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26 80,00 €		HUB.24V.001.ND Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92 290,00 €		HUB.700.001.CA Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92 440,00 €
	HUB.700.001.DA2 Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92 350,00 €		HUB.700.001.ND Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92 330,00 €		MOR682P/2V Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22 5,00 €

CUT 70




Recessed 1 window Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC1L	€ 200,00	Diffused/1 Window	6W	690 lm	41 lm	24Vdc	2700K	III	67	08
4070R/WRRC1L	€ 200,00	Diffused/1 Window	6W	690 lm	41 lm	24Vdc	3000K	III	67	08
4070R/NRRC1L	€ 200,00	Diffused/1 Window	6W	750 lm	45 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate


Recessed 2 windows Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC2L	€ 200,00	Diffused/2 Windows	6W	690 lm	77 lm	24Vdc	2700K	III	67	08
4070R/WRRC2L	€ 200,00	Diffused/2 Windows	6W	690 lm	77 lm	24Vdc	3000K	III	67	08
4070R/NRRC2L	€ 200,00	Diffused/2 Windows	6W	750 lm	79 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate


Recessed 4 windows Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC4L	€ 200,00	Diffused/4 Windows	6W	690 lm	81 lm	24Vdc	2700K	III	67	08
4070R/WRRC4L	€ 200,00	Diffused/4 Windows	6W	690 lm	81 lm	24Vdc	3000K	III	67	08
4070R/NRRC4L	€ 200,00	Diffused/4 Windows	6W	750 lm	85 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 1 window Ø70 - max 500mA - H 85 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC1L	€ 185,00	Diffused/1 Window	6W	690 lm	41 lm	max 500mA	2700K	III	67	08
4070R/WRCC1L	€ 185,00	Diffused/1 Window	6W	690 lm	41 lm	max 500mA	3000K	III	67	08
4070R/NRCC1L	€ 185,00	Diffused/1 Window	6W	750 lm	45 lm	max 500mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 2 windows Ø70 - max 500mA - H 85 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC2L	€ 185,00	Diffused/2 Windows	6W	690 lm	77 lm	max 500mA	2700K	III	67	08
4070R/WRCC2L	€ 185,00	Diffused/2 Windows	6W	690 lm	77 lm	max 500mA	3000K	III	67	08
4070R/NRCC2L	€ 185,00	Diffused/2 Windows	6W	750 lm	79 lm	max 500mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 4 windows Ø70 - max 500mA - H 85 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC4L	€ 185,00	Diffused/4 Windows	6W	690 lm	81 lm	max 500mA	2700K	III	67	08
4070R/WRCC4L	€ 185,00	Diffused/4 Windows	6W	690 lm	81 lm	max 500mA	3000K	III	67	08
4070R/NRCC4L	€ 185,00	Diffused/4 Windows	6W	705 lm	85 lm	max 500mA	4000K	III	67	08
Transparent polycarbonate										
Dimmable										

ACCESSORI:

 A.BOX.019.01 8,00 €	Inground polypropylene formwork for Rim/Cut 70 H 110 x Ø 135	 D.BOX.033.01 20,00 €	Short aluminum formwork for Rim/Cut 70 H 100 x Ø 60	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22	 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26
 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

RIM 45



Recessed with steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCNB99	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045R/HRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCWB99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCOB199	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/WRRCNB99	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045R/WRRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRRCWB99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCSW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCOB199	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/NRRCNB99	€ 140,00	Narrow/14°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045R/NRRRCMB99	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRRCWB99	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCSW99	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCOB199	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045R/WRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045R/NRRCVS99	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Recessed with steel ring nut Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCNB99	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045R/HRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCOB199	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/WRCCNB99	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045R/WRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCOB19	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/NRCCNB99	€ 120,00	Narrow/14°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045R/NRCCMB99	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCWB99	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCSW99	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCOB199	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045R/WRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045R/NRCCVS99	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Dimmable

ACCESSORI:

 D.BOX.030.01 8,00 €	Inground polypropylene formwork for Rim/Cut 45 H 100 x Ø 115	 D.BOX.032.01 15,00 €	Short aluminum formwork for Rim/Cut 45 H 80 x Ø 40	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22	 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26
 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

RIM 45 PAINTED



Recessed with painted steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCNB	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045R/HRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/WRRCNB	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045R/WRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/NRRCNB	€ 140,00	Narrow/14°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045R/NRRCMB	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCWB	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCSW	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCOB1	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with painted steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045R/WRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045R/NRRCVS	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Recessed with painted steel ring nut Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCNB	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045R/HRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/WRCCNB	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045R/WRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/NRCCNB	€ 120,00	Narrow/14°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045R/NRCCMB	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCWB	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCSW	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCOB1	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045R/WRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045R/NRCCVS	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08


Extra clear opal tempered glass 6 mm

Dimmable

ACCESSORI:

 D.BOX.030.01 8,00 €	Inground polypropylene formwork for Rim/Cut 45 H 100 x Ø 115	 D.BOX.032.01 15,00 €	Short aluminum formwork for Rim/Cut 45 H 80 x Ø 40	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22	 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26
 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

RIM 70

99
Steel

Recessed with steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070R/HRRCMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070R/HRRCWB99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070R/HRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070R/HRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070R/WRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070R/WRRCMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070R/WRRCSW99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070R/WRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070R/WRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070R/NRRCNB99	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070R/NRRCMB99	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070R/NRRCSW99	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070R/NRRCSW99	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070R/NRRCOB99	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Recessed with steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070R/WRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070R/NRRCVS99	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with steel ring nut Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070R/HRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070R/HRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070R/HRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070R/HRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070R/WRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070R/WRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070R/WRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070R/WRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070R/WRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070R/NRCCNB99	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070R/NRCCMB99	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070R/NRCCWB99	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070R/NRCCSW99	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070R/NRCCOB99	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070R/WRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070R/NRCCVS99	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08


Extra clear opal tempered glass 8 mm

Dimmable

ACCESSORI:

 A.BOX.019.01 8,00 €	Inground polypropylene formwork for Rim/Cut 70 H 110 x Ø 135	 D.BOX.033.01 20,00 €	Short aluminum formwork for Rim/Cut 70 H 100 x Ø 60	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22	 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26
 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

RIM 70 PAINTED



Recessed with painted steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070R/HRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070R/HRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070R/HRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070R/HRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070R/WRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070R/WRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070R/WRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070R/WRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070R/WRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070R/NRRCNB	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070R/NRRCMB	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070R/NRRCWB	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070R/NRRCSW	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070R/NRRCOB	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Recessed with painted steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070R/WRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070R/NRRCVS	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with painted steel ring nut Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070R/HRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070R/HRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070R/HRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070R/HRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070R/WRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070R/WRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070R/WRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070R/WRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070R/WRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070R/NRCCNB	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070R/NRCCMB	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070R/NRCCWB	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070R/NRCCSW	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070R/NRCCOB	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070R/WRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070R/NRCCVS	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08


Extra clear opal tempered glass 8 mm

Dimmable

ACCESSORI:

 A.BOX.019.01 8,00 €	Inground polypropylene formwork for Rim/Cut 70 H 110 x Ø 135	 D.BOX.033.01 20,00 €	Short aluminum formwork for Rim/Cut 70 H 100 x Ø 60	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22	 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26
 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

LUCY GROUND RECESSED




99
Steel

Recessed in polypropylene with steel ring nut - Built-in driver - H 90 x L 150 x W 168



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1061R/HC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	67	09
1061R/HC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	67	09
1061R/HC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	67	09
1061R/WC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	67	09
1061R/WC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	67	09
1061R/WC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	67	09
1061R/NC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	67	09
1061R/NC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	67	09
1061R/NC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	67	09

Extra clear transparent tempered glass 8 mm

Recessed in polypropylene with steel ring nut - 24Vdc - H 90 x L 150 x W 168



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1061R/HRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	67	09
1061R/WRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	67	09
1061R/NRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	67	09


Extra clear opal tempered glass 8 mm

Dimmable

Recessed in polypropylene with steel ring nut - LED DIRECT AC - H 90 x L 150 x W 168



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1061R/WRACVO99	€ 180,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	67	09


Extra clear opal tempered glass 8 mm

Phase cut dimmable

ACCESSORI:

E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €	E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €	E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €	E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €	E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €

CLIO GROUND RECESSED




99
Steel

Recessed in polypropylene with steel ring nut - Built-in driver - H 150 x L 150 x W 65



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1081R/HC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	67	09
1081R/HC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	67	09
1081R/HC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	67	09
1081R/WC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	67	09
1081R/WC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	67	09
1081R/WC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	67	09
1081R/NC20NB99	€ 200,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	67	09
1081R/NC20MB99	€ 200,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	67	09
1081R/NC20WB99	€ 200,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	67	09

Extra clear transparent tempered glass 8 mm

Recessed in polypropylene with steel ring nut - 24Vdc - H 150 x L 150 x W 65



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1081R/HRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	67	09
1081R/WRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	67	09
1081R/NRRCVO99	€ 165,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	67	09


Extra clear opal tempered glass 8 mm

Dimmable

Recessed in polypropylene with steel ring nut - LED DIRECT AC - H 150 x L 150 x W 65



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1081R/WRACVO99	€ 180,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	67	09


Extra clear opal tempered glass 8 mm

Phase cut dimmable


ACCESSORI:

E.TRA.577 75,00 € Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	E.TRA.579 110,00 € Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	E.TRA.581 45,00 € Surge protector CL II - IP67 L 37 x W 30 x H 30
E.TRA.631 45,00 € Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	E.TRA.633 145,00 € Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	E.TRA.647 25,00 € Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26

PLATHO 145

99
Steel


Recessed Ø145 - Built-in driver - H 190 x Ø 145



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4150R/HC0.NB.99	€ 310,00	Narrow/10°	8W	817 lm	684 lm	220-240Vac 50/60Hz	2700K	I	67	10
4150R/HC0.MB.99	€ 310,00	Medium/26°	8W	817 lm	684 lm	220-240Vac 50/60Hz	2700K	I	67	10
4150R/HC0.WB.99	€ 310,00	Wide/56°	8W	817 lm	627 lm	220-240Vac 50/60Hz	2700K	I	67	10
4150R/WC0.NB.99	€ 310,00	Narrow/10°	8W	860 lm	720 lm	220-240Vac 50/60Hz	3000K	I	67	10
4150R/WC0.MB.99	€ 310,00	Medium/26°	8W	860 lm	720 lm	220-240Vac 50/60Hz	3000K	I	67	10
4150R/WC0.WB.99	€ 310,00	Wide/56°	8W	860 lm	660 lm	220-240Vac 50/60Hz	3000K	I	67	10
4150R/NC0.NB.99	€ 310,00	Narrow/10°	8W	890 lm	750 lm	220-240Vac 50/60Hz	4000K	I	67	10
4150R/NC0.MB.99	€ 310,00	Medium/26°	8W	890 lm	750 lm	220-240Vac 50/60Hz	4000K	I	67	10
4150R/NC0.WB.99	€ 310,00	Wide/56°	8W	890 lm	690 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 12 mm


Recessed Opal Glass Ø145 - Built-in driver - H 190 x Ø 145



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4150R/HC0.VO.99	€ 310,00	Diffused >100°	8W	817 lm	166 lm	220-240Vac 50/60Hz	2700K	I	67	10
4150R/WC0.VO.99	€ 310,00	Diffused >100°	8W	860 lm	175 lm	220-240Vac 50/60Hz	3000K	I	67	10
4150R/NC0.VO.99	€ 310,00	Diffused >100°	8W	890 lm	182 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear opal tempered glass 12 mm


Recessed L. 145 - Built-in driver - H 190 x L 145 x W 145



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4151R/HC0.NB.99	€ 330,00	Narrow/10°	8W	817 lm	684 lm	220-240Vac 50/60Hz	2700K	I	67	10
4151R/HC0.MB.99	€ 330,00	Medium/26°	8W	817 lm	684 lm	220-240Vac 50/60Hz	2700K	I	67	10
4151R/HC0.WB.99	€ 330,00	Wide/56°	8W	817 lm	627 lm	220-240Vac 50/60Hz	2700K	I	67	10
4151R/WC0.NB.99	€ 330,00	Narrow/10°	8W	860 lm	720 lm	220-240Vac 50/60Hz	3000K	I	67	10
4151R/WC0.MB.99	€ 330,00	Medium/26°	8W	860 lm	720 lm	220-240Vac 50/60Hz	3000K	I	67	10
4151R/WC0.WB.99	€ 330,00	Wide/56°	8W	860 lm	660 lm	220-240Vac 50/60Hz	3000K	I	67	10
4151R/NC0.NB.99	€ 330,00	Narrow/10°	8W	890 lm	750 lm	220-240Vac 50/60Hz	4000K	I	67	10
4151R/NC0.MB.99	€ 330,00	Medium/26°	8W	890 lm	750 lm	220-240Vac 50/60Hz	4000K	I	67	10
4151R/NC0.WB.99	€ 330,00	Wide/56°	8W	890 lm	690 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 12 mm

Recessed Opal Glass L. 145 - Built-in driver - H 190 x L 145 x W 145




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4151R/HC0.VO.99	€ 330,00	Diffused >100°	8W	817 lm	166 lm	220-240Vac 50/60Hz	2700K	I	67	10
4151R/WC0.VO.99	€ 330,00	Diffused >100°	8W	860 lm	175 lm	220-240Vac 50/60Hz	3000K	I	67	10
4151R/NC0.VO.99	€ 330,00	Diffused >100°	8W	890 lm	182 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear opal tempered glass 12 mm


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

PLAIN




Recessed Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HC50NB99	€ 390,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HC50MB99	€ 390,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HC50WB99	€ 390,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HC50SW99	€ 390,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WC50NB99	€ 390,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WC50MB99	€ 390,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WC50WB99	€ 390,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WC50SW99	€ 390,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NC50NB99	€ 390,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NC50MB99	€ 390,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NC50WB99	€ 390,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NC50SW99	€ 390,00	Super Wide/60°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm


Recessed asymmetric Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HC50AB99	€ 415,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WC50AB99	€ 415,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NC50AB99	€ 415,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm

Recessed Opal Glass Ø200 - Built-in driver - H 210 x L 210 x Ø 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HC35VO99	€ 390,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WC35VO99	€ 390,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NC35VO99	€ 390,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10

VO = Extra clear opal tempered glass 15 mm

NEWS

Recessed DALI Ø200 - Built-in driver - H 210 x L 210 x Ø 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HD50NB99	€ 440,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HD50MB99	€ 440,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HD50WB99	€ 440,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HD50SW99	€ 440,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WD50NB99	€ 440,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WD50MB99	€ 440,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WD50WB99	€ 440,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WD50SW99	€ 440,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/ND50NB99	€ 440,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/ND50MB99	€ 440,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/ND50WB99	€ 440,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

3200R/ND50SW99 € 440,00 Super Wide/60° 20W 2850 lm 2100 lm 220-240Vac 50/60Hz 4000K II 67 10

Extra clear transparent tempered glass 15 mm
DALI-2 integrated


Recessed DALI asymmetric Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HD50AB99	€ 465,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WD50AB99	€ 465,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/ND50AB99	€ 465,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
DALI-2 integrated

Recessed DALI Opal Glas Ø200 - Built-in driver - H 210 x L 210 x Ø 200




NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HD35VO99	€ 440,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WD35VO99	€ 440,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/ND35VO99	€ 440,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10

VO = Extra clear opal tempered glass 15 mm
DALI-2 integrated


Recessed TRIAC Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HT50NB99	€ 420,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HT50MB99	€ 420,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HT50WB99	€ 420,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/HT50SW99	€ 420,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WT50NB99	€ 420,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WT50MB99	€ 420,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WT50WB99	€ 420,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/WT50SW99	€ 420,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NT50NB99	€ 420,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NT50MB99	€ 420,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NT50WB99	€ 420,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10
3200R/NT50SW99	€ 420,00	Super Wide/60°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
Phase cut dimmable

Recessed TRIAC asymmetric Ø200 - Built-in driver - H 210 x L 210 x Ø 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HT50AB99	€ 445,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WT50AB99	€ 445,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NT50AB99	€ 445,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
Phase cut dimmable


Recessed TRIAC Opal Glas Ø200 - Built-in driver - H 210 x L 210 x Ø 200

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/HT35VO99	€ 420,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3200R/WT35VO99	€ 420,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3200R/NT35VO99	€ 420,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10

VO = Extra clear opal tempered glass 15 mm
Phase cut dimmable

Recessed L. 200 - Built-in driver - H 210 x L 210 x W 200

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HC50NB99	€ 420,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HC50MB99	€ 420,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HC50WB99	€ 420,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HC50SW99	€ 420,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WC50NB99	€ 420,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WC50MB99	€ 420,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WC50WB99	€ 420,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WC50SW99	€ 420,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NC50NB99	€ 420,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NC50MB99	€ 420,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NC50WB99	€ 420,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NC50SW99	€ 420,00	Super Wide/60°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm


Recessed asymmetric L. 200 - Built-in driver - H 210 x L 210 x W 200

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HC50AB99	€ 445,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WC50AB99	€ 445,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NC50AB99	€ 445,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm


Recessed Opal Glass L. 200 - Built-in driver - H 210 x L 210 x W 200

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HC35VO99	€ 420,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WC35VO99	€ 420,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NC35VO99	€ 420,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10

VO = Extra clear opal tempered glass 15 mm

Recessed DALI L. 200 - Built-in driver - H 210 x L 210 x W 200


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HD50NB99	€ 470,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HD50MB99	€ 470,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HD50WB99	€ 470,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HD50SW99	€ 470,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WD50NB99	€ 470,00	Narrow/15°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WD50MB99	€ 470,00	Medium/25°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10

GROUND RECESSED

3210R/WD50WB99	€ 470,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WD50SW99	€ 470,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/ND50NB99	€ 470,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/ND50MB99	€ 470,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/ND50WB99	€ 470,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/ND50SW99	€ 470,00	Super Wide/60°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
DALI-2 integrated


Recessed DALI asymmetric L. 200 - Built-in driver - H 210 x L 210 x W 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HD50AB99	€ 495,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WD50AB99	€ 495,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/ND50AB99	€ 495,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
DALI-2 integrated

Recessed DALI Opal Glas L. 200 - Built-in driver - H 210 x L 210 x W 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HD35VO99	€ 470,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WD35VO99	€ 470,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/ND35VO99	€ 470,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10

VO = Extra clear opal tempered glass 15 mm
DALI-2 integrated

NEWS


Recessed TRIAC L. 200 - Built-in driver - H 210 x L 210 x W 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HT50NB99	€ 450,00	Narrow/15°	20W	2565 lm	1805 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HT50MB99	€ 450,00	Medium/25°	20W	2565 lm	1843 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HT50WB99	€ 450,00	Wide/36°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/HT50SW99	€ 450,00	Super Wide/60°	20W	2565 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WT50NB99	€ 450,00	Narrow/15°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WT50MB99	€ 450,00	Medium/25°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WT50WB99	€ 450,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/WT50SW99	€ 450,00	Super Wide/60°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NT50NB99	€ 450,00	Medium/25°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NT50MB99	€ 450,00	Narrow/15°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NT50WB99	€ 450,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10
3210R/NT50SW99	€ 450,00	Super Wide/60°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
Phase cut dimmable


Recessed TRIAC asymmetric L. 200 - Built-in driver - H 210 x L 210 x W 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HT50AB99	€ 475,00	Asymmetric	20W	2565 lm	1757 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WT50AB99	€ 475,00	Asymmetric	20W	2700 lm	1850 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NT50AB99	€ 475,00	Asymmetric	20W	2850 lm	1950 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
Phase cut dimmable

Recessed TRIAC Opal Glas L. 200 - Built-in driver - H 210 x L 210 x W 200



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/HT35VO99	€ 450,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	2700K	II	67	10
3210R/WT35VO99	€ 450,00	Diffused/110°	12W	1500 lm	370 lm	220-240Vac 50/60Hz	3000K	II	67	10
3210R/NT35VO99	€ 450,00	Diffused/110°	12W	1580 lm	400 lm	220-240Vac 50/60Hz	4000K	II	67	10


VO = Extra clear opal tempered glass 15 mm

Phase cut dimmable


ACCESSORI:

 E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €	 KIT.034 Kit Casambi IP68 220V Triac L 150 x W 80 x H 40 270,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €	 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €	

PLAIN ADJUSTABLE

99
Steel


Adjustable Recessed Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3201R/HC45NB99	€ 430,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HC45MB99	€ 430,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HC45WB99	€ 430,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HC45OB99	€ 430,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/WC45NB99	€ 430,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WC45MB99	€ 430,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WC45WB99	€ 430,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WC45OB99	€ 430,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/NC45NB99	€ 430,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NC45MB99	€ 430,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NC45WB99	€ 430,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NC45OB99	€ 430,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm

Adjustable Recessed DALI Ø200 - Built-in driver - H 210 x L 210 x Ø 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3201R/HD45NB99	€ 480,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HD45MB99	€ 480,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HD45WB99	€ 480,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HD45OB99	€ 480,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/WD45NB99	€ 480,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WD45MB99	€ 480,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WD45WB99	€ 480,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WD45OB99	€ 480,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/ND45NB99	€ 480,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/ND45MB99	€ 480,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/ND45WB99	€ 480,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/ND45OB99	€ 480,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm

DALI-2 integrated


Adjustable Recessed TRIAC Ø200 - Built-in driver - H 210 x L 210 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3201R/HT45NB99	€ 460,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HT45MB99	€ 460,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HT45WB99	€ 460,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/HT45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3201R/WT45NB99	€ 460,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WT45MB99	€ 460,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WT45WB99	€ 460,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/WT45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3201R/NT45NB99	€ 460,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NT45MB99	€ 460,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NT45WB99	€ 460,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3201R/NT45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm
Phase cut dimmable


Adjustable Recessed L. 200 - Built-in driver - H 210 x L 210 x W 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3211R/HC45NB99	€ 460,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HC45MB99	€ 460,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HC45WB99	€ 460,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HC45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/WC45NB99	€ 460,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WC45MB99	€ 460,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WC45WB99	€ 460,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WC45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/NC45NB99	€ 460,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NC45MB99	€ 460,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NC45WB99	€ 460,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NC45OB99	€ 460,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm

Adjustable Recessed DALI L. 200 - Built-in driver - H 210 x L 210 x W 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3211R/HD45NB99	€ 510,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HD45MB99	€ 510,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HD45WB99	€ 510,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HD45OB99	€ 510,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/WD45NB99	€ 510,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WD45MB99	€ 510,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WD45WB99	€ 510,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WD45OB99	€ 510,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/ND45NB99	€ 510,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/ND45MB99	€ 510,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/ND45WB99	€ 510,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/ND45OB99	€ 510,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10

Extra clear transparent tempered glass 15 mm

DALI-2 integrated

Adjustable Recessed TRIAC L. 200 - Built-in driver - H 210 x L 210 x W 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3211R/HT45NB99	€ 490,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HT45MB99	€ 490,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HT45WB99	€ 490,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/HT45OB99	€ 490,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	2700K	II	67	10
3211R/WT45NB99	€ 490,00	Adjustable Narrow/16°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WT45MB99	€ 490,00	Adjustable Medium/33°	18W	2400 lm	1800 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WT45WB99	€ 490,00	Adjustable Wide/54°	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/WT45OB99	€ 490,00	Adjustable Oval/25°x60	18W	2400 lm	1700 lm	220-240Vac 50/60Hz	3000K	II	67	10
3211R/NT45NB99	€ 490,00	Adjustable Narrow/16°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NT45MB99	€ 490,00	Adjustable Medium/33°	18W	2550 lm	1900 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NT45WB99	€ 490,00	Adjustable Wide/54°	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10
3211R/NT45OB99	€ 490,00	Adjustable Oval/25°x60	18W	2550 lm	1800 lm	220-240Vac 50/60Hz	4000K	II	67	10


Extra clear transparent tempered glass 15 mm

Phase cut dimmable

ACCESSORI:


 E.TRA.581 45,00 €	Surge protector CL II - IP67 L 37 x W 30 x H 30	 KIT.034 270,00 €	Kit Casambi IP68 220V Triac L 150 x W 80 x H 40	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31
 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31	 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33		

PLAIN RGBW



Recessed RGBW Ø200 - H 210 x L 210 x Ø 200

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/RCRCNB99	€ 915,00	Narrow/15°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCMB99	€ 915,00	Medium/24°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCWB99	€ 915,00	Wide/35°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCW99	€ 915,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10

Extra clear transparent tempered glass 15 mm

Dimmable

Recessed RGBW L. 200 - H 210 x L 210 x Ø 200

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/RCRCNB99	€ 945,00	Narrow/15°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCMB99	€ 945,00	Medium/24°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCWB99	€ 945,00	Wide/35°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCW99	€ 945,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10


Extra clear transparent tempered glass 15 mm

Dimmable


ACCESSORI:

 E.CNT.001 230,00 €	RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29,5 x H 120	 E.CNT.002 2600,00 €	RGBW Controller 1024DMX Ch. 5-15Vdc L 146 x W 10 x H 106	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32
 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	 E.TRA.594 450,00 €	Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33				

PLATHO 260




Recessed Ø260 - Built-in driver - H 302 x Ø 260



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4460R/WC90NB.99	€ 590,00	Narrow/14°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WC90MB.99	€ 590,00	Medium/32°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WC90WB.99	€ 590,00	Wide/44°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/NC90NB.99	€ 590,00	Narrow/14°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/NC90MB.99	€ 590,00	Medium/32°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/NC90WB.99	€ 590,00	Wide/44°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 15 mm

Recessed DALI Ø260 - Built-in driver - H 302 x Ø 260




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4460R/WD90NB.99	€ 630,00	Narrow/14°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WD90MB.99	€ 630,00	Medium/32°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WD90WB.99	€ 630,00	Wide/44°	34W	4850 lm	3817 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/ND90WB.99	€ 630,00	Wide/44°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/ND90NB.99	€ 630,00	Narrow/14°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/ND90MB.99	€ 630,00	Medium/32°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 15 mm

DALI-2 integrated


Recessed Ø260 LED ARRAY - Built-in driver - H 302 x Ø 260



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4460R/WR60NB.99	€ 735,00	Narrow/20°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WR60MB.99	€ 735,00	Medium/32°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/WR60WB.99	€ 735,00	Wide/50°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/NR60NB.99	€ 735,00	Narrow/20°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/NR60MB.99	€ 735,00	Medium/32°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10
4460R/NR60WB.99	€ 735,00	Wide/50°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10



Extra clear transparent tempered glass 15 mm

Recessed Ø260 LED ARRAY Asymmetric - Built-in driver - H 302 x Ø 260




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4460R/WR60AB.99	€ 735,00	Asymmetric	28W	3540 lm	1697 lm	220-240Vac 50/60Hz	3000K	I	67	10
4460R/NR60AB.99	€ 735,00	Asymmetric	28W	3670 lm	1795 lm	220-240Vac 50/60Hz	4000K	I	67	10



Extra clear transparent tempered glass 15 mm

Recessed L. 260 - Built-in driver - H 302 x L 260 x W 260


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4461R/WC90NB.99	€ 590,00	Narrow/14°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WC90MB.99	€ 590,00	Medium/32°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WC90WB.99	€ 590,00	Wide/44°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/NC90NB.99	€ 590,00	Narrow/14°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/NC90MB.99	€ 590,00	Medium/32°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/NC90WB.99	€ 590,00	Wide/44°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
Extra clear transparent tempered glass 15 mm										

Recessed DALI L. 260 - Built-in driver - H 302 x L 260 x W 260

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4461R/WD90NB.99	€ 630,00	Narrow/14°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WD90MB.99	€ 630,00	Medium/32°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WD90WB.99	€ 630,00	Wide/44°	34W	4850 lm	3187 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/ND90NB.99	€ 630,00	Narrow/14°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/ND90MB.99	€ 630,00	Medium/32°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/ND90WB.99	€ 630,00	Wide/44°	34W	5100 lm	4015 lm	220-240Vac 50/60Hz	4000K	I	67	10
Extra clear transparent tempered glass 15 mm										
DALI-2 integrated										

Recessed L. 260 LED ARRAY - Built-in driver - H 302 x L 260 x W 260

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4461R/WR60NB.99	€ 735,00	Narrow/20°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WR60MB.99	€ 735,00	Medium/32°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/WR60WB.99	€ 735,00	Wide/50°	28W	3710 lm	2671 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/NR60NB.99	€ 735,00	Narrow/20°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/NR60MB.99	€ 735,00	Medium/32°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10
4461R/NR60WB.99	€ 735,00	Wide/50°	28W	3930 lm	2830 lm	220-240Vac 50/60Hz	4000K	I	67	10
Extra clear transparent tempered glass 15 mm										

Recessed L. 260 LED ARRAY Asymmetric - Built-in driver - H 302 x L 260 x W 260

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4461R/WR60AB.99	€ 735,00	Asymmetric	28W	3540 lm	1697 lm	220-240Vac 50/60Hz	3000K	I	67	10
4461R/NR60AB.99	€ 735,00	Asymmetric	28W	3670 lm	1795 lm	220-240Vac 50/60Hz	4000K	I	67	10
Extra clear transparent tempered glass 15 mm										

ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €
 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

MATRIX MINI RECESSED

00
White RAL 9016

01
Black RAL 9005

10
White RAL 9010

24
Bronze


25
Rust

30
Anthracite

35
Slate Grey

40
Grey RAL 9006

Linear Recessed with Lens L. 530 - 24Vdc - H 60 x L 530 x W 50 x INC. 535




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2811R/HPRCNB	€ 390,00	Narrow/20°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811R/HPRCWB	€ 390,00	Wide/45°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811R/HPRCOB	€ 390,00	Oval/20°x40°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811R/WPRCNB	€ 390,00	Narrow/20°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811R/WPRCWB	€ 390,00	Wide/45°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811R/WPRCOB	€ 390,00	Oval/20°x40°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811R/NPRCNB	€ 390,00	Narrow/20°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08
2811R/NPRCWB	€ 390,00	Wide/45°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08
2811R/NPRCOB	€ 390,00	Oval/20°x40°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable

Linear Recessed Diffuse Emission L. 530 - 24Vdc - H 60 x L 530 x W 50 x INC. 535




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2811R/HRRCVS	€ 370,00	Diffused	8W	1130 lm	179 lm	24Vdc	2700K	III	67	08
2811R/WRRCVS	€ 370,00	Diffused	8W	1130 lm	280 lm	24Vdc	3000K	III	67	08
2811R/NRRCVS	€ 370,00	Diffused	8W	1220 lm	300 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 4 mm

Dimmable

Linear Recessed with Lens L. 780 - 24Vdc - H 60 x L 780 x W 50 x INC. 785




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2812R/HPRCNB	€ 485,00	Narrow/20°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812R/HPRCWB	€ 485,00	Wide/45°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812R/HPRCOB	€ 485,00	Oval/20°x40°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812R/WPRCNB	€ 485,00	Narrow/20°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812R/WPRCWB	€ 485,00	Wide/45°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812R/WPRCOB	€ 485,00	Oval/20°x40°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812R/NPRCNB	€ 485,00	Narrow/20°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08
2812R/NPRCWB	€ 485,00	Wide/45°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08
2812R/NPRCOB	€ 485,00	Oval/20°x40°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable


Linear Recessed Diffuse Emission L. 780 - 24Vdc - H 60 x L 780 x W 50 x INC. 785



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2812R/HRRCVS	€ 445,00	Diffused	12W	1700 lm	394 lm	24Vdc	2700K	III	67	08
2812R/WRRCVS	€ 445,00	Diffused	12W	1700 lm	420 lm	24Vdc	3000K	III	67	08
2812R/NRRCVS	€ 445,00	Diffused	12W	1830 lm	450 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 4 mm


Dimmable

Linear Recessed with Lens L. 1030 - 24Vdc - H 60 x L 1030 x W 50 x INC. 1035

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2813R/HPRCNB	€ 595,00	Narrow/20°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813R/HPRCWB	€ 595,00	Wide/45°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813R/HPRCOB	€ 595,00	Oval/20°x40°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813R/WPRCNB	€ 595,00	Narrow/20°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813R/WPRCWB	€ 595,00	Wide/45°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813R/WPRCOB	€ 595,00	Oval/20°x40°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813R/NPRCNB	€ 595,00	Narrow/20°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08
2813R/NPRCWB	€ 595,00	Wide/45°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08
2813R/NPRCOB	€ 595,00	Oval/20°x40°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable

Linear Recessed Diffuse Emission L. 1030 - 24Vdc - H 60 x L 1030 x W 50 x INC. 1035

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2813R/HRRCVS	€ 520,00	Diffused	16W	2260 lm	526 lm	24Vdc	2700K	III	67	08
2813R/WRRCVS	€ 520,00	Diffused	16W	2260 lm	560 lm	24Vdc	3000K	III	67	08
2813R/NRRCVS	€ 520,00	Diffused	16W	2440 lm	600 lm	24Vdc	4000K	III	67	08


Extra clear opal tempered glass 4 mm

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22
 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	 HUB.24V.001.CA 540,00 €	Hub 70W 24Vdc IP66 CASAMBI L 235 x W 200 x H 92
 HUB.24V.001.DA2 470,00 €	Hub 70W 24Vdc IP66 DALI-2 L 235 x W 200 x H 92	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

MATRIX RECESSED

99
Steel


Linear Recessed with Lens L. 340 - H 83 x L 340 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/HP50.NB99	€ 635,00	Narrow/12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HP50.MB99	€ 635,00	Medium/28°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HP50.WB99	€ 635,00	Wide/50°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HP50.OB99	€ 635,00	Oval/42°x12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HP50.AB99	€ 635,00	Asymmetric	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/WP50.NB99	€ 635,00	Narrow/12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WP50.MB99	€ 635,00	Medium/28°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WP50.WB99	€ 635,00	Wide/50°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WP50.OB99	€ 635,00	Oval/42°x12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WP50.AB99	€ 635,00	Asymmetric	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/NP50.NB99	€ 635,00	Narrow/12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/NP50.MB99	€ 635,00	Medium/28°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/NP50.WB99	€ 635,00	Wide/50°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/NP50.OB99	€ 635,00	Oval/42°x12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/NP50.AB99	€ 635,00	Asymmetric	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09

Extra clear transparent tempered glass 8 mm

Linear Recessed DALI with Lens L. 340 - H 83 x L 340 x W 98




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/HD50.NB99	€ 785,00	Narrow/12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HD50.MB99	€ 785,00	Medium/28°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HD50.WB99	€ 785,00	Wide/50°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HD50.OB99	€ 785,00	Oval/42°x12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/HD50.AB99	€ 785,00	Asymmetric	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/WD50.NB99	€ 785,00	Narrow/12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WD50.MB99	€ 785,00	Medium/28°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WD50.WB99	€ 785,00	Wide/50°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WD50.OB99	€ 785,00	Oval/42°x12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/WD50.AB99	€ 785,00	Asymmetric	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/ND50.NB99	€ 785,00	Narrow/12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/ND50.MB99	€ 785,00	Medium/28°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/ND50.WB99	€ 785,00	Wide/50°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/ND50.OB99	€ 785,00	Oval/42°x12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09
2800R/ND50.AB99	€ 785,00	Asymmetric	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	09

Extra clear transparent tempered glass 8 mm


DALI-2 integrated

Linear Recessed Diffuse Emission L. 340 - H 83 x L 340 x W 98




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/HR50VS.99	€ 510,00	Diffused	8W	826 lm	322 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/WR50VS.99	€ 510,00	Diffused	8W	870 lm	339 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/NR50VS.99	€ 510,00	Diffused	8W	920 lm	357 lm	220-240Vac 50/60Hz	4000K	I	67	09


Extra clear opal tempered glass 8 mm

Linear Recessed DALI Diffuse Emission L. 340 - H 83 x L 340 x W 98


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/HD50VS.99	€ 695,00	Diffused	8W	826 lm	322 lm	220-240Vac 50/60Hz	2700K	I	67	09
2800R/WD50VS.99	€ 695,00	Diffused	8W	870 lm	339 lm	220-240Vac 50/60Hz	3000K	I	67	09
2800R/ND50VS.99	€ 695,00	Diffused	8W	920 lm	357 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear opal tempered glass 8 mm										
DALI-2 integrated										

Linear Recessed with Lens L. 620 - H 83 x L 620 x W 98


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/HP50.NB99	€ 840,00	Narrow/12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HP50.MB99	€ 840,00	Medium/28°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HP50.WB99	€ 840,00	Wide/50°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HP50.OB99	€ 840,00	Oval/42°x12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HP50.AB99	€ 840,00	Asymmetric	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/WP50.NB99	€ 840,00	Narrow/12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WP50.MB99	€ 840,00	Medium/28°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WP50.WB99	€ 840,00	Wide/50°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WP50.OB99	€ 840,00	Oval/42°x12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WP50.AB99	€ 840,00	Asymmetric	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/NP50.NB99	€ 840,00	Narrow/12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/NP50.MB99	€ 840,00	Medium/28°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/NP50.WB99	€ 840,00	Wide/50°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/NP50.OB99	€ 840,00	Oval/42°x12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/NP50.AB99	€ 840,00	Asymmetric	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear transparent tempered glass 8 mm										

Linear Recessed DALI with Lens L. 620 - H 83 x L 620 x W 98


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/HD50.NB99	€ 990,00	Narrow/12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HD50.MB99	€ 990,00	Medium/28°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HD50.WB99	€ 990,00	Wide/50°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HD50.OB99	€ 990,00	Oval/42°x12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/HD50.AB99	€ 990,00	Asymmetric	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/WD50.NB99	€ 990,00	Narrow/12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WD50.MB99	€ 990,00	Medium/28°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WD50.WB99	€ 990,00	Wide/50°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WD50.OB99	€ 990,00	Oval/42°x12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/WD50.AB99	€ 990,00	Asymmetric	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/ND50.NB99	€ 990,00	Narrow/12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/ND50.MB99	€ 990,00	Medium/28°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/ND50.WB99	€ 990,00	Wide/50°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/ND50.OB99	€ 990,00	Oval/42°x12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
2801R/ND50.AB99	€ 990,00	Asymmetric	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear transparent tempered glass 8 mm										
DALI-2 integrated										

Linear Recessed Diffuse Emission L. 620 - H 83 x L 620 x W 98


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/HR50VS.99	€ 700,00	Diffused	13W	1653 lm	644 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/WR50VS.99	€ 700,00	Diffused	13W	1740 lm	678 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/NR50VS.99	€ 700,00	Diffused	13W	1840 lm	718 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear opal tempered glass 8 mm										

Linear Recessed DALI Diffuse Emission L. 620 - H 83 x L 620 x W 98

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/HD50VS.99	€ 790,00	Diffused	13W	1653 lm	644 lm	220-240Vac 50/60Hz	2700K	I	67	09
2801R/WD50VS.99	€ 790,00	Diffused	13W	1740 lm	678 lm	220-240Vac 50/60Hz	3000K	I	67	09
2801R/ND50VS.99	€ 790,00	Diffused	13W	1840 lm	718 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear opal tempered glass 8 mm										
DALI-2 integrated										

Linear Recessed with Lens L. 900 - H 83 x L 900 x W 98

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/HP50.NB99	€ 1.085,00	Narrow/12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HP50.MB99	€ 1.085,00	Medium/28°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HP50.WB99	€ 1.085,00	Wide/50°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HP50.OB99	€ 1.085,00	Oval/42°x12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HP50.AB99	€ 1.085,00	Asymmetric	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/WP50.NB99	€ 1.085,00	Narrow/12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WP50.MB99	€ 1.085,00	Medium/28°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WP50.WB99	€ 1.085,00	Wide/50°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WP50.OB99	€ 1.085,00	Oval/42°x12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WP50.AB99	€ 1.085,00	Asymmetric	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/NP50.NB99	€ 1.085,00	Narrow/12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/NP50.MB99	€ 1.085,00	Medium/28°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/NP50.WB99	€ 1.085,00	Wide/50°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/NP50.OB99	€ 1.085,00	Oval/42°x12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/NP50.AB99	€ 1.085,00	Asymmetric	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear transparent tempered glass 8 mm										


Linear Recessed DALI with Lens L. 900 - H 83 x L 900 x W 98

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/HD50.NB99	€ 1.150,00	Narrow/12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HD50.MB99	€ 1.150,00	Medium/28°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HD50.WB99	€ 1.150,00	Wide/50°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HD50.OB99	€ 1.150,00	Oval/42°x12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/HD50.AB99	€ 1.150,00	Asymmetric	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/WD50.NB99	€ 1.150,00	Narrow/12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WD50.MB99	€ 1.150,00	Medium/28°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WD50.WB99	€ 1.150,00	Wide/50°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WD50.OB99	€ 1.150,00	Oval/42°x12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/WD50.AB99	€ 1.150,00	Asymmetric	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/ND50.NB99	€ 1.150,00	Narrow/12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/ND50.MB99	€ 1.150,00	Medium/28°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/ND50.WB99	€ 1.150,00	Wide/50°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09

GROUND RECESSED


2802R/ND50.OB99	€ 1.150,00	Oval/42°x12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
2802R/ND50.AB99	€ 1.150,00	Asymmetric	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear transparent tempered glass 8 mm										
DALI-2 integrated										

Linear Recessed Diffuse Emission L. 900 - H 83 x L 900 x W 98




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/HR50VS.99	€ 890,00	Diffused	19W	2479 lm	969 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/WR50VS.99	€ 890,00	Diffused	19W	2610 lm	1020 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/NR50VS.99	€ 890,00	Diffused	19W	2760 lm	1076 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear opal tempered glass 8 mm										

Linear Recessed DALI Diffuse Emission L. 900 - H 83 x L 900 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/HD50VS.99	€ 900,00	Diffused	19W	2479 lm	969 lm	220-240Vac 50/60Hz	2700K	I	67	09
2802R/WD50VS.99	€ 900,00	Diffused	19W	2610 lm	1020 lm	220-240Vac 50/60Hz	3000K	I	67	09
2802R/ND50VS.99	€ 900,00	Diffused	19W	2760 lm	1076 lm	220-240Vac 50/60Hz	4000K	I	67	09
Extra clear opal tempered glass 8 mm										
DALI-2 integrated										


Linear Recessed with Lens L. 1180 - H 83 x L 1180 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/HP50.NB99	€ 1.335,00	Narrow/12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HP50.MB99	€ 1.335,00	Medium/28°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HP50.WB99	€ 1.335,00	Wide/50°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HP50.OB99	€ 1.335,00	Oval/42°x12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HP50.AB99	€ 1.335,00	Asymmetric	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/WP50.NB99	€ 1.335,00	Narrow/12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WP50.MB99	€ 1.335,00	Medium/28°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WP50.WB99	€ 1.335,00	Wide/50°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WP50.OB99	€ 1.335,00	Oval/42°x12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WP50.AB99	€ 1.335,00	Asymmetric	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/NP50.NB99	€ 1.335,00	Narrow/12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/NP50.MB99	€ 1.335,00	Medium/28°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/NP50.WB99	€ 1.335,00	Wide/50°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/NP50.OB99	€ 1.335,00	Oval/42°x12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/NP50.AB99	€ 1.335,00	Asymmetric	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09

Extra clear transparent tempered glass 8 mm

Linear Recessed DALI with Lens L. 1180 - H 83 x L 1180 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/HD50.NB99	€ 1.400,00	Narrow/12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HD50.MB99	€ 1.400,00	Medium/28°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HD50.WB99	€ 1.400,00	Wide/50°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HD50.OB99	€ 1.400,00	Oval/42°x12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/HD50.AB99	€ 1.400,00	Asymmetric	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/WD50.NB99	€ 1.400,00	Narrow/12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WD50.MB99	€ 1.400,00	Medium/28°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09


GROUND RECESSED

2803R/WD50.WB99	€ 1.400,00	Wide/50°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WD50.OB99	€ 1.400,00	Oval/42°x12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/WD50.AB99	€ 1.400,00	Asymmetric	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/ND50.NB99	€ 1.400,00	Narrow/12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/ND50.MB99	€ 1.400,00	Medium/28°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/ND50.WB99	€ 1.400,00	Wide/50°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/ND50.OB99	€ 1.400,00	Oval/42°x12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09
2803R/ND50.AB99	€ 1.400,00	Asymmetric	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	09

Extra clear transparent tempered glass 8 mm

DALI-2 integrated


Linear Recessed Diffuse Emission L. 1180 - H 83 x L 1180 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/HR50VS.99	€ 1.025,00	Diffused	26W	3306 lm	1287 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/WR50VS.99	€ 1.025,00	Diffused	26W	3480 lm	1355 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/NR50VS.99	€ 1.025,00	Diffused	26W	3680 lm	1435 lm	220-240Vac 50/60Hz	4000K	I	67	09

Extra clear opal tempered glass 8 mm

Linear Recessed DALI Diffuse Emission L. 1180 - H 83 x L 1180 x W 98



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/HD50VS.99	€ 1.050,00	Diffused	26W	3306 lm	1287 lm	220-240Vac 50/60Hz	2700K	I	67	09
2803R/WD50VS.99	€ 1.050,00	Diffused	26W	3480 lm	1355 lm	220-240Vac 50/60Hz	3000K	I	67	09
2803R/ND50VS.99	€ 1.050,00	Diffused	26W	3680 lm	1435 lm	220-240Vac 50/60Hz	4000K	I	67	09


Extra clear opal tempered glass 8 mm

DALI-2 integrated

ACCESSORI:


 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €
 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

MATRIX RECESSED RGBW

99
Steel

Linear Recessed RGBW L. 340 - H 83 x L 340 x W 98

RGBW



FORD / HOLE (LxWxH) 330x100x85mm


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/RCRC.MB99	€ 860,00	Medium/24°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.O499	€ 860,00	Oval/40°x20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.WB99	€ 860,00	Wide/35°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.SW99	€ 860,00	Super Wide/54°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 620 - H 83 x L 620 x W 98

RGBW



FORD / HOLE (LxWxH) 610x100x85mm


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/RCRC.MB99	€ 1.285,00	Medium/24°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.O499	€ 1.285,00	Oval/40°x20°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.WB99	€ 1.285,00	Wide/35°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.SW99	€ 1.285,00	Super Wide/54°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 900 - H 83 x L 900 x W 98

RGBW



FORD / HOLE (LxWxH) 890x100x85mm


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/RCRC.MB99	€ 1.800,00	Medium/24°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.O499	€ 1.800,00	Oval/40°x20°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.WB99	€ 1.800,00	Wide/35°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.SW99	€ 1.800,00	Super Wide/54°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 1180 - H 83 x L 1180 x W 98

RGBW



FORD / HOLE (LxWxH) 1170x100x85mm

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/RCRC.MB99	€ 2.300,00	Medium/24°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.O499	€ 2.300,00	Oval/40°x20°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.WB99	€ 2.300,00	Wide/35°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.SW99	€ 2.300,00	Super Wide/54°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable


ACCESSORI:

 E.CNT.001 230,00 €	RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29,5 x H 120	 E.CNT.002 2600,00 €	RGBW Controller 1024DMX Ch. 5-15Vdc L 146 x W 10 x H 106	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32
 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	 E.TRA.594 450,00 €	Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2,5 mm² L 140 x W 72 x H 33				

BLOOM MINI FLOODLIGHT

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006	55 Green Cool Mint RAL 6019			


Adjustable Floodlight - 24Vdc - H 65 x L 46 x W 58 x Ø 35



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000W/HRRCNB	€ 155,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	2700K	III	66	08
5000W/HRRCMB	€ 155,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	66	08
5000W/HRRCWB	€ 155,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	66	08
5000W/WRRCNB	€ 155,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	3000K	III	66	08
5000W/WRRCMB	€ 155,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	66	08
5000W/WRRCWB	€ 155,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	66	08
5000W/NRRCNB	€ 155,00	Narrow/14°	2W	280 lm	230 lm	24Vdc	4000K	III	66	08
5000W/NRRCMB	€ 155,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	66	08
5000W/NRRCWB	€ 155,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	66	08

Extra clear transparent tempered glass

Adjustable Floodlight - max 700mA - H 65 x L 46 x W 58 x Ø 35



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000W/HRCCNB	€ 135,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	2700K	III	66	08
5000W/HRCCMB	€ 135,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	66	08
5000W/HRCCWB	€ 135,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	66	08
5000W/WRCCNB	€ 135,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	3000K	III	66	08
5000W/WRCCMB	€ 135,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	66	08
5000W/WRCCWB	€ 135,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	66	08
5000W/NRCCNB	€ 135,00	Narrow/14°	2W	310 lm	250 lm	max 700mA	4000K	III	66	08
5000W/NRCCMB	€ 135,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	66	08
5000W/NRCCWB	€ 135,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	66	08

Extra clear transparent tempered glass

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 KIT.022 15,00 €	Floodlight Spike Kit L 40 x W 30 x H 235	 KIT.027 30,00 €	Strap for floodlight L 2000 x H 25	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22
 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35		

BLOOM FLOODLIGHT

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006	55 Green Cool Mint RAL 6019			


Adjustable Floodlight - 24Vdc - H 90 x L 67 x W 68 x Ø 55



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5050W/HRRCNB	€ 200,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	66	08
5050W/HRRCMB	€ 200,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	66	08
5050W/HRRCWB	€ 200,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	66	08
5050W/WRRCNB	€ 200,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	66	08
5050W/WRRCMB	€ 200,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	66	08
5050W/WRRCWB	€ 200,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	66	08
5050W/NRRCNB	€ 200,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	66	08
5050W/NRRCMB	€ 200,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	66	08
5050W/NRRCWB	€ 200,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	66	08

Extra clear transparent tempered glass

Adjustable Floodlight - max 500mA - H 90 x L 67 x W 68 x Ø 55



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5050W/HRCCNB	€ 180,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	66	08
5050W/HRCCMB	€ 180,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	66	08
5050W/HRCCWB	€ 180,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	66	08
5050W/WRCCNB	€ 180,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	66	08
5050W/WRCCMB	€ 180,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	66	08
5050W/WRCCWB	€ 180,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	66	08
5050W/NRCCNB	€ 180,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	66	08
5050W/NRCCMB	€ 180,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	66	08
5050W/NRCCWB	€ 180,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	66	08

Extra clear transparent tempered glass

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 KIT.022 15,00 €	Floodlight Spike Kit L 40 x W 30 x H 235	 KIT.027 30,00 €	Strap for floodlight L 2000 x H 25	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22
 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35		

BLOOM MAXI FLOODLIGHT

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006	55 Green Cool Mint RAL 6019			


Adjustable Floodlight - 24Vdc - H 122 x L 102 x W 95 x Ø 85



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5085W/HRRCNB	€ 260,00	Narrow/10°	15W	1650 lm	1485 lm	24Vdc	2700K	III	66	09
5085W/HRRCMB	€ 260,00	Medium/26°	15W	1650 lm	1450 lm	24Vdc	2700K	III	66	09
5085W/HRRCWB	€ 260,00	Wide/56°	15W	1650 lm	1400 lm	24Vdc	2700K	III	66	09
5085W/WRRCNB	€ 260,00	Narrow/10°	15W	1700 lm	1530 lm	24Vdc	3000K	III	66	09
5085W/WRRCMB	€ 260,00	Medium/26°	15W	1700 lm	1500 lm	24Vdc	3000K	III	66	09
5085W/WRRCWB	€ 260,00	Wide/56°	15W	1700 lm	1440 lm	24Vdc	3000K	III	66	09
5085W/NRRCNB	€ 260,00	Narrow/10°	15W	1750 lm	1575 lm	24Vdc	4000K	III	66	09
5085W/NRRCMB	€ 260,00	Medium/26°	15W	1750 lm	1540 lm	24Vdc	4000K	III	66	09
5085W/NRRCWB	€ 260,00	Wide/56°	15W	1750 lm	1500 lm	24Vdc	4000K	III	66	09

Extra clear transparent tempered glass

Adjustable Floodlight - max 700mA - H 122 x L 102 x W 95 x Ø 85



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5085W/HRCCNB	€ 235,00	Narrow/10°	15W	1650 lm	1485 lm	max 700mA	2700K	III	66	09
5085W/HRCCMB	€ 235,00	Medium/26°	15W	1650 lm	1450 lm	max 700mA	2700K	III	66	09
5085W/HRCCWB	€ 235,00	Wide/56°	15W	1650 lm	1400 lm	max 700mA	2700K	III	66	09
5085W/WRCCNB	€ 235,00	Narrow/10°	15W	1700 lm	1530 lm	max 700mA	3000K	III	66	09
5085W/WRCCMB	€ 235,00	Medium/26°	15W	1700 lm	1500 lm	max 700mA	3000K	III	66	09
5085W/WRCCWB	€ 235,00	Wide/56°	15W	1700 lm	1440 lm	max 700mA	3000K	III	66	09
5085W/NRCCNB	€ 235,00	Narrow/10°	15W	1750 lm	1575 lm	max 700mA	4000K	III	66	09
5085W/NRCCMB	€ 235,00	Medium/26°	15W	1750 lm	1540 lm	max 700mA	4000K	III	66	09
5085W/NRCCWB	€ 235,00	Wide/56°	15W	1750 lm	1500 lm	max 700mA	4000K	III	66	09


Extra clear transparent tempered glass

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38
 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26
 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92
 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92	 KIT.032 15,00 €	Floodlight Spike Kit H 235 x Ø 85
 KIT.033 30,00 €	Strap for floodlight L 2000 x H 25	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35
 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35	 V.SCH.086.XX 5,00 €	Honeycomb for Bloom Maxi Ø 59 x H 5		

VEGA




Adjustable Floodlight - Built-in driver - H 165 x W 185 x Ø base 150



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2700W/WC35.NB	€ 235,00	Narrow/18°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700W/WC35.MB	€ 235,00	Medium/29°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700W/WC35.WB	€ 235,00	Wide/38°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700W/NC35.NB	€ 235,00	Narrow/18°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07
2700W/NC35.MB	€ 235,00	Medium/29°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07
2700W/NC35.WB	€ 235,00	Wide/38°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Adjustable Floodlight with spike - Built-in driver - H 471 x W 185




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2700P/WC35.NB	€ 235,00	Narrow/18°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700P/WC35.MB	€ 235,00	Medium/29°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700P/WC35.WB	€ 235,00	Wide/38°	14W	1835 lm	1288 lm	220-240Vac 50/60Hz	3000K	I	65	07
2700P/NC35.NB	€ 235,00	Narrow/18°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07
2700P/NC35.MB	€ 235,00	Medium/29°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07
2700P/NC35.WB	€ 235,00	Wide/38°	14W	1925 lm	1351 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass


ACCESSORI:

	AC2700 Anti-glare visor for Vega Ø 95 25,00 €		MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €		MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €
--	---	--	--	--	--

LUNOS MINI




Floodlight LED COB - Built-in driver - H 228 x L 160 x W 125



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650W/HC0.NB	€ 250,00	Narrow/10°	15W	1650 lm	1485 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/HC0.MB	€ 250,00	Medium/26°	15W	1650 lm	1450 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/HC0.WB	€ 250,00	Wide/56°	15W	1650 lm	1400 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/WC0.NB	€ 250,00	Narrow/10°	15W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/WC0.MB	€ 250,00	Medium/26°	15W	1700 lm	1500 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/WC0.WB	€ 250,00	Wide/56°	15W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/NC0.NB	€ 250,00	Narrow/10°	15W	1750 lm	1575 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650W/NC0.MB	€ 250,00	Medium/26°	15W	1750 lm	1540 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650W/NC0.WB	€ 250,00	Wide/56°	15W	1750 lm	1500 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Floodlight LED COB DALI - Built-in driver - H 228 x L 160 x W 125




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650W/HD0.NB	€ 305,00	Narrow/10°	15W	1650 lm	1485 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/HD0.MB	€ 305,00	Medium/26°	15W	1650 lm	1450 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/HD0.WB	€ 305,00	Wide/56°	15W	1650 lm	1400 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650W/WD0.NB	€ 305,00	Narrow/10°	15W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/WD0.MB	€ 305,00	Medium/26°	15W	1700 lm	1500 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/WD0.WB	€ 305,00	Wide/56°	15W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/ND0.NB	€ 305,00	Narrow/10°	15W	1750 lm	1575 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650W/ND0.MB	€ 305,00	Medium/26°	15W	1750 lm	1540 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650W/ND0.WB	€ 305,00	Wide/56°	15W	1750 lm	1500 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Floodlight with Spike LED COB - Built-in driver - H 534 x L 160 x W 125



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650P/HC0.NB	€ 250,00	Narrow/10°	15W	1650 lm	1485 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/HC0.MB	€ 250,00	Medium/26°	15W	1650 lm	1450 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/HC0.WB	€ 250,00	Wide/56°	15W	1650 lm	1400 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/WC0.NB	€ 250,00	Narrow/10°	15W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/WC0.MB	€ 250,00	Medium/26°	15W	1700 lm	1500 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/WC0.WB	€ 250,00	Wide/56°	15W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/NC0.NB	€ 250,00	Narrow/10°	15W	1750 lm	1575 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650P/NC0.MB	€ 250,00	Medium/26°	15W	1750 lm	1540 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650P/NC0.WB	€ 250,00	Wide/56°	15W	1750 lm	1500 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Floodlight LED COB DALI with Spike - Built-in driver - H 534 x L 160 x W 125




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650P/HD0.NB	€ 305,00	Narrow/10°	15W	1650 lm	1485 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/HD0.MB	€ 305,00	Medium/26°	15W	1650 lm	1450 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/HD0.WB	€ 305,00	Wide/56°	15W	1650 lm	1400 lm	220-240Vac 50/60Hz	2700K	I	65	07
9650P/WD0.NB	€ 305,00	Narrow/10°	15W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/WD0.MB	€ 305,00	Medium/26°	15W	1700 lm	1500 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/WD0.WB	€ 305,00	Wide/56°	15W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/ND0.NB	€ 305,00	Narrow/10°	15W	1750 lm	1575 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650P/ND0.MB	€ 305,00	Medium/26°	15W	1750 lm	1540 lm	220-240Vac 50/60Hz	4000K	I	65	07
9650P/ND0.WB	€ 305,00	Wide/56°	15W	1750 lm	1500 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Floodlight LED DIRECT AC - H 160 x L 140 x W 82



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650W/WCA.NB	€ 195,00	Narrow/20°	7W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650W/WCA.WB	€ 195,00	Wide/40°	7W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07

Extra clear transparent tempered glass

Floodlight LED DIRECT AC with Spike - H 466 x L 140







Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9650P/WCA.NB	€ 195,00	Narrow/20°	7W	1700 lm	1530 lm	220-240Vac 50/60Hz	3000K	I	65	07
9650P/WCA.WB	€ 195,00	Wide/40°	7W	1700 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	07

Extra clear transparent tempered glass

ACCESSORI:


	AC9650 Anti-glare visor for Lunos Mini Ø 92 25,00 €		E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €		KIT.036 Extension arm for wall L 500 95,00 €
--	---	---	---	---	--

LUNOS

**Floodlight LED COB - Built-in driver - H 268 x L 187 x W 150 x Ø base 125**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9600W/HC3.NB	€ 290,00	Narrow/14°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/HC3.MB	€ 290,00	Medium/24°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/HC3.WB	€ 290,00	Wide/45°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/WC3.NB	€ 290,00	Narrow/14°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/WC3.MB	€ 290,00	Medium/24°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/WC3.WB	€ 290,00	Wide/45°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/NC3.NB	€ 290,00	Narrow/14°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600W/NC3.MB	€ 290,00	Medium/24°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600W/NC3.WB	€ 290,00	Wide/45°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Floodlight LED COB DALI - Built-in driver - H 268 x L 187 x W 150 x Ø base 125

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9600W/HD3.NB	€ 360,00	Narrow/14°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/HD3.MB	€ 360,00	Medium/24°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/HD3.WB	€ 360,00	Wide/45°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600W/WD3.NB	€ 360,00	Narrow/14°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/WD3.MB	€ 360,00	Medium/24°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/WD3.WB	€ 360,00	Wide/45°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600W/ND3.NB	€ 360,00	Narrow/14°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600W/ND3.MB	€ 360,00	Medium/24°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600W/ND3.WB	€ 360,00	Wide/45°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass


DALI-2 integrated

Floodlight with Spike LED COB - Built-in driver - H 574 x L 187 x W 150 x Ø base 125

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9600P/HC3.NB	€ 290,00	Narrow/14°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/HC3.MB	€ 290,00	Medium/24°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/HC3.WB	€ 290,00	Wide/45°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/WC3.NB	€ 290,00	Narrow/14°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/WC3.MB	€ 290,00	Medium/24°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/WC3.WB	€ 290,00	Wide/45°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/NC3.NB	€ 290,00	Narrow/14°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600P/NC3.MB	€ 290,00	Medium/24°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600P/NC3.WB	€ 290,00	Wide/45°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Floodlight LED COB DALI with Spike - Built-in driver - H 268 x L 187 x W 150 x Ø base 125




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9600P/HD3.NB	€ 360,00	Narrow/14°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/HD3.MB	€ 360,00	Medium/24°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/HD3.WB	€ 360,00	Wide/45°	27W	3030 lm	2517 lm	220-240Vac 50/60Hz	2700K	I	66	08
9600P/WD3.NB	€ 360,00	Narrow/14°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/WD3.MB	€ 360,00	Medium/24°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/WD3.WB	€ 360,00	Wide/45°	27W	3190 lm	2650 lm	220-240Vac 50/60Hz	3000K	I	66	08
9600P/ND3.NB	€ 360,00	Narrow/14°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600P/ND3.MB	€ 360,00	Medium/24°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08
9600P/ND3.WB	€ 360,00	Wide/45°	27W	3340 lm	2780 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass
DALI-2 integrated


ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.036 Extension arm for wall L 500 95,00 €
--	--

LUNOS MAXI




Floodlight LED COB - Built-in driver - H 415 x L 240 x W 325



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9710W/HC50NB	€ 765,00	Narrow/10°	58W	5225 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/HC50MB	€ 765,00	Medium/38°	58W	5225 lm	4018 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/HC50WB	€ 765,00	Wide/56°	58W	5225 lm	4189 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/WC50NB	€ 765,00	Narrow/10°	58W	5500 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/WC50MB	€ 765,00	Medium/38°	58W	5500 lm	4230 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/WC50WB	€ 765,00	Wide/56°	58W	5500 lm	4410 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/NC50NB	€ 765,00	Narrow/10°	58W	5700 lm	4230 lm	220-240Vac 50/60Hz	4000K	I	66	08
9710W/NC50MB	€ 765,00	Medium/38°	58W	5700 lm	4400 lm	220-240Vac 50/60Hz	4000K	I	66	08
9710W/NC50WB	€ 765,00	Wide/56°	58W	5700 lm	4590 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Floodlight LED COB DALI - Built-in driver - H 415 x L 240 x W 325



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9710W/HD50NB	€ 800,00	Narrow/10°	58W	5225 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/HD50MB	€ 800,00	Medium/38°	58W	5225 lm	4018 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/HD50WB	€ 800,00	Wide/56°	58W	5225 lm	4189 lm	220-240Vac 50/60Hz	2700K	I	66	08
9710W/WD50NB	€ 800,00	Narrow/10°	58W	5500 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/WD50MB	€ 800,00	Medium/38°	58W	5500 lm	4230 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/WD50WB	€ 800,00	Wide/56°	58W	5500 lm	4410 lm	220-240Vac 50/60Hz	3000K	I	66	08
9710W/ND50NB	€ 800,00	Narrow/10°	58W	5700 lm	4230 lm	220-240Vac 50/60Hz	4000K	I	66	08
9710W/ND50MB	€ 800,00	Medium/38°	58W	5700 lm	4400 lm	220-240Vac 50/60Hz	4000K	I	66	08
9710W/ND50WB	€ 800,00	Wide/56°	58W	5700 lm	4590 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €
 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

MODO FLOODLIGHT

00
White RAL 9016

01
Black RAL 9005

10
White RAL 9010

24
Bronze


25
Rust

30
Anthracite

35
Slate Grey

40
Grey RAL 9006


Module Vertical Emission - H 165 x L 55 x W 118



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
610W1/HP70NB	€ 260,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HP70MB	€ 260,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HP70WB	€ 260,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HP70BB	€ 260,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/WP70NB	€ 260,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WP70MB	€ 260,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WP70WB	€ 260,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WP70BB	€ 260,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/NP70NB	€ 260,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/NP70MB	€ 260,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/NP70WB	€ 260,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/NP70BB	€ 260,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Module DALI Vertical Emission - H 165 x L 55 x W 118




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
610W1/HD70NB	€ 280,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HD70MB	€ 280,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HD70WB	€ 280,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/HD70BB	€ 280,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
610W1/WD70NB	€ 280,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WD70MB	€ 280,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WD70WB	€ 280,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/WD70BB	€ 280,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
610W1/ND70NB	€ 280,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/ND70MB	€ 280,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/ND70WB	€ 280,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
610W1/ND70BB	€ 280,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass


DALI-2 integrated

Module Horizontal Emission - H 92 x L 137 x W 118



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
611W1/HP70NB	€ 260,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HP70MB	€ 260,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HP70WB	€ 260,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HP70BB	€ 260,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/WP70NB	€ 260,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WP70MB	€ 260,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WP70WB	€ 260,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WP70BB	€ 260,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/NP70NB	€ 260,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/NP70MB	€ 260,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/NP70WB	€ 260,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/NP70BB	€ 260,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Module DALI Horizontal Emission - H 92 x L 137 x W 118

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
611W1/HD70NB	€ 280,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HD70MB	€ 280,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HD70WB	€ 280,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/HD70BB	€ 280,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
611W1/WD70NB	€ 280,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WD70MB	€ 280,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WD70WB	€ 280,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/WD70BB	€ 280,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
611W1/ND70NB	€ 280,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/ND70MB	€ 280,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/ND70WB	€ 280,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
611W1/ND70BB	€ 280,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:

 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33				

KUBO6-S

00
White RAL 9016

01
Black RAL 9005

10
White RAL 9010

24
Bronze


25
Rust

30
Anthracite

35
Slate Grey

40
Grey RAL 9006


Adjustable Floodlight - 24Vdc - H 92 x L 74 x W 76



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2107W/HCRCNB	€ 200,00	Narrow/10°	8W	817 lm	684 lm	24Vdc	2700K	III	66	07
2107W/HCRCMB	€ 200,00	Medium/26°	8W	817 lm	684 lm	24Vdc	2700K	III	66	07
2107W/HCRCWB	€ 200,00	Wide/56°	8W	817 lm	684 lm	24Vdc	2700K	III	66	07
2107W/WCRCNB	€ 200,00	Narrow/10°	8W	860 lm	720 lm	24Vdc	3000K	III	66	07
2107W/WCRCMB	€ 200,00	Medium/26°	8W	860 lm	720 lm	24Vdc	3000K	III	66	07
2107W/WCRCWB	€ 200,00	Wide/56°	8W	860 lm	720 lm	24Vdc	3000K	III	66	07
2107W/NCRCNB	€ 200,00	Narrow/10°	8W	890 lm	750 lm	24Vdc	4000K	III	66	07
2107W/NCRCMB	€ 200,00	Medium/26°	8W	890 lm	750 lm	24Vdc	4000K	III	66	07
2107W/NCRCWB	€ 200,00	Wide/56°	8W	890 lm	750 lm	24Vdc	4000K	III	66	07

Extra clear transparent tempered glass

Adjustable Floodlight - LED DIRECT AC - H 92 x L 74 x W 76




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2107W/WCACNB	€ 180,00	Narrow/20°	7W	680 lm	476 lm	220-240Vac 50/60Hz	3000K	I	66	07
2107W/WCACWB	€ 180,00	Wide/40°	7W	680 lm	476 lm	220-240Vac 50/60Hz	3000K	I	66	07

Extra clear transparent tempered glass


ACCESSORI:

 AC2106 25,00 €	Anti-glare visor for Kubo6 L 65 x H 65	 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32
 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 KIT.022 15,00 €	Floodlight Spike Kit L 40 x W 30 x H 235	 KIT.036 95,00 €	Extension arm for wall L 500
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35
 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35				

KUBO12-B




Adjustable Floodlight - Built-in driver - H 145 x L 125 x W 125



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2112W/HC35.NB	€ 295,00	Narrow/10°	14W	1600 lm	1200 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/HC35.MB	€ 295,00	Medium/38°	14W	1600 lm	1250 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/HC35.WB	€ 295,00	Wide/56°	14W	1600 lm	1290 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/WC35.NB	€ 295,00	Narrow/10°	14W	1700 lm	1270 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/WC35.MB	€ 295,00	Medium/38°	14W	1700 lm	1340 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/WC35.WB	€ 295,00	Wide/56°	14W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/NC35.NB	€ 295,00	Narrow/10°	14W	1780 lm	1340 lm	220-240Vac 50/60Hz	4000K	I	66	07
2112W/NC35.MB	€ 295,00	Medium/38°	14W	1780 lm	1400 lm	220-240Vac 50/60Hz	4000K	I	66	07
2112W/NC35.WB	€ 295,00	Wide/56°	14W	1780 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	66	07

Extra clear transparent tempered glass

Adjustable Floodlight DALI - Built-in driver - H 145 x L 125 x W 125



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2112W/HD35.NB	€ 345,00	Narrow/10°	14W	1600 lm	1250 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/HD35.MB	€ 345,00	Medium/38°	14W	1600 lm	1200 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/HD35.WB	€ 345,00	Wide/56°	14W	1600 lm	1290 lm	220-240Vac 50/60Hz	2700K	I	66	07
2112W/WD35.NB	€ 345,00	Narrow/10°	14W	1700 lm	1340 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/WD35.MB	€ 345,00	Medium/38°	14W	1700 lm	1270 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/WD35.WB	€ 345,00	Wide/56°	14W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	66	07
2112W/ND35.NB	€ 345,00	Narrow/10°	14W	1780 lm	1400 lm	220-240Vac 50/60Hz	4000K	I	66	07
2112W/ND35.MB	€ 345,00	Medium/38°	14W	1780 lm	1340 lm	220-240Vac 50/60Hz	4000K	I	66	07
2112W/ND35.WB	€ 345,00	Wide/56°	14W	1780 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	66	07


Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:


 AC2112 25,00 €	Anti-glare visor for Kubo12 L 125 x H 125	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 KIT.036 95,00 €	Extension arm for wall L 500
 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31	 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2,5 mm² L 140 x W 72 x H 33		

KUBO12-B RGBW



Adjustable Floodlight RGBW - 24Vdc - H 145 x L 125 x W 125

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2112W/RCRC.NB	€ 875,00	Narrow/10°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.MB	€ 875,00	Medium/20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.WB	€ 875,00	Wide/30°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.SW	€ 875,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07


Extra clear transparent tempered glass

Dimmable


ACCESSORI:

 AC2112 25,00 €	Anti-glare visor for Kubo12 L 125 x H 125	 E.CNT.001 230,00 €	RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29.5 x H 120	 E.CNT.002 2600,00 €	RGBW Controller 1024DMX Ch. 5-15Vdc L 146 x W 10 x H 106
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	 E.TRA.594 450,00 €	Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26
 KIT.036 95,00 €	Extension arm for wall L 500				

KUBO12-S




Adjustable Floodlight - Built-in driver - H 174 x L 140 x W 130



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2113W/HC35NB	€ 315,00	Narrow/10°	14W	1600 lm	1200 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/HC35MB	€ 315,00	Medium/38°	14W	1600 lm	1250 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/HC35WB	€ 315,00	Wide/56°	14W	1600 lm	1290 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/WC35NB	€ 315,00	Narrow/10°	14W	1700 lm	1270 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/WC35MB	€ 315,00	Medium/38°	14W	1700 lm	1340 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/WC35WB	€ 315,00	Wide/56°	14W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/NC35NB	€ 315,00	Narrow/10°	14W	1780 lm	1340 lm	220-240Vac 50/60Hz	4000K	I	66	07
2113W/NC35MB	€ 315,00	Medium/38°	14W	1780 lm	1400 lm	220-240Vac 50/60Hz	4000K	I	66	07
2113W/NC35WB	€ 315,00	Wide/56°	14W	1780 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	66	07

Extra clear transparent tempered glass

Adjustable Floodlight DALI - Built-in driver - H 174 x L 140 x W 130



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2113W/HD35NB	€ 370,00	Narrow/10°	14W	1600 lm	1200 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/HD35MB	€ 370,00	Medium/38°	14W	1600 lm	1250 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/HD35WB	€ 370,00	Wide/56°	14W	1600 lm	1290 lm	220-240Vac 50/60Hz	2700K	I	66	07
2113W/WD35NB	€ 370,00	Narrow/10°	14W	1700 lm	1270 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/WD35MB	€ 370,00	Medium/38°	14W	1700 lm	1340 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/WD35WB	€ 370,00	Wide/56°	14W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	66	07
2113W/ND35NB	€ 370,00	Narrow/10°	14W	1780 lm	1340 lm	220-240Vac 50/60Hz	4000K	I	66	07
2113W/ND35MB	€ 370,00	Medium/38°	14W	1780 lm	1400 lm	220-240Vac 50/60Hz	4000K	I	66	07
2113W/ND35WB	€ 370,00	Wide/56°	14W	1780 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	66	07

Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:

 AC2112 25,00 €	Anti-glare visor for Kubo12 L 125 x H 125	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 KIT.032 15,00 €	Floodlight Spike Kit H 235 x Ø 85
 KIT.036 95,00 €	Extension arm for wall L 500	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35


KUBO12-S HP

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				

Adjustable Floodlight HP - Built-in driver - H 174 x L 140 x W 130



NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2123W/HC50NB	€ 330,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/HC50MB	€ 330,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/HC50WB	€ 330,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/WC50NB	€ 330,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/WC50MB	€ 330,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/WC50WB	€ 330,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/NC50NB	€ 330,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	I	66	07
2123W/NC50MB	€ 330,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	I	66	07
2123W/NC50WB	€ 330,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	I	66	07

Extra clear transparent tempered glass

Adjustable Floodlight HP DALI - Built-in driver - H 174 x L 140 x W 130



NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2123W/HD50NB	€ 385,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/HD50MB	€ 385,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/HD50WB	€ 385,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	2700K	I	66	07
2123W/WD50NB	€ 385,00	Narrow/15°	20W	2700 lm	1900 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/WD50MB	€ 385,00	Medium/25°	20W	2700 lm	1940 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/WD50WB	€ 385,00	Wide/36°	20W	2700 lm	2000 lm	220-240Vac 50/60Hz	3000K	I	66	07
2123W/ND50NB	€ 385,00	Narrow/15°	20W	2850 lm	2000 lm	220-240Vac 50/60Hz	4000K	I	66	07
2123W/ND50MB	€ 385,00	Medium/25°	20W	2850 lm	2040 lm	220-240Vac 50/60Hz	4000K	I	66	07
2123W/ND50WB	€ 385,00	Wide/36°	20W	2850 lm	2100 lm	220-240Vac 50/60Hz	4000K	I	66	07

Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:


 AC2112 25,00 €	Anti-glare visor for Kubo12 L 125 x H 125	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 KIT.032 15,00 €	Floodlight Spike Kit H 235 x Ø 85
 KIT.036 95,00 €	Extension arm for wall L 500	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35

KUBO12-S RGBW

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				

Adjustable Floodlight RGBW - 24Vdc - H 174 x L 140 x W 130

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2113W/RCRCNB	€ 935,00	Narrow/10°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCMB	€ 935,00	Medium/20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCWB	€ 935,00	Wide/30°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCSW	€ 935,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07


Extra clear transparent tempered glass

Dimmable


ACCESSORI:

 AC2112 25,00 €	Anti-glare visor for Kubo12 L 125 x H 125	 E.CNT.001 230,00 €	RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29.5 x H 120	 E.CNT.002 2600,00 €	RGBW Controller 1024DMX Ch. 5-15Vdc L 146 x W 10 x H 106
 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	 E.TRA.594 450,00 €	Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26
 KIT.036 95,00 €	Extension arm for wall L 500	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31	 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33
 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35		

MATRIX MINI FLOODLIGHT



Linear Floodlight with Lens L. 530 - 24Vdc - H 30 x L 530 x W 30




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2811P/HPRCNB	€ 360,00	Narrow/20°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811P/HPRCWB	€ 360,00	Wide/45°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811P/HPRCOB	€ 360,00	Oval/20°x40°	8W	900 lm	737 lm	24Vdc	2700K	III	67	08
2811P/WPRCNB	€ 360,00	Narrow/20°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811P/WPRCWB	€ 360,00	Wide/45°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811P/WPRCOB	€ 360,00	Oval/20°x40°	8W	900 lm	785 lm	24Vdc	3000K	III	67	08
2811P/NPRCNB	€ 360,00	Narrow/20°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08
2811P/NPRCWB	€ 360,00	Wide/45°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08
2811P/NPRCOB	€ 360,00	Oval/20°x40°	8W	970 lm	840 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable

Linear Floodlight Diffuse Emission L. 530 - 24Vdc - H 30 x L 530 x W 30




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2811P/HRRCVS	€ 320,00	Diffused	8W	1130 lm	179 lm	24Vdc	2700K	III	67	08
2811P/WRRCVS	€ 320,00	Diffused	8W	1130 lm	280 lm	24Vdc	3000K	III	67	08
2811P/NRRCVS	€ 320,00	Diffused	8W	1220 lm	300 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 4 mm

Dimmable

Linear Floodlight with Lens L. 780 - 24Vdc - H 30 x L 780 x W 30




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2812P/HPRCNB	€ 420,00	Narrow/20°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812P/HPRCWB	€ 420,00	Wide/45°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812P/HPRCOB	€ 420,00	Oval/20°x40°	12W	1350 lm	1109 lm	24Vdc	2700K	III	67	08
2812P/WPRCNB	€ 420,00	Narrow/20°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812P/WPRCWB	€ 420,00	Wide/45°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812P/WPRCOB	€ 420,00	Oval/20°x40°	12W	1350 lm	1180 lm	24Vdc	3000K	III	67	08
2812P/NPRCNB	€ 420,00	Narrow/20°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08
2812P/NPRCWB	€ 420,00	Wide/45°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08
2812P/NPRCOB	€ 420,00	Oval/20°x40°	12W	1450 lm	1260 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable

Linear Floodlight Diffuse Emission L. 780 - 24Vdc - H 30 x L 780 x W 30




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2812P/HRRCVS	€ 370,00	Diffused	12W	1700 lm	394 lm	24Vdc	2700K	III	67	08
2812P/WRRCVS	€ 370,00	Diffused	12W	1700 lm	420 lm	24Vdc	3000K	III	67	08
2812P/NRRCVS	€ 370,00	Diffused	12W	1830 lm	450 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 4 mm

Dimmable

Linear Floodlight with Lens L. 1030 - 24Vdc - H 30 x L 1030 x W 30




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2813P/HPRCNB	€ 485,00	Narrow/20°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813P/HPRCWB	€ 485,00	Wide/45°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813P/HPRCOB	€ 485,00	Oval/20°x40°	16W	1800 lm	1479 lm	24Vdc	2700K	III	67	08
2813P/WPRCNB	€ 485,00	Narrow/20°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813P/WPRCWB	€ 485,00	Wide/45°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813P/WPRCOB	€ 485,00	Oval/20°x40°	16W	1800 lm	1574 lm	24Vdc	3000K	III	67	08
2813P/NPRCNB	€ 485,00	Narrow/20°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08
2813P/NPRCWB	€ 485,00	Wide/45°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08
2813P/NPRCOB	€ 485,00	Oval/20°x40°	16W	1940 lm	1678 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 4 mm

Dimmable

Linear Floodlight Diffuse Emission L. 1030 - 24Vdc - H 30 x L 1030 x W 30



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2813P/HRRCVS	€ 420,00	Diffused	16W	2260 lm	526 lm	24Vdc	2700K	III	67	08
2813P/WRRCVS	€ 420,00	Diffused	16W	2260 lm	560 lm	24Vdc	3000K	III	67	08
2813P/NRRCVS	€ 420,00	Diffused	16W	2440 lm	600 lm	24Vdc	4000K	III	67	08


Extra clear opal tempered glass 4 mm

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22
 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	 F.PIA.463.1030 30,00 €	Anti-glare visor for Matrix Mini L 1030
 F.PIA.463.530 20,00 €	Anti-glare visor for Matrix Mini L 530	 F.PIA.463.780 25,00 €	Anti-glare visor for Matrix Mini L 780	 HUB.24V.001.CA 540,00 €	Hub 70W 24Vdc IP66 CASAMBI L 235 x W 200 x H 92
 HUB.24V.001.DA2 470,00 €	Hub 70W 24Vdc IP66 DALI-2 L 235 x W 200 x H 92	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22
 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35		

MATRIX FLOODLIGHT




Linear Floodlight with Lens L. 306 - H 100 x L 306 x W 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/HP50.NB	€ 365,00	Narrow/12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HP50.MB	€ 365,00	Medium/28°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HP50.WB	€ 365,00	Wide/50°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HP50.OB	€ 365,00	Oval/42°x12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/WP50.NB	€ 365,00	Narrow/12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WP50.MB	€ 365,00	Medium/28°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WP50.WB	€ 365,00	Wide/50°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WP50.OB	€ 365,00	Oval/42°x12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/NP50.NB	€ 365,00	Narrow/12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/NP50.MB	€ 365,00	Medium/28°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/NP50.WB	€ 365,00	Wide/50°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/NP50.OB	€ 365,00	Oval/42°x12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07

Extra clear transparent tempered glass 5 mm

Linear Floodlight DALI with Lens L. 306 - H 100 x L 306 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/HD50.NB	€ 475,00	Narrow/12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HD50.MB	€ 475,00	Medium/28°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HD50.WB	€ 475,00	Wide/50°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/HD50.OB	€ 475,00	Oval/42°x12°	14W	1379 lm	1159 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/WD50.NB	€ 475,00	Narrow/12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WD50.MB	€ 475,00	Medium/28°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WD50.WB	€ 475,00	Wide/50°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/WD50.OB	€ 475,00	Oval/42°x12°	14W	1452 lm	1220 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/ND50.NB	€ 475,00	Narrow/12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/ND50.MB	€ 475,00	Medium/28°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/ND50.WB	€ 475,00	Wide/50°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07
2800P/ND50.OB	€ 475,00	Oval/42°x12°	14W	1525 lm	1281 lm	220-240Vac 50/60Hz	4000K	I	67	07

Extra clear transparent tempered glass 5 mm


DALI-2 integrated

Linear Floodlight Diffuse Emission L. 306 - H 100 x L 306 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/HR50VS	€ 290,00	Diffused	8W	826 lm	322 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/WR50VS	€ 290,00	Diffused	8W	870 lm	339 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/NR50VS	€ 290,00	Diffused	8W	920 lm	357 lm	220-240Vac 50/60Hz	4000K	I	67	07


Extra clear opal tempered glass 5 mm

Linear Floodlight DALI Diffuse Emission L. 306 - H 100 x L 306 x W 45


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/HD50VS	€ 400,00	Diffused	8W	826 lm	322 lm	220-240Vac 50/60Hz	2700K	I	67	07
2800P/WD50VS	€ 400,00	Diffused	8W	870 lm	339 lm	220-240Vac 50/60Hz	3000K	I	67	07
2800P/ND50VS	€ 400,00	Diffused	8W	920 lm	357 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										
DALI-2 integrated										

Linear Floodlight with Lens L. 586 - H 100 x L 586 x W 45

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/HP50.NB	€ 500,00	Narrow/12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HP50.MB	€ 500,00	Medium/28°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HP50.WB	€ 500,00	Wide/50°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HP50.OB	€ 500,00	Oval/42°x12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/WP50.NB	€ 500,00	Narrow/12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WP50.MB	€ 500,00	Medium/28°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WP50.WB	€ 500,00	Wide/50°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WP50.OB	€ 500,00	Oval/42°x12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/NP50.NB	€ 500,00	Narrow/12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/NP50.MB	€ 500,00	Medium/28°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/NP50.WB	€ 500,00	Wide/50°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/NP50.OB	€ 500,00	Oval/42°x12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										


Linear Floodlight DALI with Lens L. 586 - H 100 x L 586 x W 45

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/HD50.NB	€ 600,00	Narrow/12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HD50.MB	€ 600,00	Medium/28°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HD50.WB	€ 600,00	Wide/50°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/HD50.OB	€ 600,00	Oval/42°x12°	26W	2759 lm	2318 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/WD50.NB	€ 600,00	Narrow/12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WD50.MB	€ 600,00	Medium/28°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WD50.WB	€ 600,00	Wide/50°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/WD50.OB	€ 600,00	Oval/42°x12°	26W	2905 lm	2440 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/ND50.NB	€ 600,00	Narrow/12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/ND50.MB	€ 600,00	Medium/28°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/ND50.WB	€ 600,00	Wide/50°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
2801P/ND50.OB	€ 600,00	Oval/42°x12°	26W	3050 lm	2562 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										
DALI-2 integrated										

Linear Floodlight Diffuse Emission L. 586 - H 100 x L 586 x W 45


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/HR50VS	€ 370,00	Diffused	14W	1653 lm	644 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/WR50VS	€ 370,00	Diffused	14W	1740 lm	678 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/NR50VS	€ 370,00	Diffused	14W	1840 lm	718 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										

Linear Floodlight DALI Diffuse Emission L. 586 - H 100 x L 586 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/HD50VS	€ 430,00	Diffused	14W	1653 lm	644 lm	220-240Vac 50/60Hz	2700K	I	67	07
2801P/WD50VS	€ 430,00	Diffused	14W	1740 lm	678 lm	220-240Vac 50/60Hz	3000K	I	67	07
2801P/ND50VS	€ 430,00	Diffused	14W	1840 lm	718 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										
DALI-2 integrated										

Linear Floodlight with Lens L. 866 - H 100 x L 866 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/HP50.NB	€ 635,00	Narrow/12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HP50.MB	€ 635,00	Medium/28°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HP50.WB	€ 635,00	Wide/50°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HP50.OB	€ 635,00	Oval/42°x12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/WP50.NB	€ 635,00	Narrow/12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WP50.MB	€ 635,00	Medium/28°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WP50.WB	€ 635,00	Wide/50°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WP50.OB	€ 635,00	Oval/42°x12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/NP50.NB	€ 635,00	Narrow/12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/NP50.MB	€ 635,00	Medium/28°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/NP50.WB	€ 635,00	Wide/50°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/NP50.OB	€ 635,00	Oval/42°x12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										

Linear Floodlight DALI with Lens L. 866 - H 100 x L 866 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/HD50.NB	€ 690,00	Narrow/12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HD50.MB	€ 690,00	Medium/28°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HD50.WB	€ 690,00	Wide/50°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/HD50.OB	€ 690,00	Oval/42°x12°	42W	4139 lm	3477 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/WD50.NB	€ 690,00	Narrow/12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WD50.MB	€ 690,00	Medium/28°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WD50.WB	€ 690,00	Wide/50°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/WD50.OB	€ 690,00	Oval/42°x12°	42W	4357 lm	3660 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/ND50.NB	€ 690,00	Narrow/12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/ND50.MB	€ 690,00	Medium/28°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/ND50.WB	€ 690,00	Wide/50°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
2802P/ND50.OB	€ 690,00	Oval/42°x12°	42W	4575 lm	3843 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										
DALI-2 integrated										


Linear Floodlight Diffuse Emission L. 866 - H 100 x L 866 x W 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/HR50VS	€ 415,00	Diffused	20W	2479 lm	969 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/WR50VS	€ 415,00	Diffused	20W	2610 lm	1020 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/NR50VS	€ 415,00	Diffused	20W	2760 lm	1076 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										

Linear Floodlight DALI Diffuse Emission L. 866 - H 100 x L 866 x W 45


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/HD50VS	€ 460,00	Diffused	20W	2479 lm	969 lm	220-240Vac 50/60Hz	2700K	I	67	07
2802P/WD50VS	€ 460,00	Diffused	20W	2610 lm	1020 lm	220-240Vac 50/60Hz	3000K	I	67	07
2802P/ND50VS	€ 460,00	Diffused	20W	2760 lm	1076 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										
DALI-2 integrated										

Linear Floodlight with Lens L. 1146 - H 100 x L 1146 x W 45

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/HP50.NB	€ 760,00	Narrow/12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HP50.MB	€ 760,00	Medium/28°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HP50.WB	€ 760,00	Wide/50°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HP50.OB	€ 760,00	Oval/42°x12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/WP50.NB	€ 760,00	Narrow/12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WP50.MB	€ 760,00	Medium/28°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WP50.WB	€ 760,00	Wide/50°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WP50.OB	€ 760,00	Oval/42°x12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/NP50.NB	€ 760,00	Narrow/12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/NP50.MB	€ 760,00	Medium/28°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/NP50.WB	€ 760,00	Wide/50°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/NP50.OB	€ 760,00	Oval/42°x12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										


Linear Floodlight DALI with Lens L. 1146 - H 100 x L 1146 x W 45

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/HD50.NB	€ 815,00	Narrow/12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HD50.MB	€ 815,00	Medium/28°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HD50.WB	€ 815,00	Wide/50°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/HD50.OB	€ 815,00	Oval/42°x12°	54W	5519 lm	4636 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/WD50.NB	€ 815,00	Narrow/12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WD50.MB	€ 815,00	Medium/28°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WD50.WB	€ 815,00	Wide/50°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/WD50.OB	€ 815,00	Oval/42°x12°	54W	5810 lm	4880 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/ND50.NB	€ 815,00	Narrow/12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/ND50.MB	€ 815,00	Medium/28°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/ND50.WB	€ 815,00	Wide/50°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
2803P/ND50.OB	€ 815,00	Oval/42°x12°	54W	6100 lm	5124 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear transparent tempered glass 5 mm										
DALI-2 integrated										

Linear Floodlight Diffuse Emission L. 1146 - H 100 x L 1146 x W 45

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/HR50VS	€ 480,00	Diffused	26W	3306 lm	1287 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/WR50VS	€ 480,00	Diffused	26W	3480 lm	1355 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/NR50VS	€ 480,00	Diffused	26W	3680 lm	1435 lm	220-240Vac 50/60Hz	4000K	I	67	07
Extra clear opal tempered glass 5 mm										

Linear Floodlight DALI Diffuse Emission L. 1146 - H 100 x L 1146 x W 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/HD50VS	€ 490,00	Diffused	26W	3306 lm	1287 lm	220-240Vac 50/60Hz	2700K	I	67	07
2803P/WD50VS	€ 490,00	Diffused	26W	3480 lm	1355 lm	220-240Vac 50/60Hz	3000K	I	67	07
2803P/ND50VS	€ 490,00	Diffused	26W	3680 lm	1435 lm	220-240Vac 50/60Hz	4000K	I	67	07

Extra clear opal tempered glass 5 mm

DALI-2 integrated

ACCESSORI:


 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31 10,00 €
 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2,5 mm² L 140 x W 72 x H 33 10,00 €	 MOR685P/3VS Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35 15,00 €	 MOR685P/4VS Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35 15,00 €

MATRIX FLOODLIGHT RGBW

 00 White RAL 9016	 01 Black RAL 9005	 10 White RAL 9010	 24 Bronze	 25 Rust	 30 Anthracite
 35 Slate Grey	 40 Grey RAL 9006				

Linear Floodlight RGBW L. 306 - H 100 x L 306 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/RCRC.MB	€ 680,00	Medium/24°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.WB	€ 680,00	Wide/35°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.SW	€ 680,00	Super Wide/54°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.O4	€ 680,00	Oval/40°x20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L. 586 - H 100 x L 586 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/RCRC.MB	€ 1.040,00	Medium/24°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.WB	€ 1.040,00	Wide/35°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.SW	€ 1.040,00	Super Wide/54°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.O4	€ 1.040,00	Oval/40°x20°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L. 866 - H 100 x L 866 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/RCRC.MB	€ 1.390,00	Medium/24°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.WB	€ 1.390,00	Wide/35°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.SW	€ 1.390,00	Super Wide/54°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.O4	€ 1.390,00	Oval/40°x20°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L.1146 - H 100 x L 1146 x W 45

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/RCRC.MB	€ 1.750,00	Medium/24°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.WB	€ 1.750,00	Wide/35°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.SW	€ 1.750,00	Super Wide/54°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.O4	€ 1.750,00	Oval/40°x20°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07


Extra clear transparent tempered glass

Dimmable

ACCESSORI:

 E.CNT.001 230,00 €	RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29,5 x H 120	 E.CNT.002 2600,00 €	RGBW Controller 1024DMX Ch. 5-15Vdc L 146 x W 10 x H 106	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32
 E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	 E.TRA.594 450,00 €	Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2,5 mm² L 140 x W 72 x H 33	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35	 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35

STEM SMALL POLE



Small Pole H. 300 - 24Vdc - H 300 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F1/HRRC	€ 230,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	2700K	III	65	08
350F1/WRRC	€ 230,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	3000K	III	65	08
350F1/NRRC	€ 230,00	Diffused 360°	11W	1510 lm	880 lm	24Vdc	4000K	III	65	08

PO = Opal polycarbonate
Dimmable

Small Pole H. 300 - LED DIRECT AC - H 300 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F1/WTAC	€ 245,00	Diffused 360°	12W	1300 lm	730 lm	220-240Vac	3000K	I	65	08

PO = Opal polycarbonate
Phase cut dimmable

Small Pole H. 600 - 24Vdc - H 600 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F2/HRRC	€ 240,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	2700K	III	65	08
350F2/WRRC	€ 240,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	3000K	III	65	08
350F2/NRRC	€ 240,00	Diffused 360°	11W	1510 lm	880 lm	24Vdc	4000K	III	65	08

PO = Opal polycarbonate
Dimmable


Small Pole H. 600 - LED DIRECT AC - H 600 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F2/WTAC	€ 255,00	Diffused 360°	12W	1300 lm	730 lm	220-240Vac	3000K	I	65	08

PO = Opal polycarbonate
Phase cut dimmable


Small Pole H. 900 - 24Vdc - H 900 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F3/HRRC	€ 255,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	2700K	III	65	08
350F3/WRRC	€ 255,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	3000K	III	65	08
350F3/NRRC	€ 255,00	Diffused 360°	11W	1510 lm	880 lm	24Vdc	4000K	III	65	08

PO = Opal polycarbonate
Dimmable

Small Pole H. 900 - LED DIRECT AC - H 900 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350F3/WTAC	€ 270,00	Diffused 360°	12W	1300 lm	730 lm	220-240Vac	3000K	I	65	08

PO = Opal polycarbonate

Phase cut dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36
 HUB.24V.001.CA 540,00 €	Hub 70W 24Vdc IP66 CASAMBI L 235 x W 200 x H 92	 HUB.24V.001.DA2 470,00 €	Hub 70W 24Vdc IP66 DALI-2 L 235 x W 200 x H 92	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 KIT.023 20,00 €	Small pole Spike Kit H 350 x Ø 80	 KIT.024 5,00 €	Inground formwork kit for small pole H 110 x Ø 135	 KIT.034 270,00 €	Kit Casambi IP68 220V Triac L 150 x W 80 x H 40
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31		

BLOOM MINI BOLLARD




Adjustable Small Pole H. 350 - 24Vdc - H 350 x Ø 35 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F1/HRRCNB	€ 260,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	2700K	III	66	08
5000F1/HRRCMB	€ 260,00	Medium/30°	2W	170 lm	125 lm	24Vdc	2700K	III	66	08
5000F1/HRRCWB	€ 260,00	Wide/40°	2W	170 lm	120 lm	24Vdc	2700K	III	66	08
5000F1/WRRCNB	€ 260,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	3000K	III	66	08
5000F1/WRRCMB	€ 260,00	Medium/30°	2W	170 lm	125 lm	24Vdc	3000K	III	66	08
5000F1/WRRCWB	€ 260,00	Wide/40°	2W	170 lm	120 lm	24Vdc	3000K	III	66	08
5000F1/NRRCNB	€ 260,00	Narrow/15°	2W	190 lm	150 lm	24Vdc	4000K	III	66	08
5000F1/NRRCMB	€ 260,00	Medium/30°	2W	190 lm	145 lm	24Vdc	4000K	III	66	08
5000F1/NRRCWB	€ 260,00	Wide/40°	2W	190 lm	140 lm	24Vdc	4000K	III	66	08

Extra clear transparent tempered glass


Adjustable Small Pole H. 650 - 24Vdc - H 650 x Ø 35 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F2/HRRCNB	€ 270,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	2700K	III	66	08
5000F2/HRRCMB	€ 270,00	Medium/30°	2W	170 lm	125 lm	24Vdc	2700K	III	66	08
5000F2/HRRCWB	€ 270,00	Wide/40°	2W	170 lm	120 lm	24Vdc	2700K	III	66	08
5000F2/WRRCNB	€ 270,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	3000K	III	66	08
5000F2/WRRCMB	€ 270,00	Medium/30°	2W	170 lm	125 lm	24Vdc	3000K	III	66	08
5000F2/WRRCWB	€ 270,00	Wide/40°	2W	170 lm	120 lm	24Vdc	3000K	III	66	08
5000F2/NRRCNB	€ 270,00	Narrow/15°	2W	190 lm	150 lm	24Vdc	4000K	III	66	08
5000F2/NRRCMB	€ 270,00	Medium/30°	2W	190 lm	145 lm	24Vdc	4000K	III	66	08
5000F2/NRRCWB	€ 270,00	Wide/40°	2W	190 lm	140 lm	24Vdc	4000K	III	66	08


Extra clear transparent tempered glass

Adjustable Small Pole H. 950 - 24Vdc - H 950 x Ø 35 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F3/HRRCNB	€ 285,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	2700K	III	66	08
5000F3/HRRCMB	€ 285,00	Medium/30°	2W	170 lm	125 lm	24Vdc	2700K	III	66	08
5000F3/HRRCWB	€ 285,00	Wide/40°	2W	170 lm	120 lm	24Vdc	2700K	III	66	08
5000F3/WRRCNB	€ 285,00	Narrow/15°	2W	170 lm	130 lm	24Vdc	3000K	III	66	08
5000F3/WRRCMB	€ 285,00	Medium/30°	2W	170 lm	125 lm	24Vdc	3000K	III	66	08
5000F3/WRRCWB	€ 285,00	Wide/40°	2W	170 lm	120 lm	24Vdc	3000K	III	66	08
5000F3/NRRCNB	€ 285,00	Narrow/15°	2W	190 lm	150 lm	24Vdc	4000K	III	66	08
5000F3/NRRCMB	€ 285,00	Medium/30°	2W	190 lm	145 lm	24Vdc	4000K	III	66	08
5000F3/NRRCWB	€ 285,00	Wide/40°	2W	190 lm	140 lm	24Vdc	4000K	III	66	08


Extra clear transparent tempered glass

Adjustable Small Pole H. 350 - max 700mA - H 350 x Ø 35 x Ø base 80

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F1/HRCCNB	€ 230,00	Narrow/15°	2W	220 lm	170 lm	max 700mA	2700K	III	66	08
5000F1/HRCCMB	€ 230,00	Medium/30°	2W	220 lm	165 lm	max 700mA	2700K	III	66	08
5000F1/HRCCWB	€ 230,00	Wide/40°	2W	220 lm	162 lm	max 700mA	2700K	III	66	08
5000F1/WRCCNB	€ 230,00	Narrow/15°	2W	220 lm	170 lm	max 700mA	3000K	III	66	08
5000F1/WRCCMB	€ 230,00	Medium/30°	2W	220 lm	165 lm	max 700mA	3000K	III	66	08
5000F1/WRCCWB	€ 230,00	Wide/40°	2W	220 lm	162 lm	max 700mA	3000K	III	66	08
5000F1/NRCCNB	€ 230,00	Narrow/15°	2W	240 lm	188 lm	max 700mA	4000K	III	66	08
5000F1/NRCCMB	€ 230,00	Medium/30°	2W	240 lm	183 lm	max 700mA	4000K	III	66	08
5000F1/NRCCWB	€ 230,00	Wide/40°	2W	240 lm	180 lm	max 700mA	4000K	III	66	08

Extra clear transparent tempered glass


Dimmable

Adjustable Small Pole H. 650 - max 700mA - H 650 x Ø 35 x Ø base 80

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F2/HRCCNB	€ 240,00	Narrow/15°	2W	220 lm	170lm	max 700mA	2700K	III	66	08
5000F2/HRCCMB	€ 240,00	Medium/30°	2W	220 lm	165 lm	max 700mA	2700K	III	66	08
5000F2/HRCCWB	€ 240,00	Wide/40°	2W	220 lm	162 lm	max 700mA	2700K	III	66	08
5000F2/WRCCNB	€ 240,00	Narrow/15°	2W	220 lm	170 lm	max 700mA	3000K	III	66	08
5000F2/WRCCMB	€ 240,00	Medium/30°	2W	220 lm	165 lm	max 700mA	3000K	III	66	08
5000F2/WRCCWB	€ 240,00	Wide/40°	2W	220 lm	162 lm	max 700mA	3000K	III	66	08
5000F2/NRCCNB	€ 240,00	Narrow/15°	2W	240 lm	188 lm	max 700mA	4000K	III	66	08
5000F2/NRCCMB	€ 240,00	Medium/30°	2W	240 lm	183 lm	max 700mA	4000K	III	66	08
5000F2/NRCCWB	€ 240,00	Wide/40°	2W	240 lm	180 lm	max 700mA	4000K	III	66	08

Extra clear transparent tempered glass

Dimmable

Adjustable Small Pole H. 950 - max 700mA - H 950 x Ø 35 x Ø base 80

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
5000F3/HRCCNB	€ 255,00	Narrow/15°	2W	220 lm	170 lm	max 700mA	2700K	III	66	08
5000F3/HRCCMB	€ 255,00	Medium/30°	2W	220 lm	165 lm	max 700mA	2700K	III	66	08
5000F3/HRCCWB	€ 255,00	Wide/40°	2W	220 lm	162 lm	max 700mA	2700K	III	66	08
5000F3/WRCCNB	€ 255,00	Narrow/15°	2W	220 lm	170 lm	max 700mA	3000K	III	66	08
5000F3/WRCCMB	€ 255,00	Medium/30°	2W	220 lm	165 lm	max 700mA	3000K	III	66	08
5000F3/WRCCWB	€ 255,00	Wide/40°	2W	220 lm	162 lm	max 700mA	3000K	III	66	08
5000F3/NRCCNB	€ 255,00	Narrow/15°	2W	240 lm	188 lm	max 700mA	4000K	III	66	08
5000F3/NRCCMB	€ 255,00	Medium/30°	2W	240 lm	183 lm	max 700mA	4000K	III	66	08
5000F3/NRCCWB	€ 255,00	Wide/40°	2W	240 lm	180 lm	max 700mA	4000K	III	66	08




Extra clear transparent tempered glass

Dimmable

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 KIT.023 20,00 €	Small pole Spike Kit H 350 x Ø 80	 KIT.024 5,00 €	Inground formwork kit for small pole H 110 x Ø 135	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22

SLEEK

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006**Bollard H. 200 - H 200 x Ø 120**

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F0/HR50PT	€ 230,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F0/WR50PT	€ 230,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F0/NR50PT	€ 230,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10

Pointed glass

Bollard DALI H. 200 - H 200 x Ø 120

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F0/HD50PT	€ 300,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F0/WD50PT	€ 300,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F0/ND50PT	€ 300,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10

Pointed glass

DALI-2 integrated

Bollard TRIAC H. 200 - H 200 x Ø 120

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F0/HT50PT	€ 260,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F0/WT50PT	€ 260,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F0/NT50PT	€ 260,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10

Pointed glass

Phase cut dimmable

Bollard H. 700 - H 700 x Ø 120

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F1/HR50PT	€ 270,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F1/WR50PT	€ 270,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F1/NR50PT	€ 270,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10

Pointed glass

Bollard DALI H. 700 - H 700 x Ø 120


NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F1/HD50PT	€ 340,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F1/WD50PT	€ 340,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F1/ND50PT	€ 340,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10

Pointed glass

DALI-2 integrated

Bollard TRIAC H. 700 - H 700 x Ø 120**NEWS**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F1/HT50PT	€ 300,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F1/WT50PT	€ 300,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F1/NT50PT	€ 300,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10
Pointed glass										
Phase cut dimmable										

Bollard H. 1000 - H 1000 x Ø 120**NEWS**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F2/HR50PT	€ 290,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F2/WR50PT	€ 290,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F2/NR50PT	€ 290,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10
Pointed glass										

Bollard DALI H. 1000 - H 1000 x Ø 120**NEWS**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F2/HD50PT	€ 360,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F2/WD50PT	€ 360,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F2/ND50PT	€ 360,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10
Pointed glass										
DALI-2 integrated										





Bollard TRIAC H. 1000 - H 1000 x Ø 120**NEWS**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
420F2/HT50PT	€ 320,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	2700K	I	65	10
420F2/WT50PT	€ 320,00	Diffused 360°	15W	2100 lm	700 lm	220-240Vac 50/60Hz	3000K	I	65	10
420F2/NT50PT	€ 320,00	Diffused 360°	15W	2200 lm	730 lm	220-240Vac 50/60Hz	4000K	I	65	10
Pointed glass										
Phase cut dimmable										

ACCESSORI:


 E.TA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.031 Ground anchoring anchor bolts/centring plate 20,00 €	 KIT.034 Kit Casambi IP68 220V Triac L 150 x W 80 x H 40 270,00 €
 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €	 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €

NAOS400

**Bollard H. 350 Emission 360° - H 350 x Ø 140 x Ø base 187**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F0/HR35.PT	€ 360,00	Indirect/Diffused 360°	14W	1805 lm	930 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F0/WR35.PT	€ 360,00	Indirect/Diffused 360°	14W	1900 lm	980 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F0/NR35.PT	€ 360,00	Indirect/Diffused 360°	14W	2000 lm	1030 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard TRIAC H. 350 Emission 360° - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F0/HR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2565 lm	1330 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F0/WR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2700 lm	1400 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F0/NR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2835 lm	1470 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 600 Emission 360° - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F1/HR35.PT	€ 385,00	Indirect/Diffused 360°	14W	1805 lm	930 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F1/WR35.PT	€ 385,00	Indirect/Diffused 360°	14W	1900 lm	980 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F1/NR35.PT	€ 385,00	Indirect/Diffused 360°	14W	2000 lm	1030 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 600 Emission 360° - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F1/HD50.PT	€ 455,00	Indirect/Diffused 360°	20W	2565 lm	1330 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F1/WD50.PT	€ 455,00	Indirect/Diffused 360°	20W	2700 lm	1400 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F1/ND50.PT	€ 455,00	Indirect/Diffused 360°	20W	2835 lm	1470 lm	220-240Vac 50/60Hz	4000K	II	65	08

Transparent polycarbonate


DALI-2 integrated

Bollard TRIAC H. 600 Emission 360° - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F1/HR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2565 lm	1330 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F1/WR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2700 lm	1400 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F1/NR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2835 lm	1470 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 1000 Emission 360° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F2/HR35.PT	€ 435,00	Indirect/Diffused 360°	14W	1805 lm	930 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F2/WR35.PT	€ 435,00	Indirect/Diffused 360°	14W	1900 lm	980 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F2/NR35.PT	€ 435,00	Indirect/Diffused 360°	14W	2000 lm	1030 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 1000 Emission 360° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F2/HD50.PT	€ 505,00	Indirect/Diffused 360°	20W	2565 lm	1330 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F2/WD50.PT	€ 505,00	Indirect/Diffused 360°	20W	2700 lm	1400 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F2/ND50.PT	€ 505,00	Indirect/Diffused 360°	20W	2835 lm	1470 lm	220-240Vac 50/60Hz	4000K	II	65	08

Transparent polycarbonate


DALI-2 integrated

Bollard TRIAC H. 1000 Emission 360° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
400F2/HR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2565 lm	1330 lm	220-240Vac 50/60Hz	2700K	II	65	08
400F2/WR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2700 lm	1400 lm	220-240Vac 50/60Hz	3000K	II	65	08
400F2/NR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2835 lm	1470 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 350 Emission 180° - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F0/HR35.PT	€ 360,00	Indirect/Diffused 180°	14W	1805 lm	465 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F0/WR35.PT	€ 360,00	Indirect/Diffused 180°	14W	1900 lm	490 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F0/NR35.PT	€ 360,00	Indirect/Diffused 180°	14W	2000 lm	515 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard TRIAC H. 350 Emission 180° - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F0/HR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2565 lm	665 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F0/WR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2700 lm	700 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F0/NR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2835 lm	730 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable


Bollard H. 600 Emission 180° - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F1/HR35.PT	€ 385,00	Indirect/Diffused 180°	14W	1805 lm	465 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F1/WR35.PT	€ 385,00	Indirect/Diffused 180°	14W	1900 lm	490 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F1/NR35.PT	€ 385,00	Indirect/Diffused 180°	14W	2000 lm	515 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 600 Emission 180° - H 600 x Ø 140 x Ø base 187


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F1/HD50.PT	€ 455,00	Indirect/Diffused 180°	20W	2565 lm	665 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F1/WD50.PT	€ 455,00	Indirect/Diffused 180°	20W	2700 lm	700 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F1/ND50.PT	€ 455,00	Indirect/Diffused 180°	20W	2835 lm	730 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
DALI-2 integrated										

Bollard TRIAC H. 600 Emission 180° - H 600 x Ø 140 x Ø base 187


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F1/HR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2565 lm	665 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F1/WR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2700 lm	700 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F1/NR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2835 lm	730 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
Phase cut dimmable										

Bollard H. 1000 Emission 180° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F2/HR35.PT	€ 435,00	Indirect/Diffused 180°	14W	1805 lm	465 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F2/WR35.PT	€ 435,00	Indirect/Diffused 180°	14W	1900 lm	490 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F2/NR35.PT	€ 435,00	Indirect/Diffused 180°	14W	2000 lm	515 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										

Bollard DALI H. 1000 Emission 180° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F2/HD50.PT	€ 505,00	Indirect/Diffused 180°	20W	2565 lm	665 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F2/WD50.PT	€ 505,00	Indirect/Diffused 180°	20W	2700 lm	700 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F2/ND50.PT	€ 505,00	Indirect/Diffused 180°	20W	2835 lm	730 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
DALI-2 integrated										



Bollard TRIAC H. 1000 Emission 180° - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
402F2/HR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2565 lm	665 lm	220-240Vac 50/60Hz	2700K	II	65	08
402F2/WR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2700 lm	700 lm	220-240Vac 50/60Hz	3000K	II	65	08
402F2/NR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2835 lm	730 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
Phase cut dimmable										

ACCESSORI:


 E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €	 KIT.005 Ground anchoring anchor bolts/centring plate 55,00 €	 KIT.034 Kit Casambi IP68 220V Triac L 150 x W 80 x H 40 270,00 €
 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31 10,00 €	

NAOS401

**Bollard H. 350 Emission 360°/Black reflector - H 350 x Ø 140 x Ø base 187**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F0/HR35.PT	€ 360,00	Indirect/Diffused 360°	14W	1805 lm	600 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F0/WR35.PT	€ 360,00	Indirect/Diffused 360°	14W	1900 lm	635 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F0/NR35.PT	€ 360,00	Indirect/Diffused 360°	14W	2000 lm	670 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard TRIAC H. 350 Emission 360°/Black reflector - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F0/HR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2565 lm	855 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F0/WR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2700 lm	900 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F0/NR50.PT	€ 390,00	Indirect/Diffused 360°	20W	2835 lm	945 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 600 Emission 360°/Black reflector - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F1/HR35.PT	€ 385,00	Indirect/Diffused 360°	14W	1805 lm	600 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F1/WR35.PT	€ 385,00	Indirect/Diffused 360°	14W	1900 lm	635 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F1/NR35.PT	€ 385,00	Indirect/Diffused 360°	14W	2000 lm	670 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 600 Emission 360°/Black reflector - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F1/HD50.PT	€ 455,00	Indirect/Diffused 360°	20W	2565 lm	855 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F1/WD50.PT	€ 455,00	Indirect/Diffused 360°	20W	2700 lm	900 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F1/ND50.PT	€ 455,00	Indirect/Diffused 360°	20W	2835 lm	945 lm	220-240Vac 50/60Hz	4000K	II	65	08

Transparent polycarbonate


DALI-2 integrated

Bollard TRIAC H. 600 Emission 360°/Black reflector - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F1/HR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2565 lm	855 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F1/WR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2700 lm	900 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F1/NR50.PT	€ 415,00	Indirect/Diffused 360°	20W	2835 lm	945 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 1000 Emission 360°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F2/HR35.PT	€ 435,00	Indirect/Diffused 360°	14W	1805 lm	600 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F2/WR35.PT	€ 435,00	Indirect/Diffused 360°	14W	1900 lm	635 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F2/NR35.PT	€ 435,00	Indirect/Diffused 360°	14W	2000 lm	670 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 1000 Emission 360°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F2/HD50.PT	€ 505,00	Indirect/Diffused 360°	20W	2565 lm	855 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F2/WD50.PT	€ 505,00	Indirect/Diffused 360°	20W	2700 lm	900 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F2/ND50.PT	€ 505,00	Indirect/Diffused 360°	20W	2835 lm	945 lm	220-240Vac 50/60Hz	4000K	II	65	08

Transparent polycarbonate

DALI-2 integrated

Bollard TRIAC H. 1000 Emission 360°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
401F2/HR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2565 lm	855 lm	220-240Vac 50/60Hz	2700K	II	65	08
401F2/WR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2700 lm	900 lm	220-240Vac 50/60Hz	3000K	II	65	08
401F2/NR50.PT	€ 465,00	Indirect/Diffused 360°	20W	2835 lm	950 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable

Bollard H. 350 Emission 180°/Black reflector - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F0/HR35.PT	€ 360,00	Indirect/Diffused 180°	14W	1805 lm	300 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F0/WR35.PT	€ 360,00	Indirect/Diffused 180°	14W	1900 lm	317 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F0/NR35.PT	€ 360,00	Indirect/Diffused 180°	14W	2000 lm	335 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard TRIAC H. 350 Emission 180°/Black reflector - H 350 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F0/HR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2565 lm	430 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F0/WR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2700 lm	450 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F0/NR50.PT	€ 390,00	Indirect/Diffused 180°	20W	2835 lm	475 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Phase cut dimmable


Bollard H. 600 Emission 180°/Black reflector - H 600 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F1/HR35.PT	€ 385,00	Indirect/Diffused 180°	14W	1805 lm	300 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F1/WR35.PT	€ 385,00	Indirect/Diffused 180°	14W	1900 lm	317 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F1/NR35.PT	€ 385,00	Indirect/Diffused 180°	14W	2000 lm	335 lm	220-240Vac 50/60Hz	4000K	II	65	08


Transparent polycarbonate

Bollard DALI H. 600 Emission 180°/Black reflector - H 600 x Ø 140 x Ø base 187


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F1/HD50.PT	€ 455,00	Indirect/Diffused 180°	20W	2565 lm	430 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F1/WD50.PT	€ 455,00	Indirect/Diffused 180°	20W	2700 lm	450 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F1/ND50.PT	€ 455,00	Indirect/Diffused 180°	20W	2835 lm	475 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
DALI-2 integrated										

Bollard TRIAC H. 600 Emission 180°/Black reflector - H 600 x Ø 140 x Ø base 187


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F1/HR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2565 lm	430 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F1/WR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2700 lm	450 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F1/NR50.PT	€ 415,00	Indirect/Diffused 180°	20W	2835 lm	475 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
Phase cut dimmable										

Bollard H. 1000 Emission 180°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F2/HR35.PT	€ 435,00	Indirect/Diffused 180°	14W	1805 lm	300 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F2/WR35.PT	€ 435,00	Indirect/Diffused 180°	14W	1900 lm	317 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F2/NR35.PT	€ 435,00	Indirect/Diffused 180°	14W	2000 lm	335 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										

Bollard DALI H. 1000 Emission 180°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F2/HD50.PT	€ 505,00	Indirect/Diffused 180°	20W	2565 lm	430 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F2/WD50.PT	€ 505,00	Indirect/Diffused 180°	20W	2700 lm	450 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F2/ND50.PT	€ 505,00	Indirect/Diffused 180°	20W	2835 lm	475 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
DALI-2 integrated										


Bollard TRIAC H. 1000 Emission 180°/Black reflector - H 1000 x Ø 140 x Ø base 187

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
403F2/HR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2565 lm	430 lm	220-240Vac 50/60Hz	2700K	II	65	08
403F2/WR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2700 lm	450 lm	220-240Vac 50/60Hz	3000K	II	65	08
403F2/NR50.PT	€ 465,00	Indirect/Diffused 180°	20W	2835 lm	475 lm	220-240Vac 50/60Hz	4000K	II	65	08
Transparent polycarbonate										
Phase cut dimmable										


ACCESSORI:

 E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €	 KIT.005 Ground anchoring anchor bolts/centring plate 55,00 €	 KIT.034 Kit Casambi IP68 220V Triac L 150 x W 80 x H 40 270,00 €
 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31 5,00 €	 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31 10,00 €	

NOVA

**Bollard H. 460 - H 460 x Ø 140 x Ø base 187**

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F0/HR70PO	€ 415,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F0/WR70PO	€ 415,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F0/NR70PO	€ 415,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

Bollard DALI H. 460 - H 460 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F0/HD70PO	€ 485,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F0/WD70PO	€ 485,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F0/ND70PO	€ 485,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

DALI-2 integrated

Bollard TRIAC H. 460 - H 460 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F0/HT70PO	€ 445,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F0/WT70PO	€ 445,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F0/NT70PO	€ 445,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

Phase cut dimmable

Bollard H. 660 - H 660 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F1/HR70PO	€ 450,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F1/WR70PO	€ 450,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F1/NR70PO	€ 450,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

Bollard DALI H. 660 - H 660 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F1/HD70PO	€ 520,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F1/WD70PO	€ 520,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F1/ND70PO	€ 520,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

DALI-2 integrated

Bollard TRIAC H. 660 - H 660 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F1/HT70PO	€ 480,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F1/WT70PO	€ 480,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F1/NT70PO	€ 480,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

Phase cut dimmable

Bollard H. 1060 - H 1060 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F2/HR70PO	€ 480,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F2/WR70PO	€ 480,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F2/NR70PO	€ 480,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

Bollard DALI H. 1060 - H 1060 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F2/HD70PO	€ 550,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F2/WD70PO	€ 550,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F2/ND70PO	€ 550,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08

PO = Opal polycarbonate

DALI-2 integrated

Bollard TRIAC H. 1060 - H 1060 x Ø 140 x Ø base 187

REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
410F2/HT70PO	€ 510,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	2700K	II	65	08
410F2/WT70PO	€ 510,00	Diffused 360°	20W	1330 lm	865 lm	220-240Vac 50/60Hz	3000K	II	65	08
410F2/NT70PO	€ 510,00	Diffused 360°	20W	1388 lm	900 lm	220-240Vac 50/60Hz	4000K	II	65	08



PO = Opal polycarbonate

Phase cut dimmable

ACCESSORI:


 KIT.005 55,00 €	Ground anchoring anchor bolts/centring plate	 KIT.034 270,00 €	Kit Casambi IP68 220V Triac L 150 x W 80 x H 40	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31
 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31				

SILURETTO

**Bollard without base for underground installation - H 1045 x Ø 180**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
325F1/HR65PT	€ 765,00	Diffused 360°	26W	3648 lm	1919 lm	220-240Vac 50/60Hz	2700K	I	65	08
325F1/WR65PT	€ 765,00	Diffused 360°	26W	3840 lm	2020 lm	220-240Vac 50/60Hz	3000K	I	65	08
325F1/NR65PT	€ 765,00	Diffused 360°	26W	4080 lm	2110 lm	220-240Vac 50/60Hz	4000K	I	65	08


Transparent polycarbonate

Bollard DALI without base for underground installation - H 1045 x Ø 180

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
325F1/HD65PT	€ 825,00	Diffused 360°	26W	3648 lm	1919 lm	220-240Vac 50/60Hz	2700K	I	65	08
325F1/WD65PT	€ 825,00	Diffused 360°	26W	3840 lm	2020 lm	220-240Vac 50/60Hz	3000K	I	65	08
325F1/ND65PT	€ 825,00	Diffused 360°	26W	4080 lm	2110 lm	220-240Vac 50/60Hz	4000K	I	65	08


Transparent polycarbonate

DALI-2 integrated

Bollard with base for above ground installation - H 1045 x Ø 180

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
335F1/HR65PT	€ 765,00	Diffused 360°	26W	3648 lm	1919 lm	220-240Vac 50/60Hz	2700K	I	65	08
335F1/WR65PT	€ 765,00	Diffused 360°	26W	3840 lm	2020 lm	220-240Vac 50/60Hz	3000K	I	65	08
335F1/NR65PT	€ 765,00	Diffused 360°	26W	4080 lm	2110 lm	220-240Vac 50/60Hz	4000K	I	65	08

Transparent polycarbonate

Bollard DALI with base for above ground installation - H 1045 x Ø 180

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
335F1/HD65PT	€ 825,00	Diffused 360°	26W	3648 lm	1919 lm	220-240Vac 50/60Hz	2700K	I	65	08
335F1/WD65PT	€ 825,00	Diffused 360°	26W	3840 lm	2020 lm	220-240Vac 50/60Hz	3000K	I	65	08
335F1/ND65PT	€ 825,00	Diffused 360°	26W	4080 lm	2110 lm	220-240Vac 50/60Hz	4000K	I	65	08



Transparent polycarbonate

DALI-2 integrated

ACCESSORI:


 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 KIT.010 20,00 €	Ground anchoring anchor bolts/centring plate	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31
 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31	 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33		

ZENITH

**Bollard H. 600 - 10W - H 600 x L 118 x W 150**


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HP35A1	€ 315,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HP35A2	€ 315,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WP35A1	€ 315,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WP35A2	€ 315,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/NP35A1	€ 315,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/NP35A2	€ 315,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Bollard H. 600 - 20W - H 600 x L 118 x W 150

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HP70A1	€ 315,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HP70A2	€ 315,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WP70A1	€ 315,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WP70A2	€ 315,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/NP70A1	€ 315,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/NP70A2	€ 315,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07


Extra clear transparent tempered glass

Bollard DALI H. 600 - 10W - H 600 x L 118 x W 150

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HD35A1	€ 355,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HD35A2	€ 355,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WD35A1	€ 355,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WD35A2	€ 355,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/ND35A1	€ 355,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/ND35A2	€ 355,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass


DALI-2 integrated

Bollard DALI H. 600 - 20W - H 600 x L 118 x W 150

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HD70A1	€ 355,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HD70A2	€ 355,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WD70A1	€ 355,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WD70A2	€ 355,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/ND70A1	€ 355,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/ND70A2	€ 355,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass


DALI-2 integrated

Bollard TRIAC H. 600 - 10W - H 600 x L 118 x W 150

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HT35A1	€ 335,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HT35A2	€ 335,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WT35A1	€ 335,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WT35A2	€ 335,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/NT35A1	€ 335,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/NT35A2	€ 335,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Phase cut dimmable

Bollard TRIAC H. 600 - 20W - H 600 x L 118 x W 150


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F1/HT70A1	€ 335,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/HT70A2	€ 335,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F1/WT70A1	€ 335,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/WT70A2	€ 335,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F1/NT70A1	€ 335,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F1/NT70A2	€ 335,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Phase cut dimmable

Bollard H. 1000 - 10W - H 1000 x L 118 x W 150

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HP35A1	€ 345,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HP35A2	€ 345,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WP35A1	€ 345,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WP35A2	€ 345,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/NP35A1	€ 345,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/NP35A2	€ 345,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Bollard H. 1000 - 20W - H 1000 x L 118 x W 150

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HP70A1	€ 345,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HP70A2	€ 345,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WP70A1	€ 345,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WP70A2	€ 345,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/NP70A1	€ 345,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/NP70A2	€ 345,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Bollard DALI H. 1000 - 10W - H 1000 x L 118 x W 150

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HD35A1	€ 385,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HD35A2	€ 385,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WD35A1	€ 385,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WD35A2	€ 385,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/ND35A1	€ 385,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/ND35A2	€ 385,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

DALI-2 integrated

Bollard DALI H. 1000 - 20W - H 1000 x L 118 x W 150

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HD70A1	€ 385,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HD70A2	€ 385,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WD70A1	€ 385,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WD70A2	€ 385,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/ND70A1	€ 385,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/ND70A2	€ 385,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

DALI-2 integrated

Bollard TRIAC H. 1000 - 10W - H 1000 x L 118 x W 150

NEWS




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HT35A1	€ 365,00	Asymmetric A1	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HT35A2	€ 365,00	Asymmetric A2	10W	1368 lm	950 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WT35A1	€ 365,00	Asymmetric A1	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WT35A2	€ 365,00	Asymmetric A2	10W	1440 lm	1000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/NT35A1	€ 365,00	Asymmetric A1	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/NT35A2	€ 365,00	Asymmetric A2	10W	1512 lm	1050 lm	220-240Vac 50/60Hz	4000K	II	65	07

Extra clear transparent tempered glass

Phase cut dimmable

Bollard TRIAC H. 1000 - 20W - H 1000 x L 118 x W 150

NEWS



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
620F2/HT70A1	€ 365,00	Asymmetric A1	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/HT70A2	€ 365,00	Asymmetric A2	20W	2622 lm	1900 lm	220-240Vac 50/60Hz	2700K	II	65	07
620F2/WT70A1	€ 365,00	Asymmetric A1	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/WT70A2	€ 365,00	Asymmetric A2	20W	2760 lm	2000 lm	220-240Vac 50/60Hz	3000K	II	65	07
620F2/NT70A1	€ 365,00	Asymmetric A1	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07
620F2/NT70A2	€ 365,00	Asymmetric A2	20W	2898 lm	2100 lm	220-240Vac 50/60Hz	4000K	II	65	07



Extra clear transparent tempered glass

Phase cut dimmable


ACCESSORI:

 E.TRA.581 45,00 €	Surge protector CL II - IP67 L 37 x W 30 x H 30	 KIT.020 20,00 €	Ground anchoring with anchor bolts	 KIT.034 270,00 €	Kit Casambi IP68 220V Triac L 150 x W 80 x H 40
 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31	 MOR685P/2V 10,00 €	Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31	 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33


MODO BOLLARD

**Bollard Horizontal Single Emission H. 600 - H 600 x L 118 x W 94**


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601F1/HP70A2	€ 390,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F1/HP70WB	€ 390,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F1/WP70A2	€ 390,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F1/WP70WB	€ 390,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F1/NP70A2	€ 390,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
601F1/NP70WB	€ 390,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

Bollard DALI Horizontal Single Emission H. 600 - H 600 x L 118 x W 94


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601F1/HD70A2	€ 440,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F1/HD70WB	€ 440,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F1/WD70A2	€ 440,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F1/WD70WB	€ 440,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F1/ND70A2	€ 440,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
601F1/ND70WB	€ 440,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										
DALI-2 integrated										

Bollard Horizontal Single Emission H. 1000 - H 1000 x L 118 x W 94

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601F2/HP70A2	€ 415,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F2/HP70WB	€ 415,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F2/WP70A2	€ 415,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F2/WP70WB	€ 415,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F2/NP70A2	€ 415,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
601F2/NP70WB	€ 415,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										


Bollard DALI Horizontal Single Emission H. 1000 - H 1000 x L 118 x W 94

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601F2/HD70A2	€ 465,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F2/HD70WB	€ 465,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
601F2/WD70A2	€ 465,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F2/WD70WB	€ 465,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
601F2/ND70A2	€ 465,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
601F2/ND70WB	€ 465,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										
DALI-2 integrated										

Bollard Horizontal Double Emission H. 600 - H 600 x L 118 x W 142

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602F1/HP70A2	€ 615,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F1/HP70WB	€ 615,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F1/WP70A2	€ 615,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F1/WP70WB	€ 615,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F1/NP70A2	€ 615,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
602F1/NP70WB	€ 615,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07


Extra clear transparent tempered glass

Bollard DALI Horizontal Double Emission H. 600 - H 600 x L 118 x W 142

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602F1/HD70A2	€ 665,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F1/HD70WB	€ 665,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F1/WD70A2	€ 665,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F1/WD70WB	€ 665,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F1/ND70A2	€ 665,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
602F1/ND70WB	€ 665,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07


Extra clear transparent tempered glass

DALI-2 integrated

Bollard Horizontal Double Emission H. 1000 - H 1000 x L 118 x W 142

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602F2/HP70A2	€ 640,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F2/HP70WB	€ 640,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F2/WP70A2	€ 640,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F2/WP70WB	€ 640,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F2/NP70A2	€ 640,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
602F2/NP70WB	€ 640,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07


Extra clear transparent tempered glass

Bollard DALI Horizontal Double Emission H. 1000 - H 1000 x L 118 x W 142


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602F2/HD70A2	€ 690,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F2/HD70WB	€ 690,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
602F2/WD70A2	€ 690,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F2/WD70WB	€ 690,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
602F2/ND70A2	€ 690,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
602F2/ND70WB	€ 690,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Bollard Single Emission H. 600 - H 600 x L 118 x W 166

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603F1/HP70A2	€ 390,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/HP70WB	€ 390,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/HP70BB	€ 390,00	Single Blade of Light/4°	3.5W	247 lm	137 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/WP70A2	€ 390,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/WP70WB	€ 390,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/WP70BB	€ 390,00	Single Blade of Light/4°	3.5W	260 lm	145 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/NP70A2	€ 390,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F1/NP70WB	€ 390,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F1/NP70BB	€ 390,00	Single Blade of Light/4°	3.5W	300 lm	177 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										


Bollard DALI Single Emission H. 600 - H 600 x L 118 x W 166

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603F1/HD70A2	€ 440,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/HD70WB	€ 440,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/HD70BB	€ 440,00	Single Blade of Light/4°	3.5W	247 lm	137 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F1/WD70A2	€ 440,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/WD70WB	€ 440,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/WD70BB	€ 440,00	Single Blade of Light/4°	3.5W	260 lm	145 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F1/ND70A2	€ 440,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F1/ND70WB	€ 440,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F1/ND70BB	€ 440,00	Single Blade of Light/4°	3.5W	300 lm	177 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

DALI-2 integrated

Bollard Single Emission H. 1000 - H 1000 x L 118 x W 166


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603F2/HP70A2	€ 415,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/HP70WB	€ 415,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/HP70BB	€ 415,00	Single Blade of Light/4°	3.5W	247 lm	137 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/WP70A2	€ 415,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/WP70WB	€ 415,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/WP70BB	€ 415,00	Single Blade of Light/4°	3.5W	260 lm	145 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/NP70A2	€ 415,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F2/NP70WB	€ 415,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F2/NP70BB	€ 415,00	Single Blade of Light/4°	3.5W	300 lm	177 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

Bollard DALI Single Emission H. 1000 - H 1000 x L 118 x W 166


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603F2/HD70A2	€ 465,00	Single/Asymmetric	8W	750 lm	413 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/HD70WB	€ 465,00	Single/50°	8W	750 lm	326 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/HD70BB	€ 465,00	Single Blade of Light/4°	3.5W	247 lm	137 lm	220-240Vac 50/60Hz	2700K	I	65	07
603F2/WD70A2	€ 465,00	Single/Asymmetric	8W	790 lm	435 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/WD70WB	€ 465,00	Single/50°	8W	790 lm	344 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/WD70BB	€ 465,00	Single Blade of Light/4°	3.5W	260 lm	145 lm	220-240Vac 50/60Hz	3000K	I	65	07
603F2/ND70A2	€ 465,00	Single/Asymmetric	8W	900 lm	451 lm	220-240Vac 50/60Hz	4000K	I	65	07

SMALL POLES


603F2/ND70WB	€ 465,00	Single/50°	8W	900 lm	374 lm	220-240Vac 50/60Hz	4000K	I	65	07
603F2/ND70BB	€ 465,00	Single Blade of Light/4°	3.5W	300 lm	177 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										
DALI-2 integrated										

Bollard Double Emission H. 600 - H 600 x L 118 x W 286


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
604F1/HP70A2	€ 615,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/HP70WB	€ 615,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/HP70BB	€ 615,00	Double Blade of Light/4°	7W	494 lm	275 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/WP70A2	€ 615,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/WP70WB	€ 615,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/WP70BB	€ 615,00	Double Blade of Light/4°	7W	520 lm	290 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/NP70A2	€ 615,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F1/NP70WB	€ 615,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F1/NP70BB	€ 615,00	Double Blade of Light/4°	7W	600 lm	354 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

Bollard DALI Double Emission H. 600 - H 600 x L 118 x W 286

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
604F1/HD70A2	€ 665,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/HD70WB	€ 665,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/HD70BB	€ 665,00	Double Blade of Light/4°	7W	494 lm	275 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F1/WD70A2	€ 665,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/WD70WB	€ 665,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/WD70BB	€ 665,00	Double Blade of Light/4°	7W	520 lm	290 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F1/ND70A2	€ 665,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F1/ND70WB	€ 665,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F1/ND70BB	€ 665,00	Double Blade of Light/4°	7W	600 lm	354 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										
DALI-2 integrated										

Bollard Double Emission H. 1000 - H 1000 x L 118 x W 286

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
604F2/HP70A2	€ 640,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/HP70WB	€ 640,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/HP70BB	€ 640,00	Double Blade of Light/4°	7W	494 lm	275 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/WP70A2	€ 640,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/WP70WB	€ 640,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/WP70BB	€ 640,00	Double Blade of Light/4°	7W	520 lm	290 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/NP70A2	€ 640,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F2/NP70WB	€ 640,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F2/NP70BB	€ 640,00	Double Blade of Light/4°	7W	600 lm	354 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

Bollard DALI Double Emission H. 1000 - H 1000 x L 118 x W 286

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
604F2/HD70A2	€ 690,00	Double/Asymmetric	16W	1501 lm	829 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/HD70WB	€ 690,00	Double/50°	16W	1501 lm	653 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/HD70BB	€ 690,00	Double Blade of Light/4 7W		494 lm	275 lm	220-240Vac 50/60Hz	2700K	I	65	07
604F2/WD70A2	€ 690,00	Double/Asymmetric	16W	1580 lm	873 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/WD70WB	€ 690,00	Double/50°	16W	1580 lm	688 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/WD70BB	€ 690,00	Double Blade of Light/4 7W		520 lm	290 lm	220-240Vac 50/60Hz	3000K	I	65	07
604F2/ND70A2	€ 690,00	Double/Asymmetric	16W	1800 lm	905 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F2/ND70WB	€ 690,00	Double/50°	16W	1800 lm	748 lm	220-240Vac 50/60Hz	4000K	I	65	07
604F2/ND70BB	€ 690,00	Double Blade of Light/4 7W		600 lm	354 lm	220-240Vac 50/60Hz	4000K	I	65	07





Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:


 E.T.R.A.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.020 Ground anchoring with anchor bolts 20,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €	 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €	

ORION D

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006**Bollard 4 Ways H. 680 - H 680 x L 160 x W 160**


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
560F1/WR35VS	€ 585,00	Diffused >80°	14W	1880 lm	1120 lm	220-240Vac 50/60Hz	3000K	I	65	08
560F1/NR35VS	€ 585,00	Diffused >80°	14W	2020 lm	1200 lm	220-240Vac 50/60Hz	4000K	I	65	08

Sandblasted glass

Bollard 4 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
560F2/WR35VS	€ 630,00	Diffused >80°	14W	1880 lm	1120 lm	220-240Vac 50/60Hz	3000K	I	65	08
560F2/NR35VS	€ 630,00	Diffused >80°	14W	2020 lm	1200 lm	220-240Vac 50/60Hz	4000K	I	65	08


Sandblasted glass

Bollard DALI 4 Ways H. 680 - H 680 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
560F1/WD35VS	€ 620,00	Diffused >80°	14W	1880 lm	1120 lm	220-240Vac 50/60Hz	3000K	I	65	08
560F1/ND35VS	€ 620,00	Diffused >80°	14W	2020 lm	1200 lm	220-240Vac 50/60Hz	4000K	I	65	08

Sandblasted glass

DALI-2 integrated

Bollard DALI 4 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
560F2/WD35VS	€ 665,00	Diffused >80°	14W	1880 lm	1120 lm	220-240Vac 50/60Hz	3000K	I	65	08
560F2/ND35VS	€ 665,00	Diffused >80°	14W	2020 lm	1200 lm	220-240Vac 50/60Hz	4000K	I	65	08



Sandblasted glass

DALI-2 integrated

ACCESSORI:


 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.001 Ground anchoring anchor bolts/centring plate 40,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €		

ORION TL

**Bollard Total Light 4 Ways H. 260 - H 260 x L 160 x W 160**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
474F0/HR50PO	€ 450,00	Diffused/4 Ways >120°	14W	1672 lm	779 lm	220-240Vac 50/60Hz	2700K	I	65	08
474F0/WR50PO	€ 450,00	Diffused/4 Ways >120°	14W	1760 lm	820 lm	220-240Vac 50/60Hz	3000K	I	65	08
474F0/NR50PO	€ 450,00	Diffused/4 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

Bollard DALI Total Light 4 Ways H. 260 - H 260 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
474F0/HD50PO	€ 510,00	Diffused/4 Ways >120°	14W	1672 lm	779 lm	220-240Vac 50/60Hz	2700K	I	65	08
474F0/WD50PO	€ 510,00	Diffused/4 Ways >120°	14W	1760 lm	820 lm	220-240Vac 50/60Hz	3000K	I	65	08
474F0/ND50PO	€ 510,00	Diffused/4 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

Bollard Total Light 4 Ways H. 400 - H 400 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
474F1/HR50PO	€ 610,00	Diffused/4 Ways >120°	25W	3306 lm	1548 lm	220-240Vac 50/60Hz	2700K	I	65	08
474F1/WR50PO	€ 610,00	Diffused/4 Ways >120°	25W	3480 lm	1630 lm	220-240Vac 50/60Hz	3000K	I	65	08
474F1/NR50PO	€ 610,00	Diffused/4 Ways >120°	25W	3680 lm	1720 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

Bollard DALI Total Light 4 Ways H. 400 - H 400 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
474F1/HD50PO	€ 670,00	Diffused/4 Ways >120°	25W	3306 lm	1548 lm	220-240Vac 50/60Hz	2700K	I	65	08
474F1/WD50PO	€ 670,00	Diffused/4 Ways >120°	25W	3480 lm	1630 lm	220-240Vac 50/60Hz	3000K	I	65	08
474F1/ND50PO	€ 670,00	Diffused/4 Ways >120°	25W	3680 lm	1720 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

Bollard Total Light 1 Way H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
481F0/HR35PO	€ 710,00	Diffused/1 Way	10W	1187 lm	555 lm	220-240Vac 50/60Hz	2700K	I	65	08
481F0/WR35PO	€ 710,00	Diffused/1 Way	10W	1250 lm	585 lm	220-240Vac 50/60Hz	3000K	I	65	08
481F0/NR35PO	€ 710,00	Diffused/1 Way	10W	1310 lm	612 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Bollard DALI Total Light 1 Way H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
481F0/HD35PO	€ 780,00	Diffused/1 Way	10W	1187 lm	555 lm	220-240Vac 50/60Hz	2700K	I	65	08
481F0/WD35PO	€ 780,00	Diffused/1 Way	10W	1250 lm	585 lm	220-240Vac 50/60Hz	3000K	I	65	08
481F0/ND35PO	€ 780,00	Diffused/1 Way	10W	1310 lm	612 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate
DALI-2 integrated

Bollard Total Light 2 Ways H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
482F0/HR35PO	€ 710,00	Diffused/2 Ways	18W	2375 lm	1111 lm	220-240Vac 50/60Hz	2700K	I	65	08
482F0/WR35PO	€ 710,00	Diffused/2 Ways	18W	2500 lm	1170 lm	220-240Vac 50/60Hz	3000K	I	65	08
482F0/NR35PO	€ 710,00	Diffused/2 Ways	18W	2620 lm	1224 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Bollard DALI Total Light 2 Ways H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
482F0/HD35PO	€ 780,00	Diffused/2 Ways	18W	2375 lm	1111 lm	220-240Vac 50/60Hz	2700K	I	65	08
482F0/WD35PO	€ 780,00	Diffused/2 Ways	18W	2500 lm	1170 lm	220-240Vac 50/60Hz	3000K	I	65	08
482F0/ND35PO	€ 780,00	Diffused/2 Ways	18W	2620 lm	1224 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate
DALI-2 integrated

Bollard Total Light 4 Ways H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
484F0/HR35PO	€ 710,00	Diffused/4 Ways >120°	36W	4750 lm	2223 lm	220-240Vac 50/60Hz	2700K	I	65	08
484F0/WR35PO	€ 710,00	Diffused/4 Ways >120°	36W	5000 lm	2340 lm	220-240Vac 50/60Hz	3000K	I	65	08
484F0/NR35PO	€ 710,00	Diffused/4 Ways >120°	36W	5240 lm	2450 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Bollard DALI Total Light 4 Ways H. 680 - H 680 x L 160 x W 160


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
484F0/HD35PO	€ 780,00	Diffused/4 Ways >120°	36W	4750 lm	2223 lm	220-240Vac 50/60Hz	2700K	I	65	08
484F0/WD35PO	€ 780,00	Diffused/4 Ways >120°	36W	5000 lm	2340 lm	220-240Vac 50/60Hz	3000K	I	65	08
484F0/ND35PO	€ 780,00	Diffused/4 Ways >120°	36W	5240 lm	2450 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate
DALI-2 integrated

Bollard Total Light 1 Way H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
481F1/HR35PO	€ 890,00	Diffused/1 Way	15W	1786 lm	835 lm	220-240Vac 50/60Hz	2700K	I	65	08
481F1/WR35PO	€ 890,00	Diffused/1 Way	15W	1880 lm	879 lm	220-240Vac 50/60Hz	3000K	I	65	08
481F1/NR35PO	€ 890,00	Diffused/1 Way	15W	1980 lm	925 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

Bollard DALI Total Light 1 Way H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
481F1/HD35PO	€ 960,00	Diffused/1 Way	15W	1786 lm	835 lm	220-240Vac 50/60Hz	2700K	I	65	08
481F1/WD35PO	€ 960,00	Diffused/1 Way	15W	1880 lm	879 lm	220-240Vac 50/60Hz	3000K	I	65	08
481F1/ND35PO	€ 960,00	Diffused/1 Way	15W	1980 lm	925 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

Bollard Total Light 2 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
482F1/HR35PO	€ 890,00	Diffused/2 Ways	28W	3572 lm	1672 lm	220-240Vac 50/60Hz	2700K	I	65	08
482F1/WR35PO	€ 890,00	Diffused/2 Ways	28W	3760 lm	1760 lm	220-240Vac 50/60Hz	3000K	I	65	08
482F1/NR35PO	€ 890,00	Diffused/2 Ways	28W	3960 lm	1850 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

Bollard DALI Total Light 2 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
482F1/HD35PO	€ 960,00	Diffused/2 Ways	28W	3572 lm	1672 lm	220-240Vac 50/60Hz	2700K	I	65	08
482F1/WD35PO	€ 960,00	Diffused/2 Ways	28W	3760 lm	1760 lm	220-240Vac 50/60Hz	3000K	I	65	08
482F1/ND35PO	€ 960,00	Diffused/2 Ways	28W	3960 lm	1850 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

Bollard Total Light 4 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
484F1/HR35PO	€ 890,00	Diffused/4 Ways >120°	50W	7144 lm	3339 lm	220-240Vac 50/60Hz	2700K	I	65	08
484F1/WR35PO	€ 890,00	Diffused/4 Ways >120°	50W	7520 lm	3515 lm	220-240Vac 50/60Hz	3000K	I	65	08
484F1/NR35PO	€ 890,00	Diffused/4 Ways >120°	50W	7920 lm	3700 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Bollard DALI Total Light 4 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
484F1/HD35PO	€ 960,00	Diffused/4 Ways >120°	50W	7144 lm	3339 lm	220-240Vac 50/60Hz	2700K	I	65	08
484F1/WD35PO	€ 960,00	Diffused/4 Ways >120°	50W	7520 lm	3515 lm	220-240Vac 50/60Hz	3000K	I	65	08
484F1/ND35PO	€ 960,00	Diffused/4 Ways >120°	50W	7920 lm	3700 lm	220-240Vac 50/60Hz	4000K	I	65	08





PO = Opal polycarbonate

DALI-2 integrated

ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.001 Ground anchoring anchor bolts/centring plate 40,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €		


ORION ONE

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006**Bollard 1 Way H. 680 - H 680 x L 160 x W 160**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
451F0/WR50PO	€ 715,00	Diffused/1 Way >120°	10W	1300 lm	620 lm	220-240Vac 50/60Hz	3000K	I	65	08
451F0/NR50PO	€ 715,00	Diffused/1 Way >120°	10W	1360 lm	670 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Bollard 2 Ways H. 680 - H 680 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
452F0/WR50PO	€ 715,00	Diffused/2 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	3000K	I	65	08
452F0/NR50PO	€ 715,00	Diffused/2 Ways >120°	14W	1920 lm	910 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Bollard 4 Ways H. 680 - H 680 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
454F0/WR50PO	€ 715,00	Diffused/4 Ways >120°	14W	1760 lm	820 lm	220-240Vac 50/60Hz	3000K	I	65	08
454F0/NR50PO	€ 715,00	Diffused/4 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Bollard 1 Way H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
451F1/WR50PO	€ 770,00	Diffused/1 Way >120°	10W	1300 lm	620 lm	220-240Vac 50/60Hz	3000K	I	65	08
451F1/NR50PO	€ 770,00	Diffused/1 Way >120°	10W	1360 lm	670 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Bollard 2 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
452F1/WR50PO	€ 770,00	Diffused/2 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	3000K	I	65	08
452F1/NR50PO	€ 770,00	Diffused/2 Ways >120°	14W	1920 lm	910 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Bollard 4 Ways H. 960 - H 960 x L 160 x W 160

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
454F1/WR50PO	€ 770,00	Diffused/4 Ways >120°	14W	1760 lm	820 lm	220-240Vac 50/60Hz	3000K	I	65	08
454F1/NR50PO	€ 770,00	Diffused/4 Ways >120°	14W	1840 lm	860 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI available on request

Bollard 4 Ways H. 960 - Illuminating Head H. 310 - H 960 x L 160 x W 160



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
464F1/WR50PO	€ 980,00	Diffused/4 Ways >120°	25W	3480 lm	1630 lm	220-240Vac 50/60Hz	3000K	I	65	08
464F1/NR50PO	€ 980,00	Diffused/4 Ways >120°	25W	3680 lm	1720 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate
DALI available on request

ACCESSORI:


 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 KIT.001 40,00 €	Ground anchoring anchor bolts/centring plate	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33				

SQUARE SMALL POLE

**Bollard H. 500 square window - H 500 x L 346 x W 138**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
290F0/WR3.PR	€ 710,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
290F0/NR3.PR	€ 710,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

Bollard DALI H. 500 square window - H 500 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
290F0/WD3.PR	€ 770,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
290F0/ND3.PR	€ 770,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

DALI-2 integrated

Bollard H. 1000 square window - H 1000 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
290F1/WR3.PR	€ 940,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
290F1/NR3.PR	€ 940,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

Bollard DALI H. 1000 square window - H 1000 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
290F1/WD3.PR	€ 1.000,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
290F1/ND3.PR	€ 1.000,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

DALI-2 integrated

Bollard H. 500 rectangular window - H 500 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
295F0/WR3.PR	€ 730,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
295F0/NR3.PR	€ 730,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

Bollard DALI H. 500 rectangular window - H 500 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
295F0/WD3.PR	€ 790,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
295F0/ND3.PR	€ 790,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07


Transparent polycarbonate

DALI-2 integrated

Bollard H. 1000 rectangular window - H 1000 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
295F1/WR3.PR	€ 970,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
295F1/NR3.PR	€ 970,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07

Transparent polycarbonate

Bollard DALI H. 1000 rectangular window - H 1000 x L 346 x W 138

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
295F1/WD3.PR	€ 1.030,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
295F1/ND3.PR	€ 1.030,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07

Transparent polycarbonate

DALI-2 integrated

ACCESSORI:

	E.TRA.580	Surge protector CLI - IP67 L 37 x W 30 x H 30		KIT.019 Ground anchoring with anchor brackets		MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31
	55,00 €					


KIT.019
20,00 €

 Ground anchoring with anchor
brackets

MOR683P/2V
5,00 €

 Connector IP68 3Poles/2Ways
3 x 2.5 mm² L 95 x Ø 31

UP&DOWN MINI WALL

00
White RAL 9016

01
Black RAL 9005

10
White RAL 9010

24
Bronze


25
Rust

30
Anthracite

35
Slate Grey

40
Grey RAL 9006

Wall luminaire Single Emission - Built-in driver - H 220 x W 129 x Ø 75




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7556W/HC35NB	€ 280,00	Single Narrow/10°	8W	753 lm	684 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HC35MB	€ 280,00	Single Medium/26°	8W	753 lm	686 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HC35WB	€ 280,00	Single Wide/56°	8W	753 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/WC35NB	€ 280,00	Single Narrow/10°	8W	793 lm	720 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WC35MB	€ 280,00	Single Medium/26°	8W	793 lm	723 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WC35WB	€ 280,00	Single Wide/56°	8W	793 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/NC35NB	€ 280,00	Single Narrow/10°	8W	825 lm	749 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/NC35MB	€ 280,00	Single Medium/26°	8W	825 lm	752 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/NC35WB	€ 280,00	Single Wide/56°	8W	825 lm	687 lm	220-240Vac 50/60Hz	4000K	I	65	08

Extra clear transparent tempered glass

Wall luminaire DALI Single Emission - Built-in driver - H 220 x W 129 x Ø 75




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7556W/HD35NB	€ 345,00	Single Narrow/10°	8W	753 lm	684 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HD35MB	€ 345,00	Single Medium/26°	8W	753 lm	686 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HD35WB	€ 345,00	Single Wide/56°	8W	753 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/WD35NB	€ 345,00	Single Narrow/10°	8W	793 lm	720 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WD35MB	€ 345,00	Single Medium/26°	8W	793 lm	723 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WD35WB	€ 345,00	Single Wide/56°	8W	793 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/ND35NB	€ 345,00	Single Narrow/10°	8W	825 lm	749 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/ND35MB	€ 345,00	Single Medium/26°	8W	825 lm	752 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/ND35WB	€ 345,00	Single Wide/56°	8W	825 lm	687 lm	220-240Vac 50/60Hz	4000K	I	65	08

Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Single Emission - Built-in driver - H 220 x W 129 x Ø 75



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7556W/HT35NB	€ 305,00	Single Narrow/10°	8W	753 lm	684 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HT35MB	€ 305,00	Single Medium/26°	8W	753 lm	686 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/HT35WB	€ 305,00	Single Wide/56°	8W	753 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	08
7556W/WT35NB	€ 305,00	Single Narrow/10°	8W	793 lm	720 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WT35MB	€ 305,00	Single Medium/26°	8W	793 lm	723 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/WT35WB	€ 305,00	Single Wide/56°	8W	793 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	08
7556W/NT35NB	€ 305,00	Single Narrow/10°	8W	825 lm	749 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/NT35MB	€ 305,00	Single Medium/26°	8W	825 lm	752 lm	220-240Vac 50/60Hz	4000K	I	65	08
7556W/NT35WB	€ 305,00	Single Wide/56°	8W	825 lm	687 lm	220-240Vac 50/60Hz	4000K	I	65	08


Extra clear transparent tempered glass

Phase cut dimmable

Wall luminaire Double Emission - Built-in driver - H 220 x W 129 x Ø 75



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7555W/HC35NB	€ 345,00	Double Narrow/10°+10°	16W	1506 lm	1368 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HC35MB	€ 345,00	Double Medium/26°+26°	16W	1506 lm	1373 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HC35WB	€ 345,00	Double Wide/56°+56°	16W	1506 lm	1254 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HC35NW	€ 345,00	Double/10°+56°	16W	1506 lm	1311 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/WC35NB	€ 345,00	Double Narrow/10°+10°	16W	1586 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WC35MB	€ 345,00	Double Medium/26°+26°	16W	1586 lm	1446 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WC35WB	€ 345,00	Double Wide/56°+56°	16W	1586 lm	1320 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WC35NW	€ 345,00	Double/10°+56°	16W	1586 lm	1380 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/NC35NB	€ 345,00	Double Narrow/10°+10°	16W	1650 lm	1498 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NC35MB	€ 345,00	Double Medium/26°+26°	16W	1650 lm	1504 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NC35WB	€ 345,00	Double Wide/56°+56°	16W	1650 lm	1374 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NC35NW	€ 345,00	Double/10°+56°	16W	1650 lm	1436 lm	220-240Vac 50/60Hz	4000K	I	65	08

Extra clear transparent tempered glass

Wall luminaire DALI Double Emission - Built-in driver - H 220 x W 129 x Ø 75



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7555W/HD35NB	€ 410,00	Double Narrow/10°+10°	16W	1506 lm	1368 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HD35MB	€ 410,00	Double Medium/26°+26°	16W	1506 lm	1373 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HD35WB	€ 410,00	Double Wide/56°+56°	16W	1506 lm	1254 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HD35NW	€ 410,00	Double/10°+56°	16W	1506 lm	1311 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/WD35NB	€ 410,00	Double Narrow/10°+10°	16W	1586 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WD35MB	€ 410,00	Double Medium/26°+26°	16W	1586 lm	1446 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WD35WB	€ 410,00	Double Wide/56°+56°	16W	1586 lm	1320 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WD35NW	€ 410,00	Double/10°+56°	16W	1586 lm	1380 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/ND35NB	€ 410,00	Double Narrow/10°+10°	16W	1650 lm	1498 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/ND35MB	€ 410,00	Double Medium/26°+26°	16W	1650 lm	1504 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/ND35WB	€ 410,00	Double Wide/56°+56°	16W	1650 lm	1374 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/ND35NW	€ 410,00	Double/10°+56°	16W	1650 lm	1436 lm	220-240Vac 50/60Hz	4000K	I	65	08


Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Double Emission - Built-in driver - H 220 x W 129 x Ø 75



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7555W/HT35NB	€ 370,00	Double Narrow/10°+10°	16W	1506 lm	1368 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HT35MB	€ 370,00	Double Medium/26°+26°	16W	1506 lm	1373 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HT35WB	€ 370,00	Double Wide/56°+56°	16W	1506 lm	1254 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/HT35NW	€ 370,00	Double/10°+56°	16W	1506 lm	1311 lm	220-240Vac 50/60Hz	2700K	I	65	08
7555W/WT35NB	€ 370,00	Double Narrow/10°+10°	16W	1586 lm	1440 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WT35MB	€ 370,00	Double Medium/26°+26°	16W	1586 lm	1446 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WT35WB	€ 370,00	Double Wide/56°+56°	16W	1586 lm	1320 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/WT35NW	€ 370,00	Double/10°+56°	16W	1586 lm	1380 lm	220-240Vac 50/60Hz	3000K	I	65	08
7555W/NT35NB	€ 370,00	Double Narrow/10°+10°	16W	1650 lm	1498 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NT35MB	€ 370,00	Double Medium/26°+26°	16W	1650 lm	1504 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NT35WB	€ 370,00	Double Wide/56°+56°	16W	1650 lm	1374 lm	220-240Vac 50/60Hz	4000K	I	65	08
7555W/NT35NW	€ 370,00	Double/10°+56°	16W	1650 lm	1436 lm	220-240Vac 50/60Hz	4000K	I	65	08


Extra clear transparent tempered glass

Phase cut dimmable

ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

UP&DOWN WALL



Wall luminaire Single Emission - Built-in driver - H 300 x W 193 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506W/HC35NB	€ 345,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HC35MB	€ 345,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HC35WB	€ 345,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/WC35NB	€ 345,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WC35MB	€ 345,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WC35WB	€ 345,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/NC35NB	€ 345,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/NC35MB	€ 345,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/NC35WB	€ 345,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Wall luminaire DALI Single Emission - Built-in driver - H 300 x W 193 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506W/HD35NB	€ 395,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HD35MB	€ 395,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HD35WB	€ 395,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/WD35NB	€ 395,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WD35MB	€ 395,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WD35WB	€ 395,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/ND35NB	€ 395,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/ND35MB	€ 395,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/ND35WB	€ 395,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Single Emission - Built-in driver - H 300 x W 193 x Ø 140




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506W/HT35NB	€ 370,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HT35MB	€ 370,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/HT35WB	€ 370,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506W/WT35NB	€ 370,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WT35MB	€ 370,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/WT35WB	€ 370,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506W/NT35NB	€ 370,00	Single Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/NT35MB	€ 370,00	Single Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506W/NT35WB	€ 370,00	Single Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Phase cut dimmable

Wall luminaire Double Emission - Built-in driver - H 300 x W 193 x Ø 140




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7505W/HC35NB	€ 425,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HC35MB	€ 425,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HC35WB	€ 425,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HC35NW	€ 425,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/WC35NB	€ 425,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WC35MB	€ 425,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WC35WB	€ 425,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WC35NW	€ 425,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/NC35NB	€ 425,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NC35MB	€ 425,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NC35WB	€ 425,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NC35NW	€ 425,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Wall luminaire DALI Double Emission - Built-in driver - H 300 x W 193 x Ø 140




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7505W/HD35NB	€ 475,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HD35MB	€ 475,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HD35WB	€ 475,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HD35NW	€ 475,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/WD35NB	€ 475,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WD35MB	€ 475,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WD35WB	€ 475,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WD35NW	€ 475,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/ND35NB	€ 475,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/ND35MB	€ 475,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/ND35WB	€ 475,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/ND35NW	€ 475,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Double Emission - Built-in driver - H 300 x W 193 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7505W/HT35NB	€ 450,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HT35MB	€ 450,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HT35WB	€ 450,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/HT35NW	€ 450,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	2700K	I	66	08
7505W/WT35NB	€ 450,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WT35MB	€ 450,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WT35WB	€ 450,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/WT35NW	€ 450,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	3000K	I	66	08
7505W/NT35NB	€ 450,00	Double Narrow/16°+16°	32W	3800 lm	3200 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NT35MB	€ 450,00	Double Medium/33°+33°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NT35WB	€ 450,00	Double Wide/54°+54°	32W	3800 lm	3040 lm	220-240Vac 50/60Hz	4000K	I	66	08
7505W/NT35NW	€ 450,00	Double/16°+54°	32W	3800 lm	3120 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Phase cut dimmable

ACCESSORI:

	E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €		E.TRA.639 Bluetooth Controller IP20 85- 240Vac - CASAMBI L 36 x W 14 x H 40 230,00 €
--	---	---	--


UP&DOWN MAXI WALL



Wall luminaire Single Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456W/HC55NB	€ 490,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HC55MB	€ 490,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HC55WB	€ 490,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/WC55NB	€ 490,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WC55MB	€ 490,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WC55WB	€ 490,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/NC55NB	€ 490,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/NC55MB	€ 490,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/NC55WB	€ 490,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Wall luminaire DALI Single Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456W/HD55NB	€ 540,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HD55MB	€ 540,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HD55WB	€ 540,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/WD55NB	€ 540,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WD55MB	€ 540,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WD55WB	€ 540,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/ND55NB	€ 540,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/ND55MB	€ 540,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/ND55WB	€ 540,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Single Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456W/HT55NB	€ 525,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HT55MB	€ 525,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/HT55WB	€ 525,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456W/WT55NB	€ 525,00	Single Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WT55MB	€ 525,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/WT55WB	€ 525,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456W/NT55NB	€ 525,00	Single Narrow/16°	24W	3050 lm	2960 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/NT55MB	€ 525,00	Single Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456W/NT55WB	€ 525,00	Single Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Phase cut dimmable

Wall luminaire Double Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7455W/HC55NB	€ 665,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HC55MB	€ 665,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HC55WB	€ 665,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HC55NW	€ 665,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/WC55NB	€ 665,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WC55MB	€ 665,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WC55WB	€ 665,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WC55NW	€ 665,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/NC55NB	€ 665,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NC55MB	€ 665,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NC55WB	€ 665,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NC55NW	€ 665,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Wall luminaire DALI Double Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7455W/HD55NB	€ 765,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HD55MB	€ 765,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HD55WB	€ 765,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HD55NW	€ 765,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/WD55NB	€ 765,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WD55MB	€ 765,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WD55WB	€ 765,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WD55NW	€ 765,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/ND55NB	€ 765,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/ND55MB	€ 765,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/ND55WB	€ 765,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/ND55NW	€ 765,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Double Emission - Built-in driver - H 400 x W 234 x Ø 180



REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7455W/HT55NB	€ 725,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HT55MB	€ 725,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HT55WB	€ 725,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/HT55NW	€ 725,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	2700K	I	66	08
7455W/WT55NB	€ 725,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WT55MB	€ 725,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WT55WB	€ 725,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/WT55NW	€ 725,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	3000K	I	66	08
7455W/NT55NB	€ 725,00	Double Narrow/16°+16°	46W	6100 lm	5380 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NT55MB	€ 725,00	Double Medium/36°+36°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NT55WB	€ 725,00	Double Wide/56°+56°	46W	6100 lm	5260 lm	220-240Vac 50/60Hz	4000K	I	66	08
7455W/NT55NW	€ 725,00	Double/16°+56°	46W	6100 lm	5320 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Phase cut dimmable


ACCESSORI:

	E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30
	E.TRA.639 230,00 €	Bluetooth Controller IP20 85- 240Vac - CASAMBI L 36 x W 14 x H 40

UP&DOWN Q WALL




Wall luminaire Single Emission - Built-in driver - H 230 x L 100 x W 165



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9812W/HC0.NB	€ 400,00	Single Narrow/10°	13W	1291 lm	1171 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/HC0.MB	€ 400,00	Single Medium/26°	13W	1291 lm	1177 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/HC0.WB	€ 400,00	Single Wide/56°	13W	1291 lm	1074 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/WC0.NB	€ 400,00	Single Narrow/10°	13W	1359 lm	1233 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/WC0.MB	€ 400,00	Single Medium/26°	13W	1359 lm	1239 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/WC0.WB	€ 400,00	Single Wide/56°	13W	1359 lm	1131 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/NC0.NB	€ 400,00	Single Narrow/10°	13W	1414 lm	1283 lm	220-240Vac 50/60Hz	4000K	I	65	07
9812W/NC0.MB	€ 400,00	Single Medium/26°	13W	1414 lm	1288 lm	220-240Vac 50/60Hz	4000K	I	65	07
9812W/NC0.WB	€ 400,00	Single Wide/56°	13W	1414 lm	1177 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Wall luminaire DALI Single Emission - Built-in driver - H 230 x L 100 x W 165




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9812W/HD0.NB	€ 435,00	Single Narrow/10°	13W	1291 lm	1171 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/HD0.MB	€ 435,00	Single Medium/26°	13W	1291 lm	1177 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/HD0.WB	€ 435,00	Single Wide/56°	13W	1291 lm	1074 lm	220-240Vac 50/60Hz	2700K	I	65	07
9812W/WD0.NB	€ 435,00	Single Narrow/10°	13W	1359 lm	1233 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/WD0.MB	€ 435,00	Single Medium/26°	13W	1359 lm	1239 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/WD0.WB	€ 435,00	Single Wide/56°	13W	1359 lm	1131 lm	220-240Vac 50/60Hz	3000K	I	65	07
9812W/ND0.NB	€ 435,00	Single Narrow/10°	13W	1414 lm	1283 lm	220-240Vac 50/60Hz	4000K	I	65	07
9812W/ND0.MB	€ 435,00	Single Medium/26°	13W	1414 lm	1288 lm	220-240Vac 50/60Hz	4000K	I	65	07
9812W/ND0.WB	€ 435,00	Single Wide/56°	13W	1414 lm	1177 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Wall luminaire Double Emission - Built-in driver - H 230 x L 100 x W 165



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9810W/HC0.NB	€ 475,00	Double Narrow/10°+10°	26W	2582 lm	2342 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HC0.MB	€ 475,00	Double Medium/26°+26°	26W	2582 lm	2354 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HC0.WB	€ 475,00	Double Wide/56°+56°	26W	2582 lm	2148 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HC0.NW	€ 475,00	Double/10°+56°	26W	2582 lm	2245 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/WC0.NB	€ 475,00	Double Narrow/10°+10°	26W	2718 lm	2466 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WC0.MB	€ 475,00	Double Medium/26°+26°	26W	2718 lm	2478 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WC0.WB	€ 475,00	Double Wide/56°+56°	26W	2718 lm	2262 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WC0.NW	€ 475,00	Double/10°+56°	26W	2718 lm	2364 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/NC0.NB	€ 475,00	Double Narrow/10°+10°	26W	2828 lm	2566 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/NC0.MB	€ 475,00	Double Medium/26°+26°	26W	2828 lm	2576 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/NC0.WB	€ 475,00	Double Wide/56°+56°	26W	2828 lm	2354 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/NC0.NW	€ 475,00	Double/10°+56°	26W	2828 lm	2460 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Wall luminaire DALI Double Emission - Built-in driver - H 230 x L 100 x W 165



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9810W/HD0.NB	€ 540,00	Double Narrow/10°+10°	26W	2582 lm	2342 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HD0.MB	€ 540,00	Double Medium/26°+26°	26W	2582 lm	2354 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HD0.WB	€ 540,00	Double Wide/56°+56°	26W	2582 lm	2148 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/HD0.NW	€ 540,00	Double/10°+56°	26W	2582 lm	2245 lm	220-240Vac 50/60Hz	2700K	I	65	07
9810W/WD0.NB	€ 540,00	Double Narrow/10°+10°	26W	2718 lm	2466 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WD0.MB	€ 540,00	Double Medium/26°+26°	26W	2718 lm	2478 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WD0.WB	€ 540,00	Double Wide/56°+56°	26W	2718 lm	2262 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/WD0.NW	€ 540,00	Double/10°+56°	26W	2718 lm	2364 lm	220-240Vac 50/60Hz	3000K	I	65	07
9810W/ND0.NB	€ 540,00	Double Narrow/10°+10°	26W	2828 lm	2566 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/ND0.MB	€ 540,00	Double Medium/26°+26°	26W	2828 lm	2576 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/ND0.WB	€ 540,00	Double Wide/56°+56°	26W	2828 lm	2354 lm	220-240Vac 50/60Hz	4000K	I	65	07
9810W/ND0.NW	€ 540,00	Double/10°+56°	26W	2828 lm	2460 lm	220-240Vac 50/60Hz	4000K	I	65	07





Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:


**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

GINEVRA

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006**Wall luminaire Diffuse Single Emission - H 82 x L 100 x W 110**


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9801W/WR3.VS	€ 160,00	Single/Diffused	5W	440 lm	195 lm	220-240Vac 50/60Hz	3000K	I	65	06
9801W/NR3.VS	€ 160,00	Single/Diffused	5W	480 lm	210 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

Wall luminaire Single Emission 60° - H 82 x L 100 x W 110


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9801W/WR3.V0	€ 170,00	Single/60°	5W	440 lm	310 lm	220-240Vac 50/60Hz	3000K	I	65	06
9801W/NR3.V0	€ 170,00	Single/60°	5W	480 lm	335 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Wall luminaire Single Emission 10° - H 82 x L 100 x W 110


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9801W/WR3.V1	€ 170,00	Single/10°	5W	440 lm	130 lm	220-240Vac 50/60Hz	3000K	I	65	06
9801W/NR3.V1	€ 170,00	Single/10°	5W	480 lm	145 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Wall luminaire Double Emission Diffuse - H 82 x L 100 x W 110


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9800W/WR3.VS	€ 190,00	Double/Diffused	8W	880 lm	385 lm	220-240Vac 50/60Hz	3000K	I	65	06
9800W/NR3.VS	€ 190,00	Double/Diffused	8W	960 lm	420 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

Wall luminaire Double Emission 60°+60° - H 82 x L 100 x W 110

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9800W/WR3.V2	€ 200,00	Double/60°	8W	880 lm	620 lm	220-240Vac 50/60Hz	3000K	I	65	06
9800W/NR3.V2	€ 200,00	Double/60°	8W	960 lm	670 lm	220-240Vac 50/60Hz	4000K	I	65	06


Extra clear transparent tempered glass

Wall luminaire Double Emission 10°+10° - H 82 x L 100 x W 110

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9800W/WR3.V4	€ 200,00	Double/10°+10°	8W	880 lm	260 lm	220-240Vac 50/60Hz	3000K	I	65	06
9800W/NR3.V4	€ 200,00	Double/10°+10°	8W	960 lm	290 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Wall luminaire Double Emission 10°+60° - H 82 x L 100 x W 110






Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9800W/WR3.V3	€ 200,00	Double/10°+60°	8W	880 lm	440 lm	220-240Vac 50/60Hz	3000K	I	65	06
9800W/NR3.V3	€ 200,00	Double/10°+60°	8W	960 lm	480 lm	220-240Vac 50/60Hz	4000K	I	65	06
Extra clear transparent tempered glass										


ACCESSORI:

**E.TRA.580****55,00 €**Surge protector
CL I - IP67 L 37 x W 30 x H 30

GIULIA




Wall luminaire Single Emission - H 82 x L 210 x W 110



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9901W/HC4.VS	€ 210,00	Single/Diffused	8W	941 lm	532 lm	220-240Vac 50/60Hz	2700K	I	65	06
9901W/WC4.VS	€ 210,00	Single/Diffused	8W	991 lm	560 lm	220-240Vac 50/60Hz	3000K	I	65	06
9901W/NC4.VS	€ 210,00	Single/Diffused	8W	1038 lm	588 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

Wall luminaire DALI Single Emission - H 82 x L 210 x W 110




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9901W/HD4.VS	€ 270,00	Single/Diffused	8W	941 lm	532 lm	220-240Vac 50/60Hz	2700K	I	65	06
9901W/WD4.VS	€ 270,00	Single/Diffused	8W	991 lm	560 lm	220-240Vac 50/60Hz	3000K	I	65	06
9901W/ND4.VS	€ 270,00	Single/Diffused	8W	1038 lm	588 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

DALI-2 integrated

Wall luminaire TRIAC Single Emission - H 82 x L 210 x W 110




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9901W/HT4.VS	€ 230,00	Single/Diffused	8W	941 lm	532 lm	220-240Vac 50/60Hz	2700K	I	65	06
9901W/WT4.VS	€ 230,00	Single/Diffused	8W	991 lm	560 lm	220-240Vac 50/60Hz	3000K	I	65	06
9901W/NT4.VS	€ 230,00	Single/Diffused	8W	1038 lm	588 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

Phase cut dimmable


Wall luminaire Double Emission - H 82 x L 210 x W 110



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9900W/HC4.VS	€ 215,00	Double/Diffused	14W	1882 lm	1035 lm	220-240Vac 50/60Hz	2700K	I	65	06
9900W/WC4.VS	€ 215,00	Double/Diffused	14W	1982 lm	1090 lm	220-240Vac 50/60Hz	3000K	I	65	06
9900W/NC4.VS	€ 215,00	Double/Diffused	14W	2076 lm	1145 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

Wall luminaire DALI Double Emission - H 82 x L 210 x W 110




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9900W/HD4.VS	€ 275,00	Double/Diffused	14W	1882 lm	1035 lm	220-240Vac 50/60Hz	2700K	I	65	06
9900W/WD4.VS	€ 275,00	Double/Diffused	14W	1982 lm	1090 lm	220-240Vac 50/60Hz	3000K	I	65	06
9900W/ND4.VS	€ 275,00	Double/Diffused	14W	2076 lm	1145 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

DALI-2 integrated

Wall luminaire TRIAC Double Emission - H 82 x L 210 x W 110



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9900W/HT4.VS	€ 235,00	Double/Diffused	14W	1882 lm	1035 lm	220-240Vac 50/60Hz	2700K	I	65	06
9900W/WT4.VS	€ 235,00	Double/Diffused	14W	1982 lm	1090 lm	220-240Vac 50/60Hz	3000K	I	65	06
9900W/NT4.VS	€ 235,00	Double/Diffused	14W	2076 lm	1145 lm	220-240Vac 50/60Hz	4000K	I	65	06



VS = Frosted glass

Phase cut dimmable

ACCESSORI:


 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 E.TRA.639 Bluetooth Controller IP20 85-240Vac - CASAMBI L 36 x W14 x H 40 230,00 €
--	--

DEVA

**Wall luminaire Single Emission - H 45 x L 270 x W 120**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9850W/HR70VS	€ 190,00	Single/Diffused	17W	1995 lm	522 lm	220-240Vac 50/60Hz	2700K	I	65	06
9850W/WR70VS	€ 190,00	Single/Diffused	17W	2100 lm	550 lm	220-240Vac 50/60Hz	3000K	I	65	06
9850W/NR70VS	€ 190,00	Single/Diffused	17W	2200 lm	580 lm	220-240Vac 50/60Hz	4000K	I	65	06


VS = Frosted glass

Wall luminaire DALI Single Emission - H 45 x L 270 x W 120

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9850W/HD70VS	€ 250,00	Single/Diffused	17W	1995 lm	522 lm	220-240Vac 50/60Hz	2700K	I	65	06
9850W/WD70VS	€ 250,00	Single/Diffused	17W	2100 lm	550 lm	220-240Vac 50/60Hz	3000K	I	65	06
9850W/ND70VS	€ 250,00	Single/Diffused	17W	2200 lm	580 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass


DALI-2 integrated

Wall luminaire TRIAC Single Emission - H 45 x L 270 x W 120

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9850W/HT70VS	€ 210,00	Single/Diffused	17W	1995 lm	522 lm	220-240Vac 50/60Hz	2700K	I	65	06
9850W/WT70VS	€ 210,00	Single/Diffused	17W	2100 lm	550 lm	220-240Vac 50/60Hz	3000K	I	65	06
9850W/NT70VS	€ 210,00	Single/Diffused	17W	2200 lm	580 lm	220-240Vac 50/60Hz	4000K	I	65	06


VS = Frosted glass

Phase cut dimmable

Wall luminaire Double Emission - H 45 x L 270 x W 120

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9851W/HR70VS	€ 190,00	Double/Diffused	17W	1995 lm	1045 lm	220-240Vac 50/60Hz	2700K	I	65	06
9851W/WR70VS	€ 190,00	Double/Diffused	17W	2100 lm	1100 lm	220-240Vac 50/60Hz	3000K	I	65	06
9851W/NR70VS	€ 190,00	Double/Diffused	17W	2200 lm	1160 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass


Wall luminaire DALI Double Emission - H 45 x L 270 x W 120

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9851W/HD70VS	€ 250,00	Double/Diffused	17W	1995 lm	1045 lm	220-240Vac 50/60Hz	2700K	I	65	06
9851W/WD70VS	€ 250,00	Double/Diffused	17W	2100 lm	1100 lm	220-240Vac 50/60Hz	3000K	I	65	06
9851W/ND70VS	€ 250,00	Double/Diffused	17W	2200 lm	1160 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

DALI-2 integrated

Wall luminaire TRIAC Double Emission - H 45 x L 270 x W 120



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9851W/HT70VS	€ 210,00	Double/Diffused	17W	1995 lm	522 lm	220-240Vac 50/60Hz	2700K	I	65	06
9851W/WT70VS	€ 210,00	Double/Diffused	17W	2100 lm	550 lm	220-240Vac 50/60Hz	3000K	I	65	06
9851W/NT70VS	€ 210,00	Double/Diffused	17W	2200 lm	580 lm	220-240Vac 50/60Hz	4000K	I	65	06


VS = Frosted glass

Phase cut dimmable

ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €****E.TRA.639**Bluetooth Controller IP20 85-
240Vac - CASAMBI L 36 x W14 x
H 40**230,00 €**

DEVA OPTIKA



Wall luminaire Single Emission - 12W - H 45 x L 270 x W 120



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HR35SW	€ 230,00	Diffused/110°x100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HR35OB	€ 230,00	Oval/40°100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WR35SW	€ 230,00	Diffused/110°x100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WR35OB	€ 230,00	Oval/40°100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/NR35SW	€ 230,00	Diffused/110°x100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/NR35OB	€ 230,00	Oval/40°100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Wall luminaire Single Emission - 24W - H 45 x L 270 x W 120



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HR70SW	€ 230,00	Diffused/110°x100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HR70OB	€ 230,00	Oval/40°100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WR70SW	€ 230,00	Diffused/110°x100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WR70OB	€ 230,00	Oval/40°100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/NR70SW	€ 230,00	Diffused/110°x100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/NR70OB	€ 230,00	Oval/40°100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Wall luminaire DALI Single Emission - 12W - H 45 x L 270 x W 120



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HD35SW	€ 270,00	Diffused/110°x100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HD35OB	€ 270,00	Oval/40°100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WD35SW	€ 270,00	Diffused/110°x100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WD35OB	€ 270,00	Oval/40°100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/ND35SW	€ 270,00	Diffused/110°x100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/ND35OB	€ 270,00	Oval/40°100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire DALI Single Emission - 24W - H 45 x L 270 x W 120




NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HD70SW	€ 270,00	Diffused/110°x100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HD70OB	€ 270,00	Oval/40°100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WD70SW	€ 270,00	Diffused/110°x100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WD70OB	€ 270,00	Oval/40°100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/ND70SW	€ 270,00	Diffused/110°x100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/ND70OB	€ 270,00	Oval/40°100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

DALI-2 integrated

Wall luminaire TRIAC Single Emission - 12W - H 45 x L 270 x W 120




NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HT35SW	€ 250,00	Diffused/110°x100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HT35OB	€ 250,00	Oval/40°100°	12W	1615 lm	1330 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WT35SW	€ 250,00	Diffused/110°x100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WT35OB	€ 250,00	Oval/40°100°	12W	1700 lm	1400 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/NT35SW	€ 250,00	Diffused/110°x100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/NT35OB	€ 250,00	Oval/40°100°	12W	1785 lm	1470 lm	220-240Vac 50/60Hz	4000K	I	65	06

Extra clear transparent tempered glass

Phase cut dimmable

Wall luminaire TRIAC Single Emission - 24W - H 45 x L 270 x W 120



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9855W/HT70SW	€ 250,00	Diffused/110°x100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/HT70OB	€ 250,00	Oval/40°100°	24W	3135 lm	2565 lm	220-240Vac 50/60Hz	2700K	I	65	06
9855W/WT70SW	€ 250,00	Diffused/110°x100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/WT70OB	€ 250,00	Oval/40°100°	24W	3300 lm	2700 lm	220-240Vac 50/60Hz	3000K	I	65	06
9855W/NT70SW	€ 250,00	Diffused/110°x100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06
9855W/NT70OB	€ 250,00	Oval/40°100°	24W	3465 lm	2835 lm	220-240Vac 50/60Hz	4000K	I	65	06


Extra clear transparent tempered glass

Phase cut dimmable


ACCESSORI:

	E.TRA.580	Surge protector		E.TRA.639	Bluetooth Controller IP20 85-
	55,00 €	CL I - IP67 L 37 x W 30 x H 30		230,00 €	240Vac - CASAMBI L 36 x W 14 x H 40

MODO WALL




Module Single Emission - H 143 x L 118 x W 69



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601W1/HP70NB	€ 260,00	Single/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HP70MB	€ 260,00	Single/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HP70WB	€ 260,00	Single/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HP70AB	€ 260,00	Single/Asymmetric	8W	750 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/WP70NB	€ 260,00	Single/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WP70MB	€ 260,00	Single/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WP70WB	€ 260,00	Single/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WP70AB	€ 260,00	Single/Asymmetric	8W	790 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/NP70NB	€ 260,00	Single/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/NP70MB	€ 260,00	Single/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/NP70WB	€ 260,00	Single/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/NP70AB	€ 260,00	Single/Asymmetric	8W	900 lm	739 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Module DALI Single Emission - H 143 x L 118 x W 69




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601W1/HD70NB	€ 280,00	Single/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HD70MB	€ 280,00	Single/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HD70WB	€ 280,00	Single/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/HD70AB	€ 280,00	Single/Asymmetric	8W	750 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	07
601W1/WD70NB	€ 280,00	Single/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WD70MB	€ 280,00	Single/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WD70WB	€ 280,00	Single/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/WD70AB	€ 280,00	Single/Asymmetric	8W	790 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	07
601W1/ND70NB	€ 280,00	Single/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/ND70MB	€ 280,00	Single/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/ND70WB	€ 280,00	Single/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07
601W1/ND70AB	€ 280,00	Single/Asymmetric	8W	900 lm	739 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Double Module Double Emission - H 240 x L 118 x W 69



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602W1/HP70NB	€ 415,00	Double/12°	16W	1501 lm	1257 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HP70MB	€ 415,00	Double/28°	16W	1501 lm	1246 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HP70WB	€ 415,00	Double/50°	16W	1501 lm	1221 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HP70AB	€ 415,00	Double/Asymmetric	16W	1501 lm	1235 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HP70NW	€ 415,00	Double/12°+50°	16W	1501 lm	1239 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/WP70NB	€ 415,00	Double/12°	16W	1580 lm	1324 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WP70MB	€ 415,00	Double/28°	16W	1580 lm	1312 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WP70WB	€ 415,00	Double/50°	16W	1580 lm	1286 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WP70AB	€ 415,00	Double/Asymmetric	16W	1580 lm	1300 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WP70NW	€ 415,00	Double/12°+50°	16W	1580 lm	1305 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/NP70NB	€ 415,00	Double/12°	16W	1800 lm	1482 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/NP70MB	€ 415,00	Double/28°	16W	1800 lm	1476 lm	220-240Vac 50/60Hz	4000K	I	65	07

602W1/NP70WB	€ 415,00	Double/50°	16W	1800 lm	1452 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/NP70AB	€ 415,00	Double/Asymmetric	16W	1800 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/NP70NW	€ 415,00	Double/12°+50°	16W	1800 lm	1467 lm	220-240Vac 50/60Hz	4000K	I	65	07
Extra clear transparent tempered glass										

Double Module DALI Double Emission - H 240 x L 118 x W 69




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
602W1/HD70NB	€ 470,00	Double/12°	16W	1501 lm	1257 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HD70MB	€ 470,00	Double/28°	16W	1501 lm	1246 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HD70WB	€ 470,00	Double/50°	16W	1501 lm	1221 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HD70AB	€ 470,00	Double/Asymmetric	16W	1501 lm	1235 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/HD70NW	€ 470,00	Double/12°+50°	16W	1501 lm	1239 lm	220-240Vac 50/60Hz	2700K	I	65	07
602W1/WD70NB	€ 470,00	Double/12°	16W	1580 lm	1324 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WD70MB	€ 470,00	Double/28°	16W	1580 lm	1312 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WD70NW	€ 470,00	Double/50°	16W	1580 lm	1286 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WD70AB	€ 470,00	Double/Asymmetric	16W	1580 lm	1300 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/WD70WB	€ 470,00	Double/12°+50°	16W	1580 lm	1305 lm	220-240Vac 50/60Hz	3000K	I	65	07
602W1/ND70NB	€ 470,00	Double/12°	16W	1800 lm	1482 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/ND70MB	€ 470,00	Double/28°	16W	1800 lm	1476 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/ND70NW	€ 470,00	Double/50°	16W	1800 lm	1452 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/ND70AB	€ 470,00	Double/Asymmetric	16W	1800 lm	1480 lm	220-240Vac 50/60Hz	4000K	I	65	07
602W1/ND70WB	€ 470,00	Double/12°+50°	16W	1800 lm	1467 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

DALI-2 integrated


Module Single Emission Blade of light - H 118 x L 46 x W 168



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603W1/HP70BB	€ 260,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
603W1/HP70AB	€ 260,00	Single/Asymmetric	8W	750 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	07
603W1/WP70BB	€ 260,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
603W1/WP70AB	€ 260,00	Single/Asymmetric	8W	790 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	07
603W1/NP70BB	€ 260,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07
603W1/NP70AB	€ 260,00	Single/Asymmetric	8W	900 lm	739 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Module DALI Single Emission Blade of light - H 118 x L 46 x W 168



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
603W1/HD70BB	€ 280,00	Single Blade of Light/4°	3.5W	247 lm	225 lm	220-240Vac 50/60Hz	2700K	I	65	07
603W1/HD70AB	€ 280,00	Single/Asymmetric	8W	750 lm	627 lm	220-240Vac 50/60Hz	2700K	I	65	07
603W1/WD70BB	€ 280,00	Single Blade of Light/4°	3.5W	260 lm	237 lm	220-240Vac 50/60Hz	3000K	I	65	07
603W1/WD70AB	€ 280,00	Single/Asymmetric	8W	790 lm	660 lm	220-240Vac 50/60Hz	3000K	I	65	07
603W1/ND70BB	€ 280,00	Single Blade of Light/4°	3.5W	300 lm	278 lm	220-240Vac 50/60Hz	4000K	I	65	07
603W1/ND70AB	€ 280,00	Single/Asymmetric	8W	900 lm	739 lm	220-240Vac 50/60Hz	4000K	I	65	07






Extra clear transparent tempered glass

DALI-2 integrated

ACCESSORI:


**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

MERIDIAN

**Double Emission Polycarbonate Screen - H 120 x L 250 x W 135**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HR50PO	€ 170,00	Double/Diffuse >100°	14W	1882 lm	996 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WR50PO	€ 170,00	Double/Diffuse >100°	14W	1982 lm	1049 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/NR50PO	€ 170,00	Double/Diffuse >100°	14W	2076 lm	1096 lm	220-240Vac 50/60Hz	4000K	I	65	05


PO = Opal polycarbonate

Double Emission DALI Polycarbonate Screen - H 120 x L 250 x W 135

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HD50PO	€ 220,00	Double/Diffuse >100°	14W	1882 lm	996 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WD50PO	€ 220,00	Double/Diffuse >100°	14W	1982 lm	1049 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/ND50PO	€ 220,00	Double/Diffuse >100°	14W	2076 lm	1096 lm	220-240Vac 50/60Hz	4000K	I	65	05

PO = Opal polycarbonate

DALI-2 integrated

Double Emission TRIAC Polycarbonate Screen - H 120 x L 250 x W 135

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HT50PO	€ 190,00	Double/Diffuse >100°	14W	1882 lm	996 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WT50PO	€ 190,00	Double/Diffuse >100°	14W	1982 lm	1049 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/NT50PO	€ 190,00	Double/Diffuse >100°	14W	2076 lm	1096 lm	220-240Vac 50/60Hz	4000K	I	65	05


PO = Opal polycarbonate

Phase cut dimmable

Double Emission Glass Screen - H 120 x L 250 x W 135

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HR50VS	€ 195,00	Double/Diffuse >100°	14W	1822 lm	1025 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WR50VS	€ 195,00	Double/Diffuse >100°	14W	1982 lm	1079 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/NR50VS	€ 195,00	Double/Diffuse >100°	14W	2076 lm	1126 lm	220-240Vac 50/60Hz	4000K	I	65	05


VS = Frosted glass

Double Emission DALI Glass Screen - H 120 x L 250 x W 135

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HD50VS	€ 245,00	Double/Diffuse >100°	14W	1822 lm	1025 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WD50VS	€ 245,00	Double/Diffuse >100°	14W	1982 lm	1079 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/ND50VS	€ 245,00	Double/Diffuse >100°	14W	2076 lm	1126 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass

DALI-2 integrated

Double Emission TRIAC Glass Screen - H 120 x L 250 x W 135

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4500W/HT50VS	€ 215,00	Double/Diffuse >100°	14W	1882 lm	1025 lm	220-240Vac 50/60Hz	2700K	I	65	05
4500W/WT50VS	€ 215,00	Double/Diffuse >100°	14W	1982 lm	1079 lm	220-240Vac 50/60Hz	3000K	I	65	05
4500W/NT50VS	€ 215,00	Double/Diffuse >100°	14W	2076 lm	1126 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass


Phase cut dimmable

ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	E.TRA.639 Bluetooth Controller IP20 85-240Vac - CASAMBI L 36 x W14 x H 40 230,00 €
---	--

MERIDIAN PLUS


00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				

Wall luminaire Double Emission - H 150 x L 310 x W 170

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4550W/WC4.VS	€ 270,00	Double/Diffuse >100°	21W	2800 lm	1834 lm	220-240Vac 50/60Hz	3000K	I	65	06
4550W/NC4.VS	€ 270,00	Double/Diffuse >100°	21W	2940 lm	1926 lm	220-240Vac 50/60Hz	4000K	I	65	06

VS = Frosted glass

DALI available on request

Wall luminaire Double Emission - Closed frame - H 150 x L 310 x W 170

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4560W/WC4.VS	€ 270,00	Double/Diffuse >100°	21W	2800 lm	1694 lm	220-240Vac 50/60Hz	3000K	I	65	06
4560W/NC4.VS	€ 270,00	Double/Diffuse >100°	21W	2940 lm	1780 lm	220-240Vac 50/60Hz	4000K	I	65	06


VS = Frosted glass

DALI available on request


ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €

MERIDIAN 2.0




Wall luminaire Double Emission - H 150 x L 250 x W 110



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4570W/HR50VS	€ 215,00	Double/Diffuse >100°	14W	1882 lm	997 lm	220-240Vac 50/60Hz	2700K	I	65	05
4570W/WR50VS	€ 215,00	Double/Diffuse >100°	14W	1982 lm	1050 lm	220-240Vac 50/60Hz	3000K	I	65	05
4570W/NR50VS	€ 215,00	Double/Diffuse >100°	14W	2076 lm	1100 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass

Wall luminaire DALI Double Emission - H 150 x L 250 x W 110



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4570W/HD50VS	€ 280,00	Double/Diffuse >100°	14W	1882 lm	997 lm	220-240Vac 50/60Hz	2700K	I	65	05
4570W/WD50VS	€ 280,00	Double/Diffuse >100°	14W	1982 lm	1050 lm	220-240Vac 50/60Hz	3000K	I	65	05
4570W/ND50VS	€ 280,00	Double/Diffuse >100°	14W	2076 lm	1100 lm	220-240Vac 50/60Hz	4000K	I	65	05


VS = Frosted glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

MERIDIAN 2.1




Wall luminaire Double Emission - H 120 x L 250 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4571W/HR50VS	€ 215,00	Double/Diffuse >100°	14W	1882 lm	1029 lm	220-240Vac 50/60Hz	2700K	I	65	05
4571W/WR50VS	€ 215,00	Double/Diffuse >100°	14W	1982 lm	1084 lm	220-240Vac 50/60Hz	3000K	I	65	05
4571W/NR50VS	€ 215,00	Double/Diffuse >100°	14W	2076 lm	1136 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass

Wall luminaire DALI Double Emission - H 120 x L 250 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4571W/HD50VS	€ 280,00	Double/Diffuse >100°	14W	1882 lm	1029 lm	220-240Vac 50/60Hz	2700K	I	65	05
4571W/WD50VS	€ 280,00	Double/Diffuse >100°	14W	1982 lm	1084 lm	220-240Vac 50/60Hz	3000K	I	65	05
4571W/ND50VS	€ 280,00	Double/Diffuse >100°	14W	2076 lm	1136 lm	220-240Vac 50/60Hz	4000K	I	65	05


VS = Frosted glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

MERIDIAN 2.2




Wall luminaire Double Emission - H 120 x L 250 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4572W/HR50VS	€ 215,00	Double/Diffuse >100°	14W	1882 lm	1042 lm	220-240Vac 50/60Hz	2700K	I	65	05
4572W/WR50VS	€ 215,00	Double/Diffuse >100°	14W	1982 lm	1097 lm	220-240Vac 50/60Hz	3000K	I	65	05
4572W/NR50VS	€ 215,00	Double/Diffuse >100°	14W	2076 lm	1149 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass

Wall luminaire DALI Double Emission - H 120 x L 250 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4572W/HD50VS	€ 280,00	Double/Diffuse >100°	14W	1882 lm	1042 lm	220-240Vac 50/60Hz	2700K	I	65	05
4572W/WD50VS	€ 280,00	Double/Diffuse >100°	14W	1982 lm	1097 lm	220-240Vac 50/60Hz	3000K	I	65	05
4572W/ND50VS	€ 280,00	Double/Diffuse >100°	14W	2076 lm	1149 lm	220-240Vac 50/60Hz	4000K	I	65	05

VS = Frosted glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

STEM WALL

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006	55 Green Cool Mint RAL 6019			

Wall luminaire - 24Vdc - W 85 x Ø 160 x Ø base 80




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350W/HRRC	€ 215,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	2700K	III	65	08
350W/WRRC	€ 215,00	Diffused 360°	11W	1420 lm	800 lm	24Vdc	3000K	III	65	08
350W/NRRC	€ 215,00	Diffused 360°	11W	1510 lm	880 lm	24Vdc	4000K	III	65	08

PO = Opal polycarbonate

Dimmable

Wall luminaire - LED DIRECT AC - W 85 x Ø 160 x Ø base 80



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
350W/WTAC	€ 230,00	Diffused 360°	12W	1300 lm	730 lm	220-240Vac 50/60Hz	3000K	I	65	08

PO = Opal polycarbonate

Phase cut dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36
 HUB.24V.001.CA 540,00 €	Hub 70W 24Vdc IP66 CASAMBI L 235 x W 200 x H 92	 HUB.24V.001.DA2 470,00 €	Hub 70W 24Vdc IP66 DALI-2 L 235 x W 200 x H 92	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 KIT.034 270,00 €	Kit Casambi IP68 220V Triac L 150 x W 80 x H 40	 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31

LUCY WALL



Luminaire with steel cover - 24Vdc - W 60 x Ø 160




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1050W/HRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1050W/WRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1050W/NRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass

Dimmable

Luminaire with steel cover - LED DIRECT AC - W 60 x Ø 160




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1050W/WRACVO	€ 155,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass

Phase cut dimmable

Luminaire with aluminium cover - 24Vdc - W 60 x Ø 160




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1051W/HRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1051W/WRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1051W/NRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass

Dimmable

Luminaire with aluminium cover - LED DIRECT AC - W 60 x Ø 160




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1051W/WRACVO	€ 130,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass

Phase cut dimmable

Luminaire with nylon cover - 24Vdc - W 60 x Ø 160




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1052W/HRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1052W/WRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1052W/NRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass

Dimmable

Luminaire with nylon cover - LED DIRECT AC - W 60 x Ø 160



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1052W/WRACVO	€ 120,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass


Phase cut dimmable

REVIEW


ACCESSORI:

 E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €	 E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €	 E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
 E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €	 E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €	 E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €

CLIO WALL

30
Anthracite

Luminaire with nylon cover - 24Vdc - H 160 x L 160 x W 60




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1070W/HRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1070W/WRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1070W/NRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass

Dimmable

REVIEW

Luminaire with nylon cover - LED DIRECT AC - H 160 x L 160 x W 60



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1070W/WRACVO	€ 120,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass



Phase cut dimmable

REVIEW

ACCESSORI:


 E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €	 E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €	 E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
 E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €	 E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €	 E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €

HELIOS

**Wall luminaire Diffuse Emission - H 150 x L 260 x W 100**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8300C/HR3.PO	€ 200,00	Diffused >100°	13W	1882 lm	846 lm	220-240Vac 50/60Hz	2700K	I	65	08
8300C/WR3.PO	€ 200,00	Diffused >100°	13W	1982 lm	891 lm	220-240Vac 50/60Hz	3000K	I	65	08
8300C/NR3.PO	€ 200,00	Diffused >100°	13W	2076 lm	1023 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

Wall luminaire DALI Diffuse Emission - H 150 x L 260 x W 100

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8300C/HD3.PO	€ 255,00	Diffused >100°	13W	1882 lm	846 lm	220-240Vac 50/60Hz	2700K	I	65	08
8300C/WD3.PO	€ 255,00	Diffused >100°	13W	1982 lm	891 lm	220-240Vac 50/60Hz	3000K	I	65	08
8300C/ND3.PO	€ 255,00	Diffused >100°	13W	2076 lm	1023 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

Wall luminaire Diffuse Emission with motion sensor - H 150 x L 260 x W 100


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8302C/HR3.PO	€ 225,00	Diffused >100°	13W	1882 lm	846 lm	220-240Vac 50/60Hz	2700K	I	65	08
8302C/WR3.PO	€ 225,00	Diffused >100°	13W	1982 lm	891 lm	220-240Vac 50/60Hz	3000K	I	65	08
8302C/NR3.PO	€ 225,00	Diffused >100°	13W	2076 lm	1023 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire Diffuse Emission with shielding - H 260 x L 150 x W 103

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8301C/HR3.PO	€ 200,00	Diffused >100°	13W	1882 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	08
8301C/WR3.PO	€ 200,00	Diffused >100°	13W	1982 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	08
8301C/NR3.PO	€ 200,00	Diffused >100°	13W	2076 lm	793 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


Wall luminaire DALI Diffuse Emission with shielding - H 260 x L 150 x W 103

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8301C/HD3.PO	€ 255,00	Diffused >100°	13W	1882 lm	846 lm	220-240Vac 50/60Hz	2700K	I	65	08
8301C/WD3.PO	€ 255,00	Diffused >100°	13W	1982 lm	891 lm	220-240Vac 50/60Hz	3000K	I	65	08
8301C/ND3.PO	€ 255,00	Diffused >100°	13W	2076 lm	1023 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Wall luminaire Diffuse Emission with shielding and motion sensor - H 260 x L 150 x W 103








Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8303C/HR3.PO	€ 225,00	Diffused >100°	13W	1882 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	08
8303C/WR3.PO	€ 225,00	Diffused >100°	13W	1982 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	08
8303C/NR3.PO	€ 225,00	Diffused >100°	13W	2076 lm	793 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

GEO 280




Wall luminaire Ø280 Diffuse Emission - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8210C/HC3.PO	€ 195,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	2700K	I	65	08
8210C/WC3.PO	€ 195,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	3000K	I	65	08
8210C/NC3.PO	€ 195,00	Diffused >100°	19W	2710 lm	1770 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø280 Diffuse Emission - W 100 x Ø 280




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8210C/HD3.PO	€ 250,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	2700K	I	65	08
8210C/WD3.PO	€ 250,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	3000K	I	65	08
8210C/ND3.PO	€ 250,00	Diffused >100°	19W	2710 lm	1770 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated


Wall luminaire Ø280 Diffuse Emission with motion sensor - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8212C/HC3.PO	€ 230,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	2700K	I	65	08
8212C/WC3.PO	€ 230,00	Diffused >100°	19W	2575 lm	1680 lm	220-240Vac 50/60Hz	3000K	I	65	08
8212C/NC3.PO	€ 230,00	Diffused >100°	19W	2710 lm	1770 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


Wall luminaire Ø280 Diffuse Emission with shielding - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8211C/HC3.PO	€ 195,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	2700K	I	65	08
8211C/WC3.PO	€ 195,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	3000K	I	65	08
8211C/NC3.PO	€ 195,00	Diffused >100°	19W	2710 lm	1060 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø280 Diffuse Emission with shielding - W 100 x Ø 280




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8211C/HD3.PO	€ 250,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	2700K	I	65	08
8211C/WD3.PO	€ 250,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	3000K	I	65	08
8211C/ND3.PO	€ 250,00	Diffused >100°	19W	2710 lm	1060 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Wall luminaire Ø280 Diffuse Emission with shielding and motion sensor - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8213C/HC3.PO	€ 230,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	2700K	I	65	08
8213C/WC3.PO	€ 230,00	Diffused >100°	19W	2575 lm	1030 lm	220-240Vac 50/60Hz	3000K	I	65	08
8213C/NC3.PO	€ 230,00	Diffused >100°	19W	2710 lm	1060 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


ACCESSORI:

	E.TRA.580	Surge protector CL I - IP67 L 37 x W 30 x H 30
	55,00 €	

GEO 380

	00	White RAL 9016
	01	Black RAL 9005
	10	White RAL 9010
	24	Bronze
	25	Rust
	30	Anthracite
	35	Slate Grey
	40	Grey RAL 9006


Wall luminaire Ø380 Diffuse Emission - W 120 x Ø 380



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8200C/HR4.PO	€ 280,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	2700K	I	65	08
8200C/WR4.PO	€ 280,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	3000K	I	65	08
8200C/NR4.PO	€ 280,00	Diffused >100°	29W	3996 lm	2350 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø380 Diffuse Emission - W 120 x Ø 380




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8200C/HD4.PO	€ 330,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	2700K	I	65	08
8200C/WD4.PO	€ 330,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	3000K	I	65	08
8200C/ND4.PO	€ 330,00	Diffused >100°	29W	3996 lm	2350 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Wall luminaire Ø380 Diffuse Emission with motion sensor - W 120 x Ø 380




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8202C/HR4.PO	€ 305,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	2700K	I	65	08
8202C/WR4.PO	€ 305,00	Diffused >100°	29W	3796 lm	2233 lm	220-240Vac 50/60Hz	3000K	I	65	08
8202C/NR4.PO	€ 305,00	Diffused >100°	29W	3996 lm	2350 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


ACCESSORI:

	E.TRA.580	Surge protector CL I - IP67 L 37 x W 30 x H 30
	55,00 €	

TWIN 280



Wall luminaire Ø280 Diffuse Emission - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8101C/HC3.PO	€ 175,00	Diffused >100°	19W	1750 lm	774 lm	220-240Vac 50/60Hz	2700K	I	65	08
8101C/WC3.PO	€ 175,00	Diffused >100°	19W	1750 lm	774 lm	220-240Vac 50/60Hz	3000K	I	65	08
8101C/NC3.PO	€ 175,00	Diffused >100°	19W	1850 lm	818 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø280 Diffuse Emission - W 100 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8101C/HD3.PO	€ 230,00	Diffused >100°	19W	1750 lm	774 lm	220-240Vac 50/60Hz	2700K	I	65	08
8101C/WD3.PO	€ 230,00	Diffused >100°	19W	1750 lm	774 lm	220-240Vac 50/60Hz	3000K	I	65	08
8101C/ND3.PO	€ 230,00	Diffused >100°	19W	1850 lm	818 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Wall luminaire Ø280 Diffuse Emission with shielding - W 103 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8100C/HC3.PO	€ 175,00	Diffused >100°	19W	1750 lm	595 lm	220-240Vac 50/60Hz	2700K	I	65	08
8100C/WC3.PO	€ 175,00	Diffused >100°	19W	1750 lm	595 lm	220-240Vac 50/60Hz	3000K	I	65	08
8100C/NC3.PO	€ 175,00	Diffused >100°	19W	1850 lm	630 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø280 Diffuse Emission with shielding - W 103 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8100C/HD3.PO	€ 230,00	Diffused >100°	19W	1750 lm	595 lm	220-240Vac 50/60Hz	2700K	I	65	08
8100C/WD3.PO	€ 230,00	Diffused >100°	19W	1750 lm	595 lm	220-240Vac 50/60Hz	3000K	I	65	08
8100C/ND3.PO	€ 230,00	Diffused >100°	19W	1850 lm	630 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated

ACCESSORI:

	E.TRA.580	Surge protector
55,00 €		CL I - IP67 L 37 x W 30 x H 30

TWIN 380



Wall luminaire Ø380 Diffuse Emission - W 121 x Ø 380



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8001C/HC3.PO	€ 240,00	Diffused >100°	29W	3830 lm	1690 lm	220-240Vac 50/60Hz	2700K	I	65	08
8001C/WC3.PO	€ 240,00	Diffused >100°	29W	3830 lm	1690 lm	220-240Vac 50/60Hz	3000K	I	65	08
8001C/NC3.PO	€ 240,00	Diffused >100°	29W	4010 lm	1771 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø380 Diffuse Emission - W 121 x Ø 380



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8001C/HD3.PO	€ 300,00	Diffused >100°	29W	3830 lm	1690 lm	220-240Vac 50/60Hz	2700K	I	65	08
8001C/WD3.PO	€ 300,00	Diffused >100°	29W	3830 lm	1690 lm	220-240Vac 50/60Hz	3000K	I	65	08
8001C/ND3.PO	€ 300,00	Diffused >100°	29W	4010 lm	1771 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated


Wall luminaire Ø380 Diffuse Emission with shielding - W 124 x Ø 380



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8000C/HC3.PO	€ 240,00	Diffused >100°	29W	3830 lm	1302 lm	220-240Vac 50/60Hz	2700K	I	65	08
8000C/WC3.PO	€ 240,00	Diffused >100°	29W	3830 lm	1302 lm	220-240Vac 50/60Hz	3000K	I	65	08
8000C/NC3.PO	€ 240,00	Diffused >100°	29W	4010 lm	1363 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Wall luminaire DALI Ø380 Diffuse Emission with shielding - W 124 x Ø 380



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8000C/HD3.PO	€ 300,00	Diffused >100°	29W	3830 lm	1302 lm	220-240Vac 50/60Hz	2700K	I	65	08
8000C/WD3.PO	€ 300,00	Diffused >100°	29W	3830 lm	1302 lm	220-240Vac 50/60Hz	3000K	I	65	08
8000C/ND3.PO	€ 300,00	Diffused >100°	29W	4010 lm	1363 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI-2 integrated


ACCESSORI:

**E.TRA.580****55,00 €**Surge protector
CL I - IP67 L 37 x W 30 x H 30

ANTARES ROUND




Round Wall luminaire Asymmetrical Emission - W 40 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8420W/HR35VT	€ 280,00	Asymmetric >35°	13W	1710 lm	600 lm	220-240Vac 50/60Hz	2700K	I	66	09
8420W/WR35VT	€ 280,00	Asymmetric >35°	13W	1800 lm	630 lm	220-240Vac 50/60Hz	3000K	I	66	09
8420W/NR35VT	€ 280,00	Asymmetric >35°	13W	1890 lm	665 lm	220-240Vac 50/60Hz	4000K	I	66	09

Pointed glass

Round Wall luminaire DALI Asymmetrical Emission - W 40 x Ø 280



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8420W/HD35VT	€ 335,00	Asymmetric >35°	13W	1710 lm	600 lm	220-240Vac 50/60Hz	2700K	I	66	09
8420W/WD35VT	€ 335,00	Asymmetric >35°	13W	1800 lm	630 lm	220-240Vac 50/60Hz	3000K	I	66	09
8420W/ND35VT	€ 335,00	Asymmetric >35°	13W	1890 lm	665 lm	220-240Vac 50/60Hz	4000K	I	66	09


Pointed glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

ANTARES SQUARE




Square Wall luminaire Asymmetrical Emission - H 280 x L 280 x W 40



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8430W/HR35VT	€ 280,00	Asymmetric >35°	13W	1710 lm	600 lm	220-240Vac 50/60Hz	2700K	I	66	09
8430W/WR35VT	€ 280,00	Asymmetric >35°	13W	1800 lm	630 lm	220-240Vac 50/60Hz	3000K	I	66	09
8430W/NR35VT	€ 280,00	Asymmetric >35°	13W	1890 lm	665 lm	220-240Vac 50/60Hz	4000K	I	66	09

Pointed glass

Square Wall luminaire DALI Asymmetrical Emission - H 280 x L 280 x W 40



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8430W/HD35VT	€ 335,00	Asymmetric >35°	13W	1710 lm	600 lm	220-240Vac 50/60Hz	2700K	I	66	09
8430W/WD35VT	€ 335,00	Asymmetric >35°	13W	1800 lm	630 lm	220-240Vac 50/60Hz	3000K	I	66	09
8430W/ND35VT	€ 335,00	Asymmetric >35°	13W	1890 lm	665 lm	220-240Vac 50/60Hz	4000K	I	66	09


Pointed glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

LUCY WALL RECESSED

99
Steel

Recessed in polypropylene with steel ring nut - 24Vdc - H 150 x L 150 x W 65




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1060R/HRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1060R/WRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1060R/NRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

Extra clear opal tempered glass 8 mm

Dimmable

Recessed in polypropylene with steel ring nut - LED DIRECT AC - H 150 x L 150 x W 65



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1060R/WRCVO99	€ 155,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07


Extra clear opal tempered glass 8 mm

Phase cut dimmable


ACCESSORI:

	E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €		E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €		E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
	E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €		E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €		E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €

CLIO WALL RECESSED

99
Steel

Recessed in polypropylene with steel ring nut - 24Vdc - H 150 x L 150 x W 65




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1080R/HRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1080R/WRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1080R/NRCVO99	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

Extra clear opal tempered glass 8 mm

Dimmable

Recessed in polypropylene with steel ring nut - LED DIRECT AC - H 150 x L 150 x W 65



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1080R/WRCVO99	€ 155,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

Extra clear opal tempered glass 8 mm

Phase cut dimmable


ACCESSORI:

	E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €		E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €		E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
	E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €		E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €		E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €

OMEGA WALL RECESSED

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				


Recessed with steel ring nut - 24Vdc - W 75 x Ø 125



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9110R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9110R/WRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9110R/NRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										


Recessed with steel ring nut - LED DIRECT AC - W 75 x Ø 125



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9110R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05
Opal printed glass 5 mm										
Phase cut dimmable										


Recessed with painted steel ring nut - 24Vdc - W 75 x Ø 125



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9111R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9111R/WRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9111R/NRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										


Recessed with painted steel ring nut - LED DIRECT AC - W 75 x Ø 125



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9111R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05
Opal printed glass 5 mm										
Phase cut dimmable										


Recessed with linear aluminum grid - 24Vdc - W 75 x Ø 125



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9120R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9120R/WRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9120R/NRRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										

Recessed with linear aluminum grid - LED DIRECT AC - W 75 x Ø 125




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9120R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05

Opal printed glass 5 mm
Phase cut dimmable

REVIEW

Recessed with eyelid aluminum ring nut - 24Vdc - W 75 x Ø 125




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9130R/HRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9130R/WRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9130R/NRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05

Opal printed glass 5 mm
Dimmable

REVIEW

Recessed with eyelid aluminum ring nut - LED DIRECT AC - W 75 x Ø 125



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9130R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05

Opal printed glass 5 mm
Phase cut dimmable

REVIEW


ACCESSORI:

E.TRA.577 75,00 € Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	E.TRA.579 110,00 € Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	E.TRA.580 55,00 € Surge protector CL I - IP67 L 37 x W 30 x H 30
E.TRA.631 45,00 € Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	E.TRA.633 145,00 € Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	E.TRA.647 25,00 € Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26

MICRON WALL RECESSED

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				


Recessed with steel ring nut - 24Vdc - H 125 x L 125 x W 75

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9210R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9210R/WRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9210R/NRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										


REVIEW

Recessed with steel ring nut - LED DIRECT AC - H 125 x L 125 x W 75

		Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK													
		9210R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05													
													Opal printed glass 5 mm												
													Phase cut dimmable												

REVIEW


Recessed with painted steel ring nut - 24Vdc - H 125 x L 125 x W 75

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9211R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9211R/WRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9211R/NRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										


REVIEW

Recessed with painted steel ring nut - LED DIRECT AC - H 125 x L 125 x W 75

		Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK													
		9211R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05													
													Opal printed glass 5 mm												
													Phase cut dimmable												

REVIEW


Recessed with linear aluminum grid - 24Vdc - H 125 x L 125 x W 75

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9220R/HRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9220R/WRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9220R/NRRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										

REVIEW


Recessed with linear aluminum grid - LED DIRECT AC - H 125 x L 125 x W 75



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9220R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	I	65	05
Opal printed glass 5 mm										
Phase cut dimmable										

REVIEW


Recessed with eyelid aluminum ring nut - 24Vdc - H 125 x L 125 x W 75



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9230R/HRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	2700K	III	65	05
9230R/WRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	3000K	III	65	05
9230R/NRCVO	€ 110,00	Diffused >100°	3,5W	500 lm	150 lm	24Vdc	4000K	III	65	05
Opal printed glass 5 mm										
Dimmable										

REVIEW

Recessed with eyelid aluminum ring nut - LED DIRECT AC - H 125 x L 125 x W 75



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9230R/WTACVO	€ 125,00	Diffused >100°	5W	500 lm	150 lm	220-240Vac 50/60Hz	3000K	III	65	05
Opal printed glass 5 mm										
Phase cut dimmable										

REVIEW


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	 E.TRA.647 25,00 €	Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26

POCKET

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006	55 Green Cool Mint RAL 6019			

Step light small - H 90 x L 90 x W 25




NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9200R/HRRCVT	€ 88,00	Diffused	2W	280 lm	160 lm	24Vdc	2700K	III	65	07
9200R/WRRCVT	€ 88,00	Diffused	2W	280 lm	160 lm	24Vdc	3000K	III	65	07
9200R/NRRCVT	€ 88,00	Diffused	2W	280 lm	160 lm	24Vdc	4000K	III	65	07

Pointed glass 4 mm

Dimmable

Step light medium - H 90 x L 160 x W 25





NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9201R/HRRCVT	€ 98,00	Diffused	4W	560 lm	310 lm	24Vdc	2700K	III	65	07
9201R/WRRCVT	€ 98,00	Diffused	4W	560 lm	310 lm	24Vdc	3000K	III	65	07
9201R/NRRCVT	€ 98,00	Diffused	4W	560 lm	310 lm	24Vdc	4000K	III	65	07

Pointed glass 4 mm

Dimmable

Step light big - H 90 x L 230 x W 25



NEWS

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9202R/HRRCVT	€ 108,00	Diffused	6W	840 lm	460 lm	24Vdc	2700K	III	65	07
9202R/WRRCVT	€ 108,00	Diffused	6W	840 lm	460 lm	24Vdc	3000K	III	65	07
9202R/NRRCVT	€ 108,00	Diffused	6W	840 lm	460 lm	24Vdc	4000K	III	65	07



Pointed glass 4 mm

Dimmable

ACCESSORI:



 D.BOX.034.XX 8,00 €	Standard recessed box 502 L 70 x W 50 x H 70	 D.BOX.035.XX 8,00 €	Standard recessed box 503 L 108 x W 53 x H 74	 D.BOX.036.XX 8,00 €	Standard recessed box 504 L 133 x W 53 x H 74
 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22
 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	 E.TRA.646 15,00 €	Driver for Box 4W 24Vdc IP65 - ON/OFF L 43 x W 29.5 x H 22
 E.TRA.647 25,00 €	Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26	 HUB.24V.001.CA 540,00 €	Hub 70W 24Vdc IP66 CASAMBI L 235 x W 200 x H 92	 HUB.24V.001.DA2 470,00 €	Hub 70W 24Vdc IP66 DALI-2 L 235 x W 200 x H 92
 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92				

RECTA

**Recessed with smooth ring nut - Built-in driver - H 100 x L 268 x W 87**


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9550R/HR20VO	€ 215,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	2700K	I	65	05
9550R/WR20VO	€ 215,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	3000K	I	65	05
9550R/NR20VO	€ 215,00	Diffused >100°	12W	1515 lm	440 lm	220-240Vac 50/60Hz	4000K	I	65	05

Opal printed glass 5 mm

REVIEW**Recessed with linear grid - Built-in driver - H 100 x L 268 x W 87**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9450R/HR20VO	€ 215,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	2700K	I	65	08
9450R/WR20VO	€ 215,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	3000K	I	65	08
9450R/NR20VO	€ 215,00	Diffused >100°	12W	1515 lm	270 lm	220-240Vac 50/60Hz	4000K	I	65	08



Opal printed glass 5 mm

REVIEW**Recessed with smooth ring nut DALI - Built-in driver - H 100 x L 268 x W 87**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9550R/HD20VO	€ 265,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	2700K	I	65	05
9550R/WD20VO	€ 265,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	3000K	I	65	05
9550R/ND20VO	€ 265,00	Diffused >100°	12W	1515 lm	440 lm	220-240Vac 50/60Hz	4000K	I	65	05

Opal printed glass 5 mm


DALI-2 integrated

REVIEW**Recessed with linear grid DALI - Built-in driver - H 100 x L 268 x W 87**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9450R/HD20VO	€ 265,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	2700K	I	65	08
9450R/WD20VO	€ 265,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	3000K	I	65	08
9450R/ND20VO	€ 265,00	Diffused >100°	12W	1515 lm	270 lm	220-240Vac 50/60Hz	4000K	I	65	08

Opal printed glass 5 mm

DALI-2 integrated

REVIEW**Recessed with smooth ring nut TRIAC - Built-in driver - H 100 x L 268 x W 87**



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9550R/HT20VO	€ 240,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	2700K	I	65	05
9550R/WT20VO	€ 240,00	Diffused >100°	12W	1440 lm	400 lm	220-240Vac 50/60Hz	3000K	I	65	05
9550R/NT20VO	€ 240,00	Diffused >100°	12W	1515 lm	440 lm	220-240Vac 50/60Hz	4000K	I	65	05

Opal printed glass 5 mm

Phase cut dimmable

REVIEW

Recessed with linear grid TRIAC - Built-in driver - H 100 x L 268 x W 87



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9450R/HT20VO	€ 240,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	2700K	I	65	08
9450R/WT20VO	€ 240,00	Diffused >100°	12W	1440 lm	230 lm	220-240Vac 50/60Hz	3000K	I	65	08
9450R/NT20VO	€ 240,00	Diffused >100°	12W	1515 lm	270 lm	220-240Vac 50/60Hz	4000K	I	65	08

Opal printed glass 5 mm




Phase cut dimmable

REVIEW


ACCESSORI:

**E.TRA.580****55,00 €**Surge protector
CL I - IP67 L 37 x W 30 x H 30**E.TRA.639****230,00 €**Bluetooth Controller IP20 85-
240Vac - CASAMBI L 36 x W14 x
H 40

RECTA MAXI

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006

Recessed with smooth ring nut - Built-in driver - H 118 x L 318 x W 103




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9500R/HR35VO	€ 235,00	Diffused >100°	17W	1960 lm	600 lm	220-240Vac 50/60Hz	2700K	I	65	05
9500R/WR35VO	€ 235,00	Diffused >100°	17W	1960 lm	600 lm	220-240Vac 50/60Hz	3000K	I	65	05
9500R/NR35VO	€ 235,00	Diffused >100°	17W	2050 lm	635 lm	220-240Vac 50/60Hz	4000K	I	65	05

Extra clear opal tempered glass 5 mm

REVIEW

Recessed with linear grid - Built-in driver - H 118 x L 318 x W 103



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9400R/HR35VO	€ 235,00	Diffused >100°	17W	1960 lm	350 lm	220-240Vac 50/60Hz	2700K	I	65	08
9400R/WR35VO	€ 235,00	Diffused >100°	17W	1960 lm	350 lm	220-240Vac 50/60Hz	3000K	I	65	08
9400R/NR35VO	€ 235,00	Diffused >100°	17W	2050 lm	370 lm	220-240Vac 50/60Hz	4000K	I	65	08

Extra clear opal tempered glass 5 mm

REVIEW


ACCESSORI:

**E.TRA.580****55,00 €**Surge protector
CL I - IP67 L 37 x W 30 x H 30

SQUARE RECESSED


00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				

Wall recessed rectangular window - Built-in driver - H 145 x L 250 x W 92




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2950R/WR3.PR	€ 250,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
2950R/NR3.PR	€ 250,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07
Transparent polycarbonate										

Wall recessed DALI rectangular window - Built-in driver - H 145 x L 250 x W 92




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2950R/WD3.PR	€ 290,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
2950R/ND3.PR	€ 290,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07
Transparent polycarbonate										
DALI-2 integrated										

Wall recessed square window - Built-in driver - H 250 x L 250 x W 92



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2900R/WR3.PR	€ 250,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
2900R/NR3.PR	€ 250,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07
Transparent polycarbonate										

Wall recessed DALI square window - Built-in driver - H 250 x L 250 x W 92



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2900R/WD3.PR	€ 290,00	Asymmetric >100°	15W	1920 lm	510 lm	220-240Vac 50/60Hz	3000K	I	65	07
2900R/ND3.PR	€ 290,00	Asymmetric >100°	15W	2020 lm	535 lm	220-240Vac 50/60Hz	4000K	I	65	07
Transparent polycarbonate										
DALI-2 integrated										

ACCESSORI:

	E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €		MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
--	---	---	--

CUT 45

Recessed 1 window Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC1L	€ 140,00	Diffused/1 Window	2W	221 lm	21 lm	24Vdc	2700K	III	67	08
4045R/WRRC1L	€ 140,00	Diffused/1 Window	2W	221 lm	21 lm	24Vdc	3000K	III	67	08
4045R/NRRC1L	€ 140,00	Diffused/1 Window	2W	247 lm	26 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 2 windows Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC2L	€ 140,00	Diffused/2 Windows	2W	221 lm	35 lm	24Vdc	2700K	III	67	08
4045R/WRRC2L	€ 140,00	Diffused/2 Windows	2W	221 lm	35 lm	24Vdc	3000K	III	67	08
4045R/NRRC2L	€ 140,00	Diffused/2 Windows	2W	247 lm	40 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 4 windows Ø45 - 24Vdc - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRRC4L	€ 140,00	Diffused/4 Windows	2W	221 lm	53 lm	24Vdc	2700K	III	67	08
4045R/WRRC4L	€ 140,00	Diffused/4 Windows	2W	221 lm	53 lm	24Vdc	3000K	III	67	08
4045R/NRRC4L	€ 140,00	Diffused/4 Windows	2W	247 lm	59 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 1 window Ø45 - max 700mA - H 70 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC1L	€ 120,00	Diffused/1 Window	2W	221 lm	31 lm	max 700mA	2700K	III	67	08
4045R/WRCC1L	€ 120,00	Diffused/1 Window	2W	286 lm	31 lm	max 700mA	3000K	III	67	08
4045R/NRCC1L	€ 120,00	Diffused/1 Window	2W	312 lm	39 lm	max 700mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 2 windows Ø45 - max 700mA - H 70 x Ø 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC2L	€ 120,00	Diffused/2 Windows	2W	221 lm	53 lm	max 700mA	2700K	III	67	08
4045R/WRCC2L	€ 120,00	Diffused/2 Windows	2W	286 lm	53 lm	max 700mA	3000K	III	67	08
4045R/NRCC2L	€ 120,00	Diffused/2 Windows	2W	312 lm	61 lm	max 700mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 4 windows Ø45 - max 700mA - H 70 x Ø 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4045R/HRCC4L	€ 120,00	Diffused/4 Windows	2W	221 lm	81 lm	max 700mA	2700K	III	67	08
4045R/WRCC4L	€ 120,00	Diffused/4 Windows	2W	286 lm	81 lm	max 700mA	3000K	III	67	08
4045R/NRCC4L	€ 120,00	Diffused/4 Windows	2W	312 lm	86 lm	max 700mA	4000K	III	67	08
Transparent polycarbonate										
Dimmable										

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

CUT 70


Recessed 1 window Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC1L	€ 200,00	Diffused/1 Window	6W	690 lm	41 lm	24Vdc	2700K	III	67	08
4070R/WRRC1L	€ 200,00	Diffused/1 Window	6W	690 lm	41 lm	24Vdc	3000K	III	67	08
4070R/NRRC1L	€ 200,00	Diffused/1 Window	6W	750 lm	45 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate


Recessed 2 windows Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC2L	€ 200,00	Diffused/2 Windows	6W	690 lm	77 lm	24Vdc	2700K	III	67	08
4070R/WRRC2L	€ 200,00	Diffused/2 Windows	6W	690 lm	77 lm	24Vdc	3000K	III	67	08
4070R/NRRC2L	€ 200,00	Diffused/2 Windows	6W	750 lm	79 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate


Recessed 4 windows Ø70 - 24Vdc - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRRC4L	€ 200,00	Diffused/4 Windows	6W	690 lm	81 lm	24Vdc	2700K	III	67	08
4070R/WRRC4L	€ 200,00	Diffused/4 Windows	6W	690 lm	81 lm	24Vdc	3000K	III	67	08
4070R/NRRC4L	€ 200,00	Diffused/4 Windows	6W	750 lm	85 lm	24Vdc	4000K	III	67	08

Transparent polycarbonate

Recessed 1 window Ø70 - max 500mA - H 85 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC1L	€ 185,00	Diffused/1 Window	6W	690 lm	41 lm	max 500mA	2700K	III	67	08
4070R/WRCC1L	€ 185,00	Diffused/1 Window	6W	690 lm	41 lm	max 500mA	3000K	III	67	08
4070R/NRCC1L	€ 185,00	Diffused/1 Window	6W	750 lm	45 lm	max 500mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 2 windows Ø70 - max 500mA - H 85 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC2L	€ 185,00	Diffused/2 Windows	6W	690 lm	77 lm	max 500mA	2700K	III	67	08
4070R/WRCC2L	€ 185,00	Diffused/2 Windows	6W	690 lm	77 lm	max 500mA	3000K	III	67	08
4070R/NRCC2L	€ 185,00	Diffused/2 Windows	6W	750 lm	79 lm	max 500mA	4000K	III	67	08

Transparent polycarbonate

Dimmable

Recessed 4 windows Ø70 - max 500mA - H 85 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4070R/HRCC4L	€ 185,00	Diffused/4 Windows	6W	690 lm	81 lm	max 500mA	2700K	III	67	08
4070R/WRCC4L	€ 185,00	Diffused/4 Windows	6W	690 lm	81 lm	max 500mA	3000K	III	67	08
4070R/NRCC4L	€ 185,00	Diffused/4 Windows	6W	705 lm	85 lm	max 500mA	4000K	III	67	08
Transparent polycarbonate										
Dimmable										

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

RIM 45

Recessed with steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCNB99	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045R/HRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCWB99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCSW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCOB199	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/WRRCNB99	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045R/WRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCWB99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCSW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCOB199	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/NRRCNB99	€ 140,00	Narrow/14°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045R/NRRCMB99	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCWB99	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCSW99	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCOB199	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045R/WRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045R/NRRCVS99	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Recessed with steel ring nut Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCNB99	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045R/HRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCOB199	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/WRCCNB99	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045R/WRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCOB19	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/NRCCNB99	€ 120,00	Narrow/14°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045R/NRCCMB99	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCWB99	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCSW99	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCOB199	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045R/WRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045R/NRCCVS99	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Dimmable

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

RIM 45 PAINTED

Recessed with painted steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCNB	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045R/HRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/HRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045R/WRRCNB	€ 140,00	Narrow/14°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045R/WRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/WRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045R/NRRCNB	€ 140,00	Narrow/14°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045R/NRRCMB	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCWB	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCSW	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045R/NRRCOB1	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with painted steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045R/WRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045R/NRRCVS	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Recessed with painted steel ring nut Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCNB	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045R/HRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/HRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045R/WRCCNB	€ 120,00	Narrow/14°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045R/WRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/WRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045R/NRCCNB	€ 120,00	Narrow/14°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045R/NRCCMB	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCWB	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCSW	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045R/NRCCOB1	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045R/HRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045R/WRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045R/NRCCVS	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Dimmable

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

RIM 70

Recessed with steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070R/HRRCMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070R/HRRCWB99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070R/HRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070R/HRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070R/WRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070R/WRRCMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070R/WRRCWB99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070R/WRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070R/WRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070R/NRRCNB99	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070R/NRRCMB99	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070R/NRRCWB99	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070R/NRRCSW99	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070R/NRRCOB99	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Recessed with steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070R/WRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070R/NRRCVS99	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with steel ring nut Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070R/HRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070R/HRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070R/HRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070R/HRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070R/WRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070R/WRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070R/WRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070R/WRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070R/WRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070R/NRCCNB99	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070R/NRCCMB99	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070R/NRCCWB99	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070R/NRCCSW99	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070R/NRCCOB99	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070R/WRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070R/NRCCVS99	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08
Extra clear opal tempered glass 8 mm										
Dimmable										

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

RIM 70 PAINTED

Recessed with painted steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070R/HRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070R/HRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070R/HRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070R/HRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070R/WRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070R/WRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070R/WRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070R/WRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070R/WRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070R/NRRCNB	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070R/NRRCMB	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070R/NRRCWB	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070R/NRRCSW	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070R/NRRCOB	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Recessed with painted steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070R/WRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070R/NRRCVS	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with painted steel ring nut Ø70 - max 500mA - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070R/HRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070R/HRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070R/HRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070R/HRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070R/WRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070R/WRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070R/WRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070R/WRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070R/WRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070R/NRCCNB	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070R/NRCCMB	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070R/NRCCWB	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070R/NRCCSW	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070R/NRCCOB	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070R/HRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070R/WRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070R/NRCCVS	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08
Extra clear opal tempered glass 8 mm										
Dimmable										

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92

RIM 45 CEILING




Recessed with steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRRCNB99	€ 140,00	Narrow/15°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045C/HRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCSW99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCSW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCOB199	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/WRRCNB99	€ 140,00	Narrow/15°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045C/WRRCMB99	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCSW99	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCSW99	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCOB19	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/NRRCNB99	€ 140,00	Narrow/15°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045C/NRRCMB99	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCSW99	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCSW99	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCOB199	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045C/WRRCVS99	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045C/NRRCVS99	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm


Recessed with steel ring nut Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRCCNB99	€ 120,00	Narrow/15°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045C/HRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCOB19	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/WRCCNB99	€ 120,00	Narrow/15°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045C/WRCCMB99	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCWB99	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCSW99	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCOB19	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/NRCCNB99	€ 120,00	Narrow/15°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045C/NRCCMB99	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCWB99	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCSW99	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCOB19	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045C/WRCCVS99	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045C/NRCCVS99	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08


Extra clear opal tempered glass 6 mm

Dimmable

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22				

RIM 45 CEILING PAINTED



Recessed with painted steel ring nut Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRRCNB	€ 140,00	Narrow/15°	2W	270 lm	220 lm	24Vdc	2700K	III	67	08
3045C/HRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/HRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	2700K	III	67	08
3045C/WRRCNB	€ 140,00	Narrow/15°	2W	270 lm	220 lm	24Vdc	3000K	III	67	08
3045C/WRRCMB	€ 140,00	Medium/30°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCWB	€ 140,00	Wide/40°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCSW	€ 140,00	Super Wide/60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/WRRCOB1	€ 140,00	Oval/15°x60°	2W	270 lm	210 lm	24Vdc	3000K	III	67	08
3045C/NRRCNB	€ 140,00	Narrow/15°	2W	280 lm	230 lm	24Vdc	4000K	III	67	08
3045C/NRRCMB	€ 140,00	Medium/30°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCWB	€ 140,00	Wide/40°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCSW	€ 140,00	Super Wide/60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08
3045C/NRRCOB1	€ 140,00	Oval/15°x60°	2W	280 lm	220 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Recessed with painted steel ring nut Opal Glass Ø45 - 24Vdc - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	2700K	III	67	08
3045C/WRRCVS	€ 140,00	Diffused/120°	2W	270 lm	28 lm	24Vdc	3000K	III	67	08
3045C/NRRCVS	€ 140,00	Diffused/120°	2W	280 lm	30 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 6 mm

Recessed with painted steel ring nut Ø45 - max 700mA - H 59 x Ø 45




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRCCNB	€ 120,00	Narrow/15°	2W	300 lm	240 lm	max 700mA	2700K	III	67	08
3045C/HRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/HRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	2700K	III	67	08
3045C/WRCCNB	€ 120,00	Narrow/15°	2W	300 lm	240 lm	max 700mA	3000K	III	67	08
3045C/WRCCMB	€ 120,00	Medium/30°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCWB	€ 120,00	Wide/40°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCSW	€ 120,00	Super Wide/60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/WRCCOB1	€ 120,00	Oval/15°x60°	2W	300 lm	230 lm	max 700mA	3000K	III	67	08
3045C/NRCCNB	€ 120,00	Narrow/15°	2W	310 lm	250 lm	max 700mA	4000K	III	67	08
3045C/NRCCMB	€ 120,00	Medium/30°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCWB	€ 120,00	Wide/40°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCSW	€ 120,00	Super Wide/60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08
3045C/NRCCOB1	€ 120,00	Oval/15°x60°	2W	310 lm	240 lm	max 700mA	4000K	III	67	08

Extra clear transparent tempered glass 6 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø45 - max 700mA - H 59 x Ø 45



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3045C/HRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	2700K	III	67	08
3045C/WRCCVS	€ 120,00	Diffused/120°	2W	300 lm	32 lm	max 700mA	3000K	III	67	08
3045C/NRCCVS	€ 120,00	Diffused/120°	2W	310 lm	32 lm	max 700mA	4000K	III	67	08


Extra clear opal tempered glass 6 mm

Dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.700 50,00 €	Driver ON/OFF 20W 700mA IP20 L 111 x W 52 x H 22
 E.TRA.623.700 30,00 €	Driver ON/OFF 36W 700mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.700 125,00 €	Driver ON/OFF 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.635.700 135,00 €	Driver DALI2 60W 700mA IP20 L 124 x W 80 x H 22	 E.TRA.636.700 235,00 €	Driver CASAMBI 60W 700mA IP20 L 124 x W 80 x H 22
 E.TRA.658.700 45,00 €	Driver ON/OFF 23W 700mA IP67 L 124 x W 47 x H 26	 E.TRA.659.700 80,00 €	Driver DALI2 23W 700mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.700.001.CA 440,00 €	Hub 700mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.DA2 350,00 €	Hub 700mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.700.001.ND 330,00 €	Hub 700mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22				

RIM 70 CEILING

99
Steel


Recessed with steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070C/HRRMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070C/HRRCSW99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070C/HRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070C/HRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070C/WRRCNB99	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070C/WRRMB99	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070C/WRRCSW99	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070C/WRRCSW99	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070C/WRRCOB99	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070C/NRRCNB99	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070C/NRRMB99	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070C/NRRCSW99	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070C/NRRCSW99	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070C/NRRCOB99	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm


Recessed with steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070C/WRRCVS99	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070C/NRRCVS99	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with steel ring nut Ø70 - max 500mA - H 70 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070C/HRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070C/HRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070C/HRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070C/HRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070C/WRCCNB99	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070C/WRCCMB99	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070C/WRCCWB99	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070C/WRCCSW99	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070C/WRCCOB99	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070C/NRCCNB99	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070C/NRCCMB99	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070C/NRCCWB99	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070C/NRCCSW99	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070C/NRCCOB99	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070C/WRCCVS99	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070C/NRCCVS99	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08
Extra clear opal tempered glass 8 mm										
Dimmable										


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22				

RIM 70 CEILING PAINTED




Recessed with painted steel ring nut Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	2700K	III	67	08
3070C/HRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	2700K	III	67	08
3070C/HRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	2700K	III	67	08
3070C/HRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	2700K	III	67	08
3070C/HRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	2700K	III	67	08
3070C/WRRCNB	€ 190,00	Narrow/10°	6W	690 lm	520 lm	24Vdc	3000K	III	67	08
3070C/WRRCMB	€ 190,00	Medium/24°	6W	690 lm	510 lm	24Vdc	3000K	III	67	08
3070C/WRRCWB	€ 190,00	Wide/36°	6W	690 lm	505 lm	24Vdc	3000K	III	67	08
3070C/WRRCSW	€ 190,00	Super Wide/60°	6W	690 lm	508 lm	24Vdc	3000K	III	67	08
3070C/WRRCOB	€ 190,00	Oval/15°x55°	6W	690 lm	554 lm	24Vdc	3000K	III	67	08
3070C/NRRCNB	€ 190,00	Narrow/10°	6W	750 lm	550 lm	24Vdc	4000K	III	67	08
3070C/NRRCMB	€ 190,00	Medium/24°	6W	750 lm	540 lm	24Vdc	4000K	III	67	08
3070C/NRRCWB	€ 190,00	Wide/36°	6W	750 lm	535 lm	24Vdc	4000K	III	67	08
3070C/NRRCSW	€ 190,00	Super Wide/60°	6W	750 lm	534 lm	24Vdc	4000K	III	67	08
3070C/NRRCOB	€ 190,00	Oval/15°x55°	6W	750 lm	602 lm	24Vdc	4000K	III	67	08

Extra clear transparent tempered glass 8 mm


Recessed with painted steel ring nut Opal Glass Ø70 - 24Vdc - H 70 x Ø 70



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	2700K	III	67	08
3070C/WRRCVS	€ 190,00	Diffused/120°	6W	690 lm	70 lm	24Vdc	3000K	III	67	08
3070C/NRRCVS	€ 190,00	Diffused/120°	6W	750 lm	78 lm	24Vdc	4000K	III	67	08

Extra clear opal tempered glass 8 mm

Recessed with painted steel ring nut Ø70 - max 500mA - H 70 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	2700K	III	67	08
3070C/HRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	2700K	III	67	08
3070C/HRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	2700K	III	67	08
3070C/HRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	2700K	III	67	08
3070C/HRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	2700K	III	67	08
3070C/WRCCNB	€ 170,00	Narrow/10°	6W	690 lm	520 lm	max 500mA	3000K	III	67	08
3070C/WRCCMB	€ 170,00	Medium/24°	6W	690 lm	510 lm	max 500mA	3000K	III	67	08
3070C/WRCCWB	€ 170,00	Wide/36°	6W	690 lm	505 lm	max 500mA	3000K	III	67	08
3070C/WRCCSW	€ 170,00	Super Wide/60°	6W	690 lm	508 lm	max 500mA	3000K	III	67	08
3070C/WRCCOB	€ 170,00	Oval/15°x55°	6W	690 lm	554 lm	max 500mA	3000K	III	67	08
3070C/NRCCNB	€ 170,00	Narrow/10°	6W	750 lm	550 lm	max 500mA	4000K	III	67	08
3070C/NRCCMB	€ 170,00	Medium/24°	6W	750 lm	540 lm	max 500mA	4000K	III	67	08
3070C/NRCCWB	€ 170,00	Wide/36°	6W	750 lm	535 lm	max 500mA	4000K	III	67	08
3070C/NRCCSW	€ 170,00	Super Wide/60°	6W	750 lm	534 lm	max 500mA	4000K	III	67	08
3070C/NRCCOB	€ 170,00	Oval/15°x55°	6W	750 lm	602 lm	max 500mA	4000K	III	67	08

Extra clear transparent tempered glass 8 mm

Dimmable

Recessed with painted steel ring nut Opal Glass Ø70 - max 500mA - H 70 x Ø 70




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3070C/HRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	2700K	III	67	08
3070C/WRCCVS	€ 170,00	Diffused/120°	6W	690 lm	70 lm	max 500mA	3000K	III	67	08
3070C/NRCCVS	€ 170,00	Diffused/120°	6W	750 lm	78 lm	max 500mA	4000K	III	67	08
Extra clear opal tempered glass 8 mm										
Dimmable										

ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.621.500 50,00 €	Driver ON/OFF 20W 500mA IP20 L 111 x W 52 x H 22
 E.TRA.623.500 30,00 €	Driver ON/OFF 36W 500mA IP20 L 163 x W 30 x H 21	 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.632 90,00 €	Driver ON/OFF 70W 24Vdc IP20 L 124 x W 80 x H 22
 E.TRA.634.500 125,00 €	Driver ON/OFF 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.635.500 135,00 €	Driver DALI2 60W 500mA IP20 L 124 x W 80 x H 22	 E.TRA.636.500 235,00 €	Driver CASAMBI 60W 500mA IP20 L 124 x W 80 x H 22
 E.TRA.658.500 45,00 €	Driver ON/OFF 23W 500mA IP67 L 124 x W 47 x H 26	 E.TRA.659.500 80,00 €	Driver DALI2 23W 500mA IP67 L 124 x W 47 x H 26	 HUB.24V.001.ND 290,00 €	Hub 70W 24Vdc IP66 ON/OFF L 235 x W 200 x H 92
 HUB.500.001.CA 440,00 €	Hub 500mA IP66 CASAMBI with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.DA2 350,00 €	Hub 500mA IP66 DALI-2 with driver 60W IP20 L 235 x W 200 x H 92	 HUB.500.001.ND 330,00 €	Hub 500mA IP66 ON/OFF with driver 60W IP20 L 235 x W 200 x H 92
 MOR682P/2V 5,00 €	Connector IP68 2Poles/2Ways 2 x 1 mm² L 72 x Ø 22				

PLATHO 200C



99
Steel

Ceiling recessed Ø200 - Built-in driver - H 153 x Ø 200



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4250C/WC2.NB.99	€ 470,00	Narrow/14°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/WC2.MB.99	€ 470,00	Medium/32°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/WC2.WB.99	€ 470,00	Wide/44°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/NC2.NB.99	€ 470,00	Narrow/14°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000k	I	67	10
4250C/NC2.MB.99	€ 470,00	Medium/32°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000k	I	67	10
4250C/NC2.WB.99	€ 470,00	Wide/44°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000k	I	67	10

Extra clear transparent tempered glass 15 mm

DALI available on request

Ceiling recessed Ø200 LED ARRAY - Built-in driver - H 153 x Ø 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4250C/WR50NB.99	€ 495,00	Narrow/20°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/WR50MB.99	€ 495,00	Medium/25°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/WR50WB.99	€ 495,00	Wide/50°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4250C/NR50NB.99	€ 495,00	Narrow/20°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10
4250C/NR50MB.99	€ 495,00	Medium/32°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10
4250C/NR50WB.99	€ 495,00	Wide/50°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 15 mm

DALI available on request

Ceiling recessed L. 200 - Built-in driver - H 153 x L 200 x W 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4251C/WC2.NB.99	€ 505,00	Narrow/14°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/WC2.MB.99	€ 505,00	Medium/32°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/WC2.WB.99	€ 505,00	Wide/44°	18W	2170 lm	1870 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/NC2.NB.99	€ 505,00	Narrow/14°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000K	I	67	10
4251C/NC2.MB.99	€ 505,00	Medium/32°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000K	I	67	10
4251C/NC2.WB.99	€ 505,00	Wide/44°	18W	2300 lm	1983 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 15 mm

DALI available on request

Ceiling recessed L. 200 LED ARRAY - Built-in driver - H 153 x L 200 x W 200




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
4251C/WR50NB.99	€ 530,00	Narrow/20°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/WR50MB.99	€ 530,00	Medium/32°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/WR50WB.99	€ 530,00	Wide/50°	14W	1690 lm	1216 lm	220-240Vac 50/60Hz	3000K	I	67	10
4251C/NR50NB.99	€ 530,00	Narrow/20°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10
4251C/NR50MB.99	€ 530,00	Medium/32°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10
4251C/NR50WB.99	€ 530,00	Wide/50°	14W	1780 lm	1280 lm	220-240Vac 50/60Hz	4000K	I	67	10

Extra clear transparent tempered glass 15 mm

DALI available on request

UP&DOWN CEILING



Ceiling luminaire - Built-in driver - H 140 x W 140 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506C/HC35NB	€ 285,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HC35MB	€ 285,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HC35WB	€ 285,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/WC35NB	€ 285,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WC35MB	€ 285,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WC35WB	€ 285,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/NC35NB	€ 285,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/NC35MB	€ 285,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/NC35WB	€ 285,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Ceiling luminaire DALI - Built-in driver - H 140 x W 140 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506C/HD35NB	€ 325,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HD35MB	€ 325,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HD35WB	€ 325,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/WD35NB	€ 325,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WD35MB	€ 325,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WD35WB	€ 325,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/ND35NB	€ 325,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/ND35MB	€ 325,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/ND35WB	€ 325,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI-2 integrated

Ceiling luminaire TRIAC - Built-in driver - H 140 x W 140 x Ø 140



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7506C/HT35NB	€ 305,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HT35MB	€ 305,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/HT35WB	€ 305,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	2700K	I	66	08
7506C/WT35NB	€ 305,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WT35MB	€ 305,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/WT35WB	€ 305,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	3000K	I	66	08
7506C/NT35NB	€ 305,00	Narrow/16°	17W	1900 lm	1600 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/NT35MB	€ 305,00	Medium/33°	17W	1900 lm	1560 lm	220-240Vac 50/60Hz	4000K	I	66	08
7506C/NT35WB	€ 305,00	Wide/54°	17W	1900 lm	1520 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Phase cut dimmable

ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 E.TRA.639 Bluetooth Controller IP20 85-240Vac - CASAMBI L 36 x W 14 x H 40 230,00 €
--	---

UP&DOWN MAXI CEILING



Ceiling luminaire - Built-in driver - H 180 x W 180 x Ø 180



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456C/HC55NB	€ 365,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HC55MB	€ 365,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HC55WB	€ 365,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/WC55NB	€ 365,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WC55MB	€ 365,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WC55WB	€ 365,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/NC55NB	€ 365,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/NC55MB	€ 365,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/NC55WB	€ 365,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

Ceiling luminaire DALI - Built-in driver - H 180 x W 180 x Ø 180



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456C/HD55NB	€ 405,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HD55MB	€ 405,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HD55WB	€ 405,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/WD55NB	€ 405,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WD55MB	€ 405,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WD55WB	€ 405,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/ND55NB	€ 405,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/ND55MB	€ 405,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/ND55WB	€ 405,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI-2 integrated

Ceiling luminaire TRIAC - Built-in driver - H 180 x W 180 x Ø 180



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
7456C/HT55NB	€ 385,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HT55MB	€ 385,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/HT55WB	€ 385,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	2700K	I	66	08
7456C/WT55NB	€ 385,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WT55MB	€ 385,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/WT55WB	€ 385,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	3000K	I	66	08
7456C/NT55NB	€ 385,00	Narrow/16°	24W	3050 lm	2690 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/NT55MB	€ 385,00	Medium/36°	24W	3050 lm	2660 lm	220-240Vac 50/60Hz	4000K	I	66	08
7456C/NT55WB	€ 385,00	Wide/56°	24W	3050 lm	2630 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

Phase cut dimmable


ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 E.TRA.639 Bluetooth Controller IP20 85-240Vac - CASAMBI L 36 x W 14 x H 40 230,00 €
--	---

UP&DOWN Q CEILING




Ceiling luminaire - Built-in driver - H 220 x L 100 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9814C/HC0.NB	€ 335,00	Narrow/10°	13W	1291 lm	1171 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/HC0.MB	€ 335,00	Medium/26°	13W	1291 lm	1177 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/HC0.WB	€ 335,00	Wide/56°	13W	1291 lm	1074 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/WC0.NB	€ 335,00	Narrow/10°	13W	1359 lm	1233 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/WC0.MB	€ 335,00	Medium/26°	13W	1359 lm	1239 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/WC0.WB	€ 335,00	Wide/56°	13W	1359 lm	1131 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/NC0.NB	€ 335,00	Narrow/10°	13W	1414 lm	1283 lm	220-240Vac 50/60Hz	4000K	I	65	07
9814C/NC0.MB	€ 335,00	Medium/26°	13W	1414 lm	1288 lm	220-240Vac 50/60Hz	4000K	I	65	07
9814C/NC0.WB	€ 335,00	Wide/56°	13W	1414 lm	1177 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Ceiling luminaire DALI - Built-in driver - H 220 x L 100 x W 100



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9814C/HD0.NB	€ 380,00	Narrow/10°	13W	1291 lm	1171 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/HD0.MB	€ 380,00	Medium/26°	13W	1291 lm	1177 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/HD0.WB	€ 380,00	Wide/56°	13W	1291 lm	1074 lm	220-240Vac 50/60Hz	2700K	I	65	07
9814C/WD0.NB	€ 380,00	Narrow/10°	13W	1359 lm	1233 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/WD0.MB	€ 380,00	Medium/26°	13W	1359 lm	1239 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/WD0.WB	€ 380,00	Wide/56°	13W	1359 lm	1131 lm	220-240Vac 50/60Hz	3000K	I	65	07
9814C/ND0.NB	€ 380,00	Narrow/10°	13W	1414 lm	1283 lm	220-240Vac 50/60Hz	4000K	I	65	07
9814C/ND0.MB	€ 380,00	Medium/26°	13W	1414 lm	1288 lm	220-240Vac 50/60Hz	4000K	I	65	07
9814C/ND0.WB	€ 380,00	Wide/56°	13W	1414 lm	1177 lm	220-240Vac 50/60Hz	4000K	I	65	07


Extra clear transparent tempered glass

DALI-2 integrated


ACCESSORI:

**E.TRA.580**Surge protector
CL I - IP67 L 37 x W 30 x H 30**55,00 €**

MODO CEILING




Ceiling module - H 118 x L 118 x W 46



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601C1/HP70NB	€ 200,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/HP70MB	€ 200,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/HP70WB	€ 200,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/WP70NB	€ 200,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/WP70MB	€ 200,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/WP70WB	€ 200,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/NP70NB	€ 200,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601C1/NP70MB	€ 200,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601C1/NP70WB	€ 200,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Ceiling module DALI - H 118 x L 118 x W 46




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601C1/HD70NB	€ 240,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/HD70MB	€ 240,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/HD70WB	€ 240,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601C1/WD70NB	€ 240,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/WD70MB	€ 240,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/WD70WB	€ 240,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601C1/ND70NB	€ 240,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601C1/ND70MB	€ 240,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601C1/ND70WB	€ 240,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass


DALI-2 integrated

Ceiling module with bowden cables - H 118 x L 118 x W 46



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601S1/HP70NB	€ 295,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/HP70MB	€ 295,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/HP70WB	€ 295,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/WP70NB	€ 295,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/WP70MB	€ 295,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/WP70WB	€ 295,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/NP70NB	€ 295,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601S1/NP70MB	€ 295,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601S1/NP70WB	€ 295,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass

Ceiling module DALI with bowden cables - H 118 x L 118 x W 46


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
601S1/HD70NB	€ 305,00	Narrow/12°	8W	750 lm	628 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/HD70MB	€ 305,00	Medium/28°	8W	750 lm	623 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/HD70WB	€ 305,00	Wide/50°	8W	750 lm	610 lm	220-240Vac 50/60Hz	2700K	I	65	07
601S1/WD70NB	€ 305,00	Narrow/12°	8W	790 lm	662 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/WD70MB	€ 305,00	Medium/28°	8W	790 lm	656 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/WD70WB	€ 305,00	Wide/50°	8W	790 lm	643 lm	220-240Vac 50/60Hz	3000K	I	65	07
601S1/ND70NB	€ 305,00	Narrow/12°	8W	900 lm	741 lm	220-240Vac 50/60Hz	4000K	I	65	07
601S1/ND70MB	€ 305,00	Medium/28°	8W	900 lm	738 lm	220-240Vac 50/60Hz	4000K	I	65	07
601S1/ND70WB	€ 305,00	Wide/50°	8W	900 lm	726 lm	220-240Vac 50/60Hz	4000K	I	65	07

Extra clear transparent tempered glass


DALI-2 integrated

ACCESSORI:

	E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €
--	---


ALTAIR ROUND

	00 White RAL 9016		01 Black RAL 9005		10 White RAL 9010		24 Bronze		25 Rust		30 Anthracite
	35 Slate Grey		40 Grey RAL 9006								

Ceiling luminaire Ø280 Diffuse Emission - W 65 x Ø 280


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8402C/WR35VO	€ 330,00	Diffused >100°	21W	2130 lm	1045 lm	220-240Vac 50/60Hz	3000K	II	65	07
8402C/NR35VO	€ 330,00	Diffused >100°	21W	2250 lm	1105 lm	220-240Vac 50/60Hz	4000K	II	65	07


VO = Extra clear opal tempered glass

Ceiling luminaire DALI Ø280 Diffuse Emission - W 65 x Ø 280


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8402C/WD35VO	€ 380,00	Diffused >100°	21W	2130 lm	1045 lm	220-240Vac 50/60Hz	3000K	II	65	07
8402C/ND35VO	€ 380,00	Diffused >100°	21W	2250 lm	1105 lm	220-240Vac 50/60Hz	4000K	II	65	07

VO = Extra clear opal tempered glass

DALI-2 integrated

Ceiling luminaire Ø280 Diffuse Emission -WITH EMERGENCY- - W 65 x Ø 280


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8402C/WE35VO	€ 630,00	Diffused >100°	21W	2130 lm	1045 lm	220-240Vac 50/60Hz	3000K	I	65	07
8402C/NE35VO	€ 630,00	Diffused >100°	21W	2250 lm	1105 lm	220-240Vac 50/60Hz	4000K	I	65	07


VO = Extra clear opal tempered glass

DALI available on request



ACCESSORI:

	E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €
--	---

ALTAIR SQUARE





Ceiling luminaire L. 280 Diffuse Emission - H 280 x L 280 x W 65



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8412C/WR35VO	€ 330,00	Diffused >100°	22W	2330 lm	1150 lm	220-240Vac 50/60Hz	3000K	II	65	07
8412C/NR35VO	€ 330,00	Diffused >100°	22W	2450 lm	1212 lm	220-240Vac 50/60Hz	4000K	II	65	07

VO = Extra clear opal tempered glass

Ceiling luminaire DALI L. 280 Diffuse Emission - H 280 x L 280 x W 65





Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8412C/WD35VO	€ 380,00	Diffused >100°	22W	2330 lm	1150 lm	220-240Vac 50/60Hz	3000K	II	65	07
8412C/ND35VO	€ 380,00	Diffused >100°	22W	2450 lm	1212 lm	220-240Vac 50/60Hz	4000K	II	65	07

VO = Extra clear opal tempered glass

DALI-2 integrated

Ceiling luminaire L. 280 Diffuse Emission -WITH EMERGENCY- - H 280 x L 280 x W 65



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
8412C/WE35VO	€ 630,00	Diffused >100°	22W	2330 lm	1150 lm	220-240Vac 50/60Hz	3000K	I	65	07
8412C/NE35VO	€ 630,00	Diffused >100°	22W	2450 lm	1212 lm	220-240Vac 50/60Hz	4000K	I	65	07


VO = Extra clear opal tempered glass

DALI available on request


ACCESSORI:

**E.TRA.580****55,00 €**Surge protector
CL I - IP67 L 37 x W 30 x H 30

CLIO CEILING



Luminaire with nylon cover - Built-in driver - H 160 x L 160 x W 60




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1070W/HC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	66	07
1070W/HC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	66	07
1070W/HC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	66	07
1070W/WC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	66	07
1070W/WC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	66	07
1070W/WC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	66	07
1070W/NC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	66	07
1070W/NC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	66	07
1070W/NC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	66	07

Extra clear transparent tempered glass

Luminaire with nylon cover - 24Vdc - H 160 x L 160 x W 60




REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1070W/HRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1070W/WRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1070W/NRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass

Dimmable

Luminaire with nylon cover - LED DIRECT AC - H 160 x L 160 x W 60



REVIEW

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1070W/WRACVO	€ 120,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07


VO = Extra clear opal tempered glass

Phase cut dimmable

ACCESSORI:

E.TRA.577 Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32 75,00 €	E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €	E.TRA.581 Surge protector CL II - IP67 L 37 x W 30 x H 30 45,00 €
E.TRA.631 Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22 45,00 €	E.TRA.633 Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36 145,00 €	E.TRA.647 Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26 25,00 €


LUCY CEILING



Luminaire with steel cover - Built-in driver - W 60 x Ø 160



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1050W/HC20NB	€ 175,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	66	07
1050W/HC20MB	€ 175,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	66	07
1050W/HC20WB	€ 175,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	66	07
1050W/WC20NB	€ 175,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	66	07
1050W/WC20MB	€ 175,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	66	07
1050W/WC20WB	€ 175,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	66	07
1050W/NC20NB	€ 175,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	66	07
1050W/NC20MB	€ 175,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	66	07
1050W/NC20WB	€ 175,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	66	07

Extra clear transparent tempered glass

Luminaire with aluminium cover - Built-in driver - W 60 x Ø 160



REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1051W/HC20NB	€ 150,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	66	07
1051W/HC20MB	€ 150,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	66	07
1051W/HC20WB	€ 150,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	66	07
1051W/WC20NB	€ 150,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	66	07
1051W/WC20MB	€ 150,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	66	07
1051W/WC20WB	€ 150,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	66	07
1051W/NC20NB	€ 150,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	66	07
1051W/NC20MB	€ 150,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	66	07
1051W/NC20WB	€ 150,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	66	07

Extra clear transparent tempered glass

Luminaire with nylon cover - Built-in driver - W 60 x Ø 160




REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1052W/HC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	2700K	II	66	07
1052W/HC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	2700K	II	66	07
1052W/HC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	2700K	II	66	07
1052W/WC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	3000K	II	66	07
1052W/WC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	3000K	II	66	07
1052W/WC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	3000K	II	66	07
1052W/NC20NB	€ 140,00	Narrow/12°	5W	530 lm	480 lm	220-240Vac 50/60Hz	4000K	II	66	07
1052W/NC20MB	€ 140,00	Medium/26°	5W	530 lm	470 lm	220-240Vac 50/60Hz	4000K	II	66	07
1052W/NC20WB	€ 140,00	Wide/52°	5W	530 lm	455 lm	220-240Vac 50/60Hz	4000K	II	66	07

Extra clear transparent tempered glass

Luminaire with steel cover - 24Vdc - W 60 x Ø 160
REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1050W/HRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1050W/WRRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1050W/NRRCVO	€ 140,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass
Dimmable

Luminaire with steel cover - LED DIRECT AC - W 60 x Ø 160
REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1050W/WRRACVO	€ 155,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass
Phase cut dimmable

Luminaire with aluminium cover - 24Vdc - W 60 x Ø 160
REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1051W/HRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1051W/WRRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1051W/NRRCVO	€ 115,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass
Dimmable

Luminaire with aluminium cover - LED DIRECT AC - W 60 x Ø 160
REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1051W/WRRACVO	€ 130,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass
Phase cut dimmable

Luminaire with nylon cover - 24Vdc - W 60 x Ø 160
REVIEW


Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1052W/HRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	2700K	III	66	07
1052W/WRRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	3000K	III	66	07
1052W/NRRCVO	€ 105,00	Diffused/110°	3,5W	500 lm	180 lm	24Vdc	4000K	III	66	07

VO = Extra clear opal tempered glass
Dimmable

Luminaire with nylon cover - LED DIRECT AC - W 60 x Ø 160
REVIEW





Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
1052W/WRRACVO	€ 120,00	Diffused/110°	5W	500 lm	180 lm	220-240Vac 50/60Hz	3000K	II	66	07

VO = Extra clear opal tempered glass
Phase cut dimmable


ACCESSORI:

 E.TRA.577 75,00 €	Driver ON/OFF 25W 24Vdc IP67 L 148 x W 40 x H 32	 E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	 E.TRA.581 45,00 €	Surge protector CL II - IP67 L 37 x W 30 x H 30
 E.TRA.631 45,00 €	Driver ON/OFF 15W 24Vdc IP20 L 106 x W 33 x H 22	 E.TRA.633 145,00 €	Driver DALI 100W 24Vdc IP67 L 175 x W 63 x H 36	 E.TRA.647 25,00 €	Driver for Box 12W 24Vdc IP65 - ON/OFF L 57 x W 40 x H 26

MAXIMA ONE

**Pole H. 2000 - H 2000 x Ø 140 x Ø base 187**

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F1/HR24PO	€ 955,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F1/WR24PO	€ 955,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F1/NR24PO	€ 955,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Pole DALI H. 2000 - H 2000 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F1/HD24PO	€ 1.045,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F1/WD24PO	€ 1.045,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F1/ND24PO	€ 1.045,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Pole H. 2500 - H 2500 x Ø 140 x Ø base 187

REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F2/HR24PO	€ 1.055,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F2/WR24PO	€ 1.055,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F2/NR24PO	€ 1.055,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Pole DALI H. 2500 - H 2500 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F2/HD24PO	€ 1.145,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F2/WD24PO	€ 1.145,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F2/ND24PO	€ 1.145,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI-2 integrated

Pole H. 3000 - H 3000 x Ø 140 x Ø base 187

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F3/HR24PO	€ 1.155,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F3/WR24PO	€ 1.155,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F3/NR24PO	€ 1.155,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Pole DALI H. 3000 - H 3000 x Ø 140 x Ø base 187

REVIEW





Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
380F3/HD24PO	€ 1.245,00	Diffused 360°	48W	6118 lm	3857 lm	220-240Vac 50/60Hz	2700K	I	65	08
380F3/WD24PO	€ 1.245,00	Diffused 360°	48W	6440 lm	4060 lm	220-240Vac 50/60Hz	3000K	I	65	08
380F3/ND24PO	€ 1.245,00	Diffused 360°	48W	6762 lm	4263 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI-2 integrated

ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31 5,00 €	MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2,5 mm² L 109 x Ø 31 10,00 €
---	--	--

SILURO**Pole H. 3000 - H 3000 x Ø 180**

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
330F1/HR24PO	€ 1.705,00	Diffused 360°	60W	7714 lm	4845 lm	220-240Vac 50/60Hz	2700K	I	65	08
330F1/WR24PO	€ 1.705,00	Diffused 360°	60W	8120 lm	5100 lm	220-240Vac 50/60Hz	3000K	I	65	08
330F1/NR24PO	€ 1.705,00	Diffused 360°	60W	8526 lm	5355 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI available on request

Pole H. 3500 - H 3500 x Ø 180

REVIEW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
330F2/HR24PO	€ 1.930,00	Diffused 360°	60W	7714 lm	4845 lm	220-240Vac 50/60Hz	2700K	I	65	08
330F2/WR24PO	€ 1.930,00	Diffused 360°	60W	8120 lm	5100 lm	220-240Vac 50/60Hz	3000K	I	65	08
330F2/NR24PO	€ 1.930,00	Diffused 360°	60W	8526 lm	5355 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI available on request

Pole H. 4000 - H 4000 x Ø 180

REVIEW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
330F3/HR24PO	€ 2.355,00	Diffused 360°	60W	7714 lm	4845 lm	220-240Vac 50/60Hz	2700K	I	65	08
330F3/WR24PO	€ 2.355,00	Diffused 360°	60W	8120 lm	5100 lm	220-240Vac 50/60Hz	3000K	I	65	08
330F3/NR24PO	€ 2.355,00	Diffused 360°	60W	8526 lm	5355 lm	220-240Vac 50/60Hz	4000K	I	65	08



PO = Opal polycarbonate

DALI available on request

ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €


VELA

**Street light pole - Built-in driver - H 4000 x Ø 700 x Ø base 320 x Ø int pole 75**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9000F/WC5.NB	€ 2.530,00	Diffused 360°	36W	5870 lm	2042 lm	220-240Vac 50/60Hz	3000K	I	65	09
9000F/NC5.NB	€ 2.530,00	Diffused 360°	36W	6160 lm	2145 lm	220-240Vac 50/60Hz	4000K	I	65	09

Extra clear transparent tempered glass

DALI available on request

Head for street light pole - External driver - H 705 x Ø 700 x Ø int pole 75

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
9000H/WC5.NB	€ 1.155,00	Diffused 360°	36W	5870 lm	2042 lm	Max 950mA	3000K	III	65	09
9000H/NC5.NB	€ 1.155,00	Diffused 360°	36W	6160 lm	2145 lm	Max 950mA	4000K	III	65	09




Extra clear transparent tempered glass

DALI available on request


ACCESSORI:

 E.TRA.576.950 75,00 €	Driver 50W 950mA IP67 - ON/OFF L 105 x W 63 x H 30	 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31
 MOR685P/3V 10,00 €	Connector Y IP68 5Poles/3Ways 5 x 2,5 mm² L 140 x W 72 x H 33				

ORION D

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006


Pole 4 Ways H. 3000 - H 3000 x L 340 x W 340



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
570F2/WC50EW	€ 2.140,00	Diffused >80°	35W	4720 lm	2800 lm	220-240Vac 50/60Hz	3000K	I	65	08
570F2/NC50EW	€ 2.140,00	Diffused >80°	35W	5000 lm	2980 lm	220-240Vac 50/60Hz	4000K	I	65	08

Sandblasted glass


Pole 4 Ways H. 4000 - H 4000 x L 340 x W 340



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
570F4/WC50EW	€ 2.400,00	Diffused >80°	35W	4720 lm	2800 lm	220-240Vac 50/60Hz	3000K	I	65	08
570F4/NC50EW	€ 2.400,00	Diffused >80°	35W	5000 lm	2980 lm	220-240Vac 50/60Hz	4000K	I	65	08

Sandblasted glass

Pole DALI 4 Ways H. 3000 - H 3000 x L 340 x W 340




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
570F2/WD50EW	€ 2.190,00	Diffused >80°	35W	4720 lm	2800 lm	220-240Vac 50/60Hz	3000K	I	65	08
570F2/ND50EW	€ 2.190,00	Diffused >80°	35W	5000 lm	2980 lm	220-240Vac 50/60Hz	4000K	I	65	08

Sandblasted glass

DALI-2 integrated

Pole DALI 4 Ways H. 4000 - H 4000 x L 340 x W 340



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
570F4/WD50EW	€ 2.490,00	Diffused >80°	35W	4720 lm	2800 lm	220-240Vac 50/60Hz	3000K	I	65	08
570F4/ND50EW	€ 2.490,00	Diffused >80°	35W	5000 lm	2980 lm	220-240Vac 50/60Hz	4000K	I	65	08


Sandblasted glass

DALI-2 integrated


ACCESSORI:

 E.TA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/2V Connector IP68 5Poles/2Ways 5 x 2.5 mm² L 109 x Ø 31 10,00 €	 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €	

ORION TL




Pole Total Light 1 Way H. 3000 - H 3000 x L 340 x W 340



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
491F2/HR24PO	€ 2.710,00	Diffused/1 Way	21W	2052 lm	959 lm	220-240Vac 50/60Hz	2700K	I	65	08
491F2/WR24PO	€ 2.710,00	Diffused/1 Way	21W	2160 lm	1010 lm	220-240Vac 50/60Hz	3000K	I	65	08
491F2/NR24PO	€ 2.710,00	Diffused/1 Way	21W	2400 lm	1120 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


Pole Total Light 2 Ways H. 3000 - H 3000 x L 340 x W 340



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
492F2/HR24PO	€ 2.780,00	Diffused/2 Ways	40W	4104 lm	1919 lm	220-240Vac 50/60Hz	2700K	I	65	08
492F2/WR24PO	€ 2.780,00	Diffused/2 Ways	40W	4320 lm	2020 lm	220-240Vac 50/60Hz	3000K	I	65	08
492F2/NR24PO	€ 2.780,00	Diffused/2 Ways	40W	4800 lm	2240 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

Pole Total Light 4 Ways H. 3000 - H 3000 x L 340 x W 340







Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
494F2/HR24PO	€ 2.850,00	Diffused/4 Ways	80W	8208 lm	3838 lm	220-240Vac 50/60Hz	2700K	I	65	08
494F2/WR24PO	€ 2.850,00	Diffused/4 Ways	80W	8640 lm	4040 lm	220-240Vac 50/60Hz	3000K	I	65	08
494F2/NR24PO	€ 2.850,00	Diffused/4 Ways	80W	9600 lm	4490 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
--	--	--


ORION ONE

00
White RAL 901601
Black RAL 900510
White RAL 901024
Bronze25
Rust30
Anthracite35
Slate Grey40
Grey RAL 9006**Pole 2 Ways H. 2000 - H 2000 x L 340 x W 340**

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
492F0/WR50PO	€ 1.540,00	Diffused/2 Ways	25W	3440 lm	1605 lm	220-240Vac 50/60Hz	3000K	I	65	08
492F0/NR50PO	€ 1.540,00	Diffused/2 Ways	25W	3600 lm	1680 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Pole 4 Ways H. 2000 - H 2000 x L 340 x W 340

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
494F0/WR35PO	€ 1.745,00	Diffused/4 Ways >120°	36W	5000 lm	2340 lm	220-240Vac 50/60Hz	3000K	I	65	08
494F0/NR35PO	€ 1.745,00	Diffused/4 Ways >120°	36W	5240 lm	2450 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate


DALI available on request

Pole 2 Ways H. 4000 - H 4000 x L 340 x W 340

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
492F4/WR50PO	€ 2.675,00	Diffused/2 Ways	38W	5180 lm	2420 lm	220-240Vac 50/60Hz	3000K	I	65	08
492F4/NR50PO	€ 2.675,00	Diffused/2 Ways	38W	5440 lm	2542 lm	220-240Vac 50/60Hz	4000K	I	65	08

PO = Opal polycarbonate

DALI available on request

Pole 4 Ways H. 4000 - H 4000 x L 340 x W 340

Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
494F4/WR35PO	€ 2.695,00	Diffused/4 Ways >120°	52W	7520 lm	3515 lm	220-240Vac 50/60Hz	3000K	I	65	08
494F4/NR35PO	€ 2.695,00	Diffused/4 Ways >120°	52W	7920 lm	3700 lm	220-240Vac 50/60Hz	4000K	I	65	08


PO = Opal polycarbonate

DALI available on request


ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

TRIM 1



Pole 1 Light H. 3000 flange fixing - H 3000 x L 600 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
760F3/WP70.CP	€ 2.675,00	Asymmetric Cycle-Ped	35W	4670 lm	3574 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F3/WP70.PP	€ 2.675,00	Asymmetric Parking/Big	35W	4670 lm	3574 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F3/WP70.ST	€ 2.675,00	Street Asymmetric	35W	4670 lm	3574 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F3/NP70.CP	€ 2.675,00	Asymmetric Cycle-Ped	35W	5000 lm	3820 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F3/NP70.PP	€ 2.675,00	Asymmetric Parking/Big	35W	5000 lm	3820 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F3/NP70.ST	€ 2.675,00	Street Asymmetric	35W	5000 lm	3820 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 1 Light H. 4000 flange fixing - H 4000 x L 720 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
760F4/WP70.CP	€ 3.025,00	Asymmetric Cycle-Ped	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F4/WP70.PP	€ 3.025,00	Asymmetric Parking/Big	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F4/WP70.ST	€ 3.025,00	Street Asymmetric	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F4/NP70.CP	€ 3.025,00	Asymmetric Cycle-Ped	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F4/NP70.PP	€ 3.025,00	Asymmetric Parking/Big	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F4/NP70.ST	€ 3.025,00	Street Asymmetric	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 1 Light H. 5000 flange fixing - H 5000 x L 720 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
760F5/WP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F5/WP70.PP	€ 3.465,00	Asymmetric Parking/Big	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F5/WP70.ST	€ 3.465,00	Street Asymmetric	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
760F5/NP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F5/NP70.PP	€ 3.465,00	Asymmetric Parking/Big	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
760F5/NP70.ST	€ 3.465,00	Street Asymmetric	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 1 Light H. 4000 underground installation - H 4000 x L 720 x W 160




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
770F4/WP70.CP	€ 3.095,00	Asymmetric Cycle-Ped	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F4/WP70.PP	€ 3.095,00	Asymmetric Parking/Big	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F4/WP70.ST	€ 3.095,00	Street Asymmetric	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F4/NP70.CP	€ 3.095,00	Asymmetric Cycle-Ped	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
770F4/NP70.PP	€ 3.095,00	Asymmetric Parking/Big	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
770F4/NP70.ST	€ 3.095,00	Street Asymmetric	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 1 Light H. 5000 underground installation - H 5000 x L 720 x W 160



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
770F5/WP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F5/WP70.PP	€ 3.465,00	Asymmetric Parking/Big	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F5/WP70.ST	€ 3.465,00	Street Asymmetric	70W	9340 lm	7145 lm	220-240Vac 50/60Hz	3000K	I	66	08
770F5/NP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
770F5/NP70.PP	€ 3.465,00	Asymmetric Parking/Big	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08
770F5/NP70.ST	€ 3.465,00	Street Asymmetric	70W	10000 lm	7653 lm	220-240Vac 50/60Hz	4000K	I	66	08


Extra clear transparent tempered glass

DALI available on request


ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
 MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

TRIM 2



Pole 2 Lights H. 3000 flange fixing - H 3000 x L 1100 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
761F3/WP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	2x35W	9340 lm	7148 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F3/WP70.PP	€ 3.465,00	Asymmetric Parking/Big	2x35W	9340 lm	7148 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F3/WP70.ST	€ 3.465,00	Street Asymmetric	2x35W	9340 lm	7148 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F3/NP70.CP	€ 3.465,00	Asymmetric Cycle-Ped	2x35W	10000 lm	7640 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F3/NP70.PP	€ 3.465,00	Asymmetric Parking/Big	2x35W	10000 lm	7640 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F3/NP70.ST	€ 3.465,00	Street Asymmetric	2x35W	10000 lm	7640 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 2 Lights H. 4000 flange fixing - H 4000 x L 1300 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
761F4/WP70.CP	€ 4.035,00	Asymmetric Cycle-Ped	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F4/WP70.PP	€ 4.035,00	Asymmetric Parking/Big	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F4/WP70.ST	€ 4.035,00	Street Asymmetric	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F4/NP70.CP	€ 4.035,00	Asymmetric Cycle-Ped	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F4/NP70.PP	€ 4.035,00	Asymmetric Parking/Big	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F4/NP70.ST	€ 4.035,00	Street Asymmetric	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 2 Lights H. 5000 flange fixing - H 5000 x L 1300 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
761F5/WP70.CP	€ 4.285,00	Asymmetric Cycle-Ped	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F5/WP70.PP	€ 4.285,00	Asymmetric Parking/Big	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F5/WP70.ST	€ 4.285,00	Street Asymmetric	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
761F5/NP70.CP	€ 4.285,00	Asymmetric Cycle-Ped	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F5/NP70.PP	€ 4.285,00	Asymmetric Parking/Big	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
761F5/NP70.ST	€ 4.285,00	Street Asymmetric	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 2 Lights H. 4000 underground installation - H 4000 x L 1300 x W 160




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
771F4/WP70.CP	€ 4.035,00	Asymmetric Cycle-Ped	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F4/WP70.PP	€ 4.035,00	Asymmetric Parking/Big	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F4/WP70.ST	€ 4.035,00	Street Asymmetric	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F4/NP70.CP	€ 4.035,00	Asymmetric Cycle-Ped	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
771F4/NP70.PP	€ 4.035,00	Asymmetric Parking/Big	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
771F4/NP70.ST	€ 4.035,00	Street Asymmetric	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 2 Lights H. 5000 underground installation - H 5000 x L 1300 x W 160



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
771F5/WP70.CP	€ 4.285,00	Asymmetric Cycle-Ped	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F5/WP70.PP	€ 4.285,00	Asymmetric Parking/Big	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F5/WP70.ST	€ 4.285,00	Street Asymmetric	2x70W	18680 lm	14290 lm	220-240Vac 50/60Hz	3000K	I	66	08
771F5/NP70.CP	€ 4.285,00	Asymmetric Cycle-Ped	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
771F5/NP70.PP	€ 4.285,00	Asymmetric Parking/Big	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08
771F5/NP70.ST	€ 4.285,00	Street Asymmetric	2x70W	20000 lm	15300 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request


ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

TRIM 2-S

00 White RAL 9016	01 Black RAL 9005	10 White RAL 9010	24 Bronze	25 Rust	30 Anthracite
35 Slate Grey	40 Grey RAL 9006				

Pole 2 non-aligned Lights H. 5000 flange fixing - H 5000 x L 1320 x W 400




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
762F5/WP70.CP	€ 4.160,00	Asymmetric Cycle-Ped	70W+35	14000 lm	10719 lm	220-240Vac 50/60Hz	3000K	I	66	08
762F5/WP70.PP	€ 4.160,00	Asymmetric Parking/Big	70W+35	14000 lm	10719 lm	220-240Vac 50/60Hz	3000K	I	66	08
762F5/WP70.ST	€ 4.160,00	Street Asymmetric	70W+35	14000 lm	10719 lm	220-240Vac 50/60Hz	3000K	I	66	08
762F5/NP70.CP	€ 4.160,00	Asymmetric Cycle-Ped	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08
762F5/NP70.PP	€ 4.160,00	Asymmetric Parking/Big	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08
762F5/NP70.ST	€ 4.160,00	Street Asymmetric	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Pole 2 non-aligned Lights H. 5000 underground installation - H 5000 x L 1320 x W 160



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
772F5/WP70.CP	€ 4.160,00	Asymmetric Cycle-Ped	70W+35	14000 lm	10719 lm	220-240Vac 50/60Hz	3000K	I	66	08
772F5/WP70.PP	€ 4.160,00	Asymmetric Parking/Big	70W+35	14000 lm	10720 lm	220-240Vac 50/60Hz	3000K	I	66	08
772F5/WP70.ST	€ 4.160,00	Street Asymmetric	70W+35	14000 lm	10722 lm	220-240Vac 50/60Hz	3000K	I	66	08
772F5/NP70.CP	€ 4.160,00	Asymmetric Cycle-Ped	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08
772F5/NP70.PP	€ 4.160,00	Asymmetric Parking/Big	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08
772F5/NP70.ST	€ 4.160,00	Street Asymmetric	70W+35	15000 lm	11473 lm	220-240Vac 50/60Hz	4000K	I	66	08




Extra clear transparent tempered glass

DALI available on request


ACCESSORI:

E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	KIT.002 Ground anchoring anchor bolts/centring plate 120,00 €	MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31 5,00 €
MOR685P/3V Connector Y IP68 5Poles/3Ways 5 x 2.5 mm² L 140 x W 72 x H 33 10,00 €		

MOON S



Lighting fixture with bracket L. 440 Asymmetrical Emission 16LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP04W/WP90CP	€ 635,00	Asymmetric Cycle-Ped	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04W/WP90PP	€ 635,00	Asymmetric Parking/Big	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04W/WP90ST	€ 635,00	Street Asymmetric	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04W/NP90CP	€ 635,00	Asymmetric Cycle-Ped	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP04W/NP90PP	€ 635,00	Asymmetric Parking/Big	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP04W/NP90ST	€ 635,00	Street Asymmetric	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Lighting fixture with bracket L. 440 Asymmetrical Emission 24LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP07W/WP10CP	€ 695,00	Asymmetric Cycle-Ped	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07W/WP10PP	€ 695,00	Asymmetric Parking/Big	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07W/WP10ST	€ 695,00	Street Asymmetric	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07W/NP10CP	€ 695,00	Asymmetric Cycle-Ped	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP07W/NP10PP	€ 695,00	Asymmetric Parking/Big	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP07W/NP10ST	€ 695,00	Street Asymmetric	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Lighting fixture with bracket L. 440 Asymmetrical Emission 36LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP10W/WP90CP	€ 760,00	Asymmetric Cycle-Ped	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10W/WP90PP	€ 760,00	Asymmetric Parking/Big	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10W/WP90ST	€ 760,00	Street Asymmetric	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10W/NP90CP	€ 760,00	Asymmetric Cycle-Ped	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP10W/NP90PP	€ 760,00	Asymmetric Parking/Big	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP10W/NP90ST	€ 760,00	Street Asymmetric	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Lighting fixture with bracket L. 540 Asymmetrical Emission 48LED - H 74 x L 540 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SG15W/WP50CP	€ 850,00	Asymmetric Cycle-Ped	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15W/WP50PP	€ 850,00	Asymmetric Parking/Big	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15W/WP50ST	€ 850,00	Street Asymmetric	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15W/NP50CP	€ 850,00	Asymmetric Cycle-Ped	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG15W/NP50PP	€ 850,00	Asymmetric Parking/Big	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG15W/NP50ST	€ 850,00	Street Asymmetric	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Lighting fixture with bracket L 540 Asymmetrical Emission 64LED - H 74 x L 540 x W 295



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SG20W/WP55CP	€ 920,00	Asymmetric Cycle-Ped	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20W/WP55PP	€ 920,00	Asymmetric Parking/Big	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20W/WP55ST	€ 920,00	Street Asymmetric	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20W/NP55CP	€ 920,00	Asymmetric Cycle-Ped	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG20W/NP55PP	€ 920,00	Asymmetric Parking/Big	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG20W/NP55ST	€ 920,00	Street Asymmetric	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

ACCESSORI:

 E.TRA.580 55,00 €	Surge protector CL I - IP67 L 37 x W 30 x H 30	 MOR683P/2V 5,00 €	Connector IP68 3Poles/2Ways 3 x 2.5 mm² L 95 x Ø 31	 MOR685P/3VS 15,00 €	Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35
 MOR685P/4VS 15,00 €	Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35				

MOON TP

00
White RAL 9016

01
Black RAL 9005

10
White RAL 9010

24
Bronze


25
Rust

30
Anthracite

35
Slate Grey

40
Grey RAL 9006

Head for street light pole L. 440 Asymmetrical Emission 16LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP04H/WP90CP	€ 635,00	Asymmetric Cycle-Ped	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04H/WP90PP	€ 635,00	Asymmetric Parking/Big	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04H/WP90ST	€ 635,00	Street Asymmetric	45W	7160 lm	5730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP04H/NP90CP	€ 635,00	Asymmetric Cycle-Ped	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP04H/NP90PP	€ 635,00	Asymmetric Parking/Big	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP04H/NP90ST	€ 635,00	Street Asymmetric	45W	7540 lm	6030 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Head for street light pole L. 440 Asymmetrical Emission 24LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP07H/WP10CP	€ 695,00	Asymmetric Cycle-Ped	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07H/WP10PP	€ 695,00	Asymmetric Parking/Big	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07H/WP10ST	€ 695,00	Street Asymmetric	75W	12540 lm	9880 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP07H/NP10CP	€ 695,00	Asymmetric Cycle-Ped	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP07H/NP10PP	€ 695,00	Asymmetric Parking/Big	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP07H/NP10ST	€ 695,00	Street Asymmetric	75W	13200 lm	10400 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Head for street light pole L. 440 Asymmetrical Emission 36LED - H 74 x L 440 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SP10H/WP90CP	€ 760,00	Asymmetric Cycle-Ped	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10H/WP90PP	€ 760,00	Asymmetric Parking/Big	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10H/WP90ST	€ 760,00	Street Asymmetric	100W	16150 lm	12900 lm	220-240Vac 50/60Hz	3000K	I	66	08
SP10H/NP90CP	€ 760,00	Asymmetric Cycle-Ped	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP10H/NP90PP	€ 760,00	Asymmetric Parking/Big	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08
SP10H/NP90ST	€ 760,00	Street Asymmetric	100W	17000 lm	13600 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Head for street light pole L. 540 Asymmetrical Emission 48LED - H 74 x L 540 x W 295




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SG15H/WP50CP	€ 850,00	Asymmetric Cycle-Ped	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15H/WP50PP	€ 850,00	Asymmetric Parking/Big	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15H/WP50ST	€ 850,00	Street Asymmetric	150W	24130 lm	19200 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG15H/NP50CP	€ 850,00	Asymmetric Cycle-Ped	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG15H/NP50PP	€ 850,00	Asymmetric Parking/Big	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG15H/NP50ST	€ 850,00	Street Asymmetric	150W	25400 lm	20200 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request

Head for street light pole L. 540 Asymmetrical Emission 64LED - H 74 x L 540 x W 295



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
SG20H/WP55CP	€ 920,00	Asymmetric Cycle-Ped	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20H/WP55PP	€ 920,00	Asymmetric Parking/Big	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20H/WP55ST	€ 920,00	Street Asymmetric	205W	31800 lm	25730 lm	220-240Vac 50/60Hz	3000K	I	66	08
SG20H/NP55CP	€ 920,00	Asymmetric Cycle-Ped	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG20H/NP55PP	€ 920,00	Asymmetric Parking/Big	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08
SG20H/NP55ST	€ 920,00	Street Asymmetric	205W	33500 lm	27080 lm	220-240Vac 50/60Hz	4000K	I	66	08

Extra clear transparent tempered glass

DALI available on request



ACCESSORI:

 E.TRA.580 Surge protector CL I - IP67 L 37 x W 30 x H 30 55,00 €	 MOR683P/2V Connector IP68 3Poles/2Ways 3 x 2,5 mm² L 95 x Ø 31 5,00 €	 MOR685P/3VS Connection Box IP68 5Poles/3Ways 5 x 4 mm² L 127 x W 93 x H 35 15,00 €
 MOR685P/4VS Connection Box IP68 5Poles/4Ways 5 x 4 mm² L 113 x W 93 x H 35 15,00 €		

NEON STRIP LENS

G
Grey

Neon strip with lens - H 23 x L 5000 x W 23



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
AG115N30K500015	€ 220/mt	Narrow/15°	18W/m		1600 lm/m	24Vdc	3000K	III	67	07
AG115N30K500030	€ 220/mt	Medium/30°	18W/m		1600 lm/m	24Vdc	3000K	III	67	07
Silicone										
Dimmable										

ACCESSORI:

E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	E.TRA.609 165,00 €	Driver 240W 24V DALI L 244 x W 71 x H 38
KIT.030 3,00 €	Glue for Neon Strip	KIT.035 270,00 €	Kit Casambi IP68 24V WHITE 1CH L 150 x W 80 x H 40	KIT.NS115.003 4,00 €	End Cap Close
KIT.NS115.004 4,50 €	Plastic Clip	KIT.NS115.005 3,50 €	Bracket	KIT.NS115.007 30,00 €	Folding Profile L 1 m
KIT.NS115.008 15,00 €	Rolling Bracket	KIT.NS115.009 40,00 €	Aluminium Profile L 2 m		

NEON STRIP DIFFUSE

B
White

Neon strip diffuse emission - H 14 x L 5000 x W 10



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
AG20527K5000	€ 50/mt	Diffused	14W/m		550 lm/m	24Vdc	2700K	III	67	07
AG20530K5000	€ 50/mt	Diffused	14W/m		550 lm/m	24Vdc	3000K	III	67	07
AG20540K5000	€ 50/mt	Diffused	14W/m		550 lm/m	24Vdc	4000K	III	67	07
Silicone										
Dimmable										

ACCESSORI:

E.TRA.579 110,00 €	Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32	E.TRA.592 185,00 €	Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38	E.TRA.609 165,00 €	Driver 240W 24V DALI L 244 x W 71 x H 38
KIT.030 3,00 €	Glue for Neon Strip	KIT.035 270,00 €	Kit Casambi IP68 24V WHITE 1CH L 150 x W 80 x H 40	KIT.NS205.004 3,00 €	End Cap Close
KIT.NS205.005 2,00 €	Plastic Clip	KIT.NS205.006 4,00 €	Bracket	KIT.NS205.008 15,00 €	Folding Profile L 1 m
KIT.NS205.009 35,00 €	Aluminium Profile L 2 m				

NEON STRIP RGBW



Neon strip RGBW - H 14 x L 5000 x W 10

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
AG205RGBW5000	€ 75/mt	Diffused	14W/m		240 lm/m	24Vdc	RGBW 3	III	67	07

Silicone

Dimmable


ACCESSORI:

	E.CEN.001 RGBW Control Unit DMX 4ch 12/24Vdc L 72 x W 62 x H 92 245,00 €		E.CNT.001 RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29.5 x H 120 230,00 €		E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €
	E.TRA.592 Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38 185,00 €		E.TRA.594 Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26 450,00 €		KIT.030 Glue for Neon Strip 3,00 €
	KIT.035.RGBW Kit Casambi IP68 24V PWM 4CH L 150 x W 80 x H 40 270,00 €		KIT.NS205.004 End Cap Close 3,00 €		KIT.NS205.005 Plastic Clip 2,00 €
	KIT.NS205.006 Bracket 4,00 €		KIT.NS205.008 Folding Profile L 1 m 15,00 €		KIT.NS205.009 Aluminium Profile L 2 m 35,00 €

KUBO12-B RGBW

Adjustable Floodlight RGBW - 24Vdc - H 145 x L 125 x W 125

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2112W/RCRC.NB	€ 875,00	Narrow/10°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.MB	€ 875,00	Medium/20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.WB	€ 875,00	Wide/30°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2112W/RCRC.SW	€ 875,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07

Extra clear transparent tempered glass

Dimmable

ACCESSORI:

**KIT.036**


Extension arm for wall L 500

95,00 €

KUBO12-S RGBW

Adjustable Floodlight RGBW - 24Vdc - H 174 x L 140 x W 130

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2113W/RCRCNB	€ 935,00	Narrow/10°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCMB	€ 935,00	Medium/20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCWB	€ 935,00	Wide/30°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07
2113W/RCRCSW	€ 935,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	66	07

Extra clear transparent tempered glass

Dimmable

ACCESSORI:

**KIT.036**


Extension arm for wall L 500

95,00 €

MATRIX FLOODLIGHT RGBW

Linear Floodlight RGBW L. 306 - H 100 x L 306 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800P/RCRC.MB	€ 680,00	Medium/24°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.WB	€ 680,00	Wide/35°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.SW	€ 680,00	Super Wide/54°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07
2800P/RCRC.O4	€ 680,00	Oval/40°x20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L. 586 - H 100 x L 586 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801P/RCRC.MB	€ 1.040,00	Medium/24°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.WB	€ 1.040,00	Wide/35°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.SW	€ 1.040,00	Super Wide/54°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07
2801P/RCRC.O4	€ 1.040,00	Oval/40°x20°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L. 866 - H 100 x L 866 x W 45

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802P/RCRC.MB	€ 1.390,00	Medium/24°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.WB	€ 1.390,00	Wide/35°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.SW	€ 1.390,00	Super Wide/54°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07
2802P/RCRC.O4	€ 1.390,00	Oval/40°x20°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable

Linear Floodlight RGBW L.1146 - H 100 x L 1146 x W 45

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803P/RCRC.MB	€ 1.750,00	Medium/24°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.WB	€ 1.750,00	Wide/35°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.SW	€ 1.750,00	Super Wide/54°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07
2803P/RCRC.O4	€ 1.750,00	Oval/40°x20°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	07

Extra clear transparent tempered glass

Dimmable


ACCESSORI:

	E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €		E.TRA.592 Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38 185,00 €
--	--	---	--

MATRIX RECESSED RGBW

Linear Recessed RGBW L. 340 - H 83 x L 340 x W 98

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2800R/RCRC.MB99	€ 860,00	Medium/24°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.O499	€ 860,00	Oval/40°x20°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.WB99	€ 860,00	Wide/35°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09
2800R/RCRC.SW99	€ 860,00	Super Wide/54°	12W wit	1650 lm	1420 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 620 - H 83 x L 620 x W 98

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2801R/RCRC.MB99	€ 1.285,00	Medium/24°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.O499	€ 1.285,00	Oval/40°x20°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.WB99	€ 1.285,00	Wide/35°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09
2801R/RCRC.SW99	€ 1.285,00	Super Wide/54°	24W wit	3300 lm	2840 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 900 - H 83 x L 900 x W 98

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2802R/RCRC.MB99	€ 1.800,00	Medium/24°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.O499	€ 1.800,00	Oval/40°x20°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.WB99	€ 1.800,00	Wide/35°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09
2802R/RCRC.SW99	€ 1.800,00	Super Wide/54°	36W wit	4950 lm	4260 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

Linear Recessed RGBW L. 1180 - H 83 x L 1180 x W 98

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
2803R/RCRC.MB99	€ 2.300,00	Medium/24°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.O499	€ 2.300,00	Oval/40°x20°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.WB99	€ 2.300,00	Wide/35°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09
2803R/RCRC.SW99	€ 2.300,00	Super Wide/54°	48W wit	6600 lm	5680 lm	24Vdc	RGBW (	III	67	09

Extra clear transparent tempered glass 8 mm

Dimmable

ACCESSORI:

	E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €		E.TRA.592 Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38 185,00 €
--	--	---	--

NEON STRIP RGBW

Neon strip RGBW - H 14 x L 5000 x W 10

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
AG205RGBW5000	€ 75/mt	Diffused	14W/m		240 lm/m	24Vdc	RGBW 3	III	67	07

Silicone
Dimmable


ACCESSORI:

	E.CEN.001 RGBW Control Unit DMX 4ch 12/24Vdc L 72 x W 62 x H 92 245,00 €		E.CNT.001 RGBW Controller 16DMX Ch. 12-24Vdc L 75 x W 29.5 x H 120 230,00 €		E.TRA.579 Driver ON/OFF 100W 24Vdc IP67 L 140 x W 63 x H 32 110,00 €
	E.TRA.592 Driver ON/OFF ELG 240W 24Vdc IP67 L 244 x W 71 x H 38 185,00 €		E.TRA.594 Splitter DMX-RDM 2 Channels L 88 x W 54 x H 26 450,00 €		KIT.030 Glue for Neon Strip 3,00 €
	KIT.035.RGBW Kit Casambi IP68 24V PWM 4CH L 150 x W 80 x H 40 270,00 €		KIT.NS205.004 End Cap Close 3,00 €		KIT.NS205.005 Plastic Clip 2,00 €
	KIT.NS205.006 Bracket 4,00 €		KIT.NS205.008 Folding Profile L 1 m 15,00 €		KIT.NS205.009 Aluminium Profile L 2 m 35,00 €

PLAIN RGBW

Recessed RGBW Ø200 - H 210 x L 210 x Ø 200

RGBW




Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3200R/RCRCNB99	€ 915,00	Narrow/15°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCMB99	€ 915,00	Medium/24°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCWB99	€ 915,00	Wide/35°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3200R/RCRCSW99	€ 915,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10

Extra clear transparent tempered glass 15 mm
Dimmable

Recessed RGBW L. 200 - H 210 x L 210 x Ø 200

RGBW



Code	Price	Beam	W	Source	Fixture	Power Supply	CCT	CL	IP	IK
3210R/RCRCNB99	€ 945,00	Narrow/15°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCMB99	€ 945,00	Medium/24°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCWB99	€ 945,00	Wide/35°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10
3210R/RCRCSW99	€ 945,00	Super Wide/60°	12W wit	1650 lm	1420 lm	24 Vdc	RGBW (	III	67	10

Extra clear transparent tempered glass 15 mm
Dimmable

ACCESSORIES LIST – ALWAYS UPDATED INFORMATION ON OUR WEBSITE

A.BOX.019.01	8,00 €	Inground formwork
AC2106	25,00 €	Anti-glare visor
AC2112	25,00 €	Anti-glare visor
AC2700	25,00 €	Anti-glare visor
AC9650	25,00 €	Anti-glare visor
D.BOX.030.01	8,00 €	Inground formwork
D.BOX.032.01	15,00 €	Short formwork
D.BOX.033.01	20,00 €	Short formwork
D.BOX.034.XX	8,00 €	Standard recessed box 502
D.BOX.035.XX	8,00 €	Standard recessed box 503
D.BOX.036.XX	8,00 €	Standard recessed box 504
E.CEN.001	245,00 €	RGBW Control Unit DMX 4ch 12/24Vdc on DIN rail
E.CNT.001	230,00 €	RGBW intelligent touch control panel - Basic version. 16DMX Ch. 12-24Vdc
E.CNT.002	2600,00 €	RGBW intelligent touch control panel - Professional. 1024DMX Ch. USB/Ethernet 5-15Vdc
E.TRA.576.950	75,00 €	Driver 50W 950mA IP67 - ON/OFF
E.TRA.577	75,00 €	Driver 25W 24Vdc IP67 - ON/OFF
E.TRA.579	110,00 €	Driver 100W 24Vdc IP67 - ON/OFF
E.TRA.580	55,00 €	Ultra compact type 2+3 hard wired surge protector
E.TRA.581	45,00 €	Ultra compact type 2+3 hard wired surge protector
E.TRA.592	185,00 €	Driver ELG 240W 24Vdc IP67 - ON/OFF
E.TRA.594	450,00 €	Splitter DMX-RDM 2 Channels
E.TRA.609	165,00 €	Driver 240W 24V DALI - ELG-240-24DA-3Y
E.TRA.621.500	50,00 €	Driver 20W 500mA IP20 - ON/OFF
E.TRA.621.700	50,00 €	Driver 20W 700mA IP20 - ON/OFF
E.TRA.623.500	30,00 €	Driver 36W 500mA IP20 - ON/OFF
E.TRA.623.700	30,00 €	Driver 36W 700mA IP20 - ON/OFF
E.TRA.631	45,00 €	Driver 15W 24Vdc IP20 - ON/OFF
E.TRA.632	90,00 €	Driver 70W 24Vdc IP20 - ON/OFF
E.TRA.633	145,00 €	Driver 100W 24Vdc IP67 - DALI
E.TRA.634.500	125,00 €	Driver 60W 500mA IP20 - ON/OFF
E.TRA.634.700	125,00 €	Driver 60W 700mA IP20 - ON/OFF
E.TRA.635.500	135,00 €	Driver 60W 500mA IP20 - DALI2
E.TRA.635.700	135,00 €	Driver 60W 700mA IP20 - DALI2
E.TRA.636.500	235,00 €	Driver 60W 500mA IP20 - CASAMBI
E.TRA.636.700	235,00 €	Driver 60W 700mA IP20 - CASAMBI
E.TRA.639	230,00 €	Bluetooth Controller IP20 85-240Vac - CASAMBI
E.TRA.646	15,00 €	Driver for Box 4W 24Vdc IP65 - ON/OFF
E.TRA.647	25,00 €	Driver for Box 12W 24Vdc IP65 - ON/OFF
E.TRA.658.500	45,00 €	Driver 23W 500mA IP67 - ON/OFF
E.TRA.658.700	45,00 €	Driver 23W 700mA IP67 - ON/OFF
E.TRA.659.500	80,00 €	Driver 23W 500mA IP67 - DALI2
E.TRA.659.700	80,00 €	Driver 23W 700mA IP67 - DALI2
F.PIA.463.1030	30,00 €	Anti-glare visor
F.PIA.463.530	20,00 €	Anti-glare visor
F.PIA.463.780	25,00 €	Anti-glare visor
HUB.24V.001.CA	540,00 €	Hub 70W 24Vdc IP66 - CASAMBI
HUB.24V.001.DA2	470,00 €	Hub 70W 24Vdc IP66 - DALI-2
HUB.24V.001.ND	290,00 €	Hub 70W 24Vdc IP66 - ON/OFF

ACCESSORIES LIST – ALWAYS UPDATED INFORMATION ON OUR WEBSITE

HUB.500.001.CA	440,00 €	Hub 500mA IP66 – CASAMBI with driver 60W IP20
HUB.500.001.DA2	350,00 €	Hub 500mA IP66 – DALI-2 with driver 60W IP20
HUB.500.001.ND	330,00 €	Hub 500mA IP66 – ON/OFF with driver 60W IP20
HUB.700.001.CA	440,00 €	Hub 700mA IP66 – CASAMBI with driver 60W IP20
HUB.700.001.DA2	350,00 €	Hub 700mA IP66 – DALI-2 with driver 60W IP20
HUB.700.001.ND	330,00 €	Hub 700mA IP66 – ON/OFF with driver 60W IP20
KIT.001	40,00 €	Ground anchoring system
KIT.002	120,00 €	Ground anchoring system
KIT.005	55,00 €	Ground anchoring system
KIT.010	20,00 €	Ground anchoring system
KIT.019	20,00 €	Ground anchoring system
KIT.020	20,00 €	Ground anchoring system
KIT.022	15,00 €	Floodlight Spike Kit
KIT.023	20,00 €	Small pole Spike Kit
KIT.024	5,00 €	Inground formwork kit for small pole
KIT.027	30,00 €	Strap for floodlight
KIT.030	3,00 €	Glue for Neon Strip
KIT.031	20,00 €	Ground anchoring system
KIT.032	15,00 €	Floodlight Spike Kit
KIT.033	30,00 €	Strap for floodlight
KIT.034	270,00 €	Kit Casambi IP68 220V Triac
KIT.035	270,00 €	Kit Casambi IP68 24V WHITE 1CH
KIT.035.RGBW	270,00 €	Kit Casambi IP68 24V PWM 4CH
KIT.036	95,00 €	Extension arm
KIT.NS115.003	4,00 €	End Cap Close
KIT.NS115.004	4,500 €	Plastic Clip
KIT.NS115.005	3,500 €	Bracket
KIT.NS115.007	30,00 €	Folding Profile
KIT.NS115.008	15,00 €	Rolling Bracket
KIT.NS115.009	40,00 €	Aluminium Profile
KIT.NS205.004	3,00 €	End Cap Close
KIT.NS205.005	2,00 €	Plastic Clip
KIT.NS205.006	4,00 €	Bracket
KIT.NS205.008	15,00 €	Folding Profile
KIT.NS205.009	35,00 €	Aluminium Profile
MOR682P/2V	5,00 €	Connector IP68 2Poles/2Ways
MOR683P/2V	5,00 €	Connector IP68 3Poles/2Ways
MOR685P/2V	10,00 €	Connector IP68 5Poles/2Ways
MOR685P/3V	10,00 €	Connector Y IP68 5Poles/3Ways
MOR685P/3VS	15,00 €	Connection Box IP68 5Poles/3Ways
MOR685P/4VS	15,00 €	Connection Box IP68 5Poles/4Ways
V.SCH.086.XX	5,00 €	Honeycomb

Code index

4045R/HRCC1L	1
4045R/HRCC2L	1
4045R/HRRC1L	1
4045R/HRRC2L	1
4045R/HRRC4L	1
4045R/NRCC1L	1
4045R/NRCC2L	1
4045R/NRRC1L	1
4045R/NRRC2L	1
4045R/NRRC4L	1
4045R/WRCC1L	1
4045R/WRCC2L	1
4045R/WRRC1L	1
4045R/WRRC2L	1
4045R/WRRC4L	1
4045R/HRCC4L	2
4045R/NRCC4L	2
4045R/WRCC4L	2
4070R/HRCC1L	3
4070R/HRCC2L	3
4070R/HRRC1L	3
4070R/HRRC2L	3
4070R/HRRC4L	3
4070R/NRCC1L	3
4070R/NRCC2L	3
4070R/NRRC1L	3
4070R/NRRC2L	3
4070R/NRRC4L	3
4070R/WRCC1L	3
4070R/WRCC2L	3
4070R/WRRC1L	3
4070R/WRRC2L	3
4070R/WRRC4L	3
4070R/HRCC4L	4
4070R/NRCC4L	4
4070R/WRCC4L	4
3045R/HRCCMB99	5
3045R/HRCCNB99	5
3045R/HRCCOB199	5
3045R/HRCCSW99	5
3045R/HRCCWB99	5
3045R/HRRCMB99	5
3045R/HRRCNB99	5
3045R/HRRCOB199	5
3045R/HRRCSW99	5
3045R/HRRCVS99	5
3045R/HRRCWB99	5

3045R/NRCCMB99	5
3045R/NRCCNB99	5
3045R/NRCCOB199	5
3045R/NRCCSW99	5
3045R/NRCCWB99	5
3045R/NRRCMB99	5
3045R/NRRCNB99	5
3045R/NRRCOB199	5
3045R/NRRCSW99	5
3045R/NRRCVS99	5
3045R/NRRCWB99	5
3045R/WRCCMB99	5
3045R/WRCCNB99	5
3045R/WRCCOB199	5
3045R/WRCCSW99	5
3045R/WRCCWB99	5
3045R/WRRCMB99	5
3045R/WRRCNB99	5
3045R/WRRCOB199	5
3045R/WRRCVS99	5
3045R/WRRCWB99	5
3045R/HRCCVS99	6
3045R/NRCCVS99	6
3045R/WRCCVS99	6
3045R/HRCCMB	7
3045R/HRCCNB	7
3045R/HRCCOB1	7
3045R/HRCCSW	7
3045R/HRCCWB	7
3045R/HRRCMB	7
3045R/HRRCNB	7
3045R/HRRCOB1	7
3045R/HRRCSW	7
3045R/HRRCVS	7
3045R/HRRCWB	7
3045R/NRCCMB	7
3045R/NRCCNB	7
3045R/NRCCOB1	7
3045R/NRCCSW	7
3045R/NRCCWB	7
3045R/NRRCMB	7
3045R/NRRCNB	7
3045R/NRRCOB1	7
3045R/NRRCSW	7
3045R/NRRCVS	7
3045R/NRRCWB	7
3045R/WRCCMB	7

3045R/WRCCNB	7
3045R/WRCCOB1	7
3045R/WRCCSW	7
3045R/WRCCWB	7
3045R/WRRCMB	7
3045R/WRRCNB	7
3045R/WRRCOB1	7
3045R/WRRCSW	7
3045R/WRRCVS	7
3045R/WRRCWB	7
3045R/HRCCVS	8
3045R/NRCCVS	8
3045R/WRCCVS	8
3070R/HRCCMB99	9
3070R/HRCCNB99	9
3070R/HRCCOB99	9
3070R/HRCCSW99	9
3070R/HRCCWB99	9
3070R/HRRCMB99	9
3070R/HRRCNB99	9
3070R/HRRCOB99	9
3070R/HRRCSW99	9
3070R/HRRCVS99	9
3070R/HRRCWB99	9
3070R/NRCCMB99	9
3070R/NRCCNB99	9
3070R/NRCCOB99	9
3070R/NRCCSW99	9
3070R/NRCCWB99	9
3070R/NRRCMB99	9
3070R/NRRCNB99	9
3070R/NRRCOB99	9
3070R/NRRCSW99	9
3070R/NRRCVS99	9
3070R/NRRCWB99	9
3070R/WRCCMB99	9
3070R/WRCCNB99	9
3070R/WRCCOB99	9
3070R/WRCCSW99	9
3070R/WRCCWB99	9
3070R/WRRCMB99	9
3070R/WRRCNB99	9
3070R/WRRCOB99	9
3070R/WRRCSW99	9
3070R/WRRCVS99	9
3070R/WRRCWB99	9
3070R/HRCCVS99	10
3070R/NRCCVS99	10

3070R/WRCCVS99	10
3070R/HRCCMB	11
3070R/HRCCNB	11
3070R/HRCCOB	11
3070R/HRCCSW	11
3070R/HRCCWB	11
3070R/HRRCMB	11
3070R/HRRCNB	11
3070R/HRRCOB	11
3070R/HRRCSW	11
3070R/HRRCVS	11
3070R/HRRCWB	11
3070R/NRCCMB	11
3070R/NRCCNB	11
3070R/NRCCOB	11
3070R/NRCCSW	11
3070R/NRCCWB	11
3070R/NRRCMB	11
3070R/NRRCNB	11
3070R/NRRCOB	11
3070R/NRRCSW	11
3070R/NRRCVS	11
3070R/NRRCWB	11
3070R/WRCCMB	11
3070R/WRCCNB	11
3070R/WRCCOB	11
3070R/WRCCSW	11
3070R/WRCCWB	11
3070R/WRRCMB	11
3070R/WRRCNB	11
3070R/WRRCOB	11
3070R/WRRCSW	11
3070R/WRRCVS	11
3070R/WRRCWB	11
3070R/HRCCVS	12
3070R/NRCCVS	12
3070R/WRCCVS	12
1061R/HC20MB99	13
1061R/HC20NB99	13
1061R/HC20WB99	13
1061R/HRRCVO99	13
1061R/NC20MB99	13
1061R/NC20NB99	13
1061R/NC20WB99	13
1061R/NRRCVO99	13
1061R/WC20MB99	13
1061R/WC20NB99	13
1061R/WC20WB99	13

1061R/WRACVO99	13
1061R/WRRCVO99	13
1081R/HC20MB99	14
1081R/HC20NB99	14
1081R/HC20WB99	14
1081R/HRRCVO99	14
1081R/NC20MB99	14
1081R/NC20NB99	14
1081R/NC20WB99	14
1081R/NRRCVO99	14
1081R/WC20MB99	14
1081R/WC20NB99	14
1081R/WC20WB99	14
1081R/WRACVO99	14
1081R/WRRCVO99	14
4150R/HC0.MB.99	15
4150R/HC0.NB.99	15
4150R/HC0.VO.99	15
4150R/HC0.WB.99	15
4150R/NC0.MB.99	15
4150R/NC0.NB.99	15
4150R/NC0.VO.99	15
4150R/NC0.WB.99	15
4150R/WC0.MB.99	15
4150R/WC0.NB.99	15
4150R/WC0.VO.99	15
4150R/WC0.WB.99	15
4151R/HC0.MB.99	15
4151R/HC0.NB.99	15
4151R/HC0.VO.99	15
4151R/HC0.WB.99	15
4151R/NC0.MB.99	15
4151R/NC0.NB.99	15
4151R/NC0.VO.99	15
4151R/NC0.WB.99	15
4151R/WC0.MB.99	15
4151R/WC0.NB.99	15
4151R/WC0.VO.99	15
4151R/WC0.WB.99	15
3200R/HC35VO99	17
3200R/HC50AB99	17
3200R/HC50MB99	17
3200R/HC50NB99	17
3200R/HC50SW99	17
3200R/HC50WB99	17
3200R/HD50MB99	17
3200R/HD50NB99	17
3200R/HD50SW99	17

3200R/HD50WB99	17
3200R/NC35VO99	17
3200R/NC50AB99	17
3200R/NC50MB99	17
3200R/NC50NB99	17
3200R/NC50SW99	17
3200R/NC50WB99	17
3200R/ND50MB99	17
3200R/ND50NB99	17
3200R/ND50WB99	17
3200R/WC35VO99	17
3200R/WC50AB99	17
3200R/WC50MB99	17
3200R/WC50NB99	17
3200R/WC50SW99	17
3200R/WC50WB99	17
3200R/WD50MB99	17
3200R/WD50NB99	17
3200R/WD50SW99	17
3200R/WD50WB99	17
3200R/HD35VO99	18
3200R/HD50AB99	18
3200R/HT50AB99	18
3200R/HT50MB99	18
3200R/HT50NB99	18
3200R/HT50SW99	18
3200R/HT50WB99	18
3200R/ND35VO99	18
3200R/ND50AB99	18
3200R/ND50SW99	18
3200R/NT50AB99	18
3200R/NT50MB99	18
3200R/NT50NB99	18
3200R/NT50SW99	18
3200R/NT50WB99	18
3200R/WD35VO99	18
3200R/WD50AB99	18
3200R/WT50AB99	18
3200R/WT50MB99	18
3200R/WT50NB99	18
3200R/WT50SW99	18
3200R/WT50WB99	18
3200R/HT35VO99	19
3200R/NT35VO99	19
3200R/WT35VO99	19
3210R/HC35VO99	19
3210R/HC50AB99	19
3210R/HC50MB99	19

3210R/HC50NB99	19
3210R/HC50SW99	19
3210R/HC50WB99	19
3210R/HD50MB99	19
3210R/HD50NB99	19
3210R/HD50SW99	19
3210R/HD50WB99	19
3210R/NC35VO99	19
3210R/NC50AB99	19
3210R/NC50MB99	19
3210R/NC50NB99	19
3210R/NC50SW99	19
3210R/NC50WB99	19
3210R/WC35VO99	19
3210R/WC50AB99	19
3210R/WC50MB99	19
3210R/WC50NB99	19
3210R/WC50SW99	19
3210R/WC50WB99	19
3210R/WD50MB99	19
3210R/WD50NB99	19
3210R/WD50WB99	19
3210R/HD35VO99	20
3210R/HD50AB99	20
3210R/HT50AB99	20
3210R/HT50MB99	20
3210R/HT50NB99	20
3210R/HT50SW99	20
3210R/HT50WB99	20
3210R/ND35VO99	20
3210R/ND50AB99	20
3210R/ND50MB99	20
3210R/ND50NB99	20
3210R/ND50SW99	20
3210R/ND50WB99	20
3210R/NT50AB99	20
3210R/NT50MB99	20
3210R/NT50NB99	20
3210R/NT50SW99	20
3210R/NT50WB99	20
3210R/WD35VO99	20
3210R/WD50AB99	20
3210R/WD50SW99	20
3210R/WT50AB99	20
3210R/WT50MB99	20
3210R/WT50NB99	20
3210R/WT50SW99	20
3210R/WT50WB99	20

3210R/HT35VO99	21
3210R/NT35VO99	21
3210R/WT35VO99	21
3201R/HC45MB99	22
3201R/HC45NB99	22
3201R/HC45OB99	22
3201R/HC45WB99	22
3201R/HD45MB99	22
3201R/HD45NB99	22
3201R/HD45OB99	22
3201R/HD45WB99	22
3201R/HT45MB99	22
3201R/HT45NB99	22
3201R/HT45OB99	22
3201R/HT45WB99	22
3201R/NC45MB99	22
3201R/NC45NB99	22
3201R/NC45OB99	22
3201R/NC45WB99	22
3201R/ND45MB99	22
3201R/ND45NB99	22
3201R/ND45OB99	22
3201R/ND45WB99	22
3201R/NT45MB99	22
3201R/NT45NB99	22
3201R/NT45OB99	22
3201R/NT45WB99	22
3201R/WC45MB99	22
3201R/WC45NB99	22
3201R/WC45OB99	22
3201R/WC45WB99	22
3201R/WD45MB99	22
3201R/WD45NB99	22
3201R/WD45OB99	22
3201R/WD45WB99	22
3201R/WT45MB99	22
3201R/WT45NB99	22
3201R/WT45OB99	22
3201R/WT45WB99	22
3211R/HC45MB99	23
3211R/HC45NB99	23
3211R/HC45OB99	23
3211R/HC45WB99	23
3211R/HD45MB99	23
3211R/HD45NB99	23
3211R/HD45OB99	23
3211R/HD45WB99	23
3211R/HT45MB99	23

3211R/HT45NB99	23
3211R/HT45OB99	23
3211R/HT45WB99	23
3211R/NC45MB99	23
3211R/NC45NB99	23
3211R/NC45OB99	23
3211R/NC45WB99	23
3211R/ND45MB99	23
3211R/ND45NB99	23
3211R/ND45OB99	23
3211R/ND45WB99	23
3211R/NT45MB99	23
3211R/NT45NB99	23
3211R/NT45OB99	23
3211R/NT45WB99	23
3211R/WC45MB99	23
3211R/WC45NB99	23
3211R/WC45OB99	23
3211R/WC45WB99	23
3211R/WD45MB99	23
3211R/WD45NB99	23
3211R/WD45OB99	23
3211R/WD45WB99	23
3211R/WT45MB99	23
3211R/WT45NB99	23
3211R/WT45OB99	23
3211R/WT45WB99	23
3200R/RCRCMB99	24
3200R/RCRCNB99	24
3200R/RCRCSW99	24
3200R/RCRCWB99	24
3210R/RCRCMB99	24
3210R/RCRCNB99	24
3210R/RCRCSW99	24
3210R/RCRCWB99	24
4460R/NC90MB.99	25
4460R/NC90NB.99	25
4460R/NC90WB.99	25
4460R/ND90MB.99	25
4460R/ND90NB.99	25
4460R/ND90WB.99	25
4460R/NR60AB.99	25
4460R/NR60MB.99	25
4460R/NR60NB.99	25
4460R/NR60WB.99	25
4460R/WC90MB.99	25
4460R/WC90NB.99	25
4460R/WC90WB.99	25

4460R/WD90MB.99	25
4460R/WD90NB.99	25
4460R/WD90WB.99	25
4460R/WR60AB.99	25
4460R/WR60MB.99	25
4460R/WR60NB.99	25
4460R/WR60WB.99	25
4461R/NC90MB.99	26
4461R/NC90NB.99	26
4461R/NC90WB.99	26
4461R/ND90MB.99	26
4461R/ND90NB.99	26
4461R/ND90WB.99	26
4461R/NR60AB.99	26
4461R/NR60MB.99	26
4461R/NR60NB.99	26
4461R/NR60WB.99	26
4461R/WC90MB.99	26
4461R/WC90NB.99	26
4461R/WC90WB.99	26
4461R/WD90MB.99	26
4461R/WD90NB.99	26
4461R/WD90WB.99	26
4461R/WR60AB.99	26
4461R/WR60MB.99	26
4461R/WR60NB.99	26
4461R/WR60WB.99	26
2811R/HPRCNB	27
2811R/HPRCOB	27
2811R/HPRCWB	27
2811R/HRRCVS	27
2811R/NPRCNB	27
2811R/NPRCOB	27
2811R/NPRCWB	27
2811R/NRRCVS	27
2811R/WPRCNB	27
2811R/WPRCOB	27
2811R/WPRCWB	27
2811R/WRRCVS	27
2812R/HPRCNB	27
2812R/HPRCOB	27
2812R/HPRCWB	27
2812R/HRRCVS	27
2812R/NPRCNB	27
2812R/NPRCOB	27
2812R/NPRCWB	27
2812R/NRRCVS	27
2812R/WPRCNB	27

2812R/WPRCOB	27
2812R/WPRCWB	27
2812R/WRRCVS	27
2813R/HPRCNB	28
2813R/HPRCOB	28
2813R/HPRCWB	28
2813R/HRRCVS	28
2813R/NPRCNB	28
2813R/NPRCOB	28
2813R/NPRCWB	28
2813R/NRRCVS	28
2813R/WPRCNB	28
2813R/WPRCOB	28
2813R/WPRCWB	28
2813R/WRRCVS	28
2800R/HD50.AB99	29
2800R/HD50.MB99	29
2800R/HD50.NB99	29
2800R/HD50.OB99	29
2800R/HD50.WB99	29
2800R/HP50.AB99	29
2800R/HP50.MB99	29
2800R/HP50.NB99	29
2800R/HP50.OB99	29
2800R/HP50.WB99	29
2800R/HR50VS.99	29
2800R/ND50.AB99	29
2800R/ND50.MB99	29
2800R/ND50.NB99	29
2800R/ND50.OB99	29
2800R/ND50.WB99	29
2800R/NP50.AB99	29
2800R/NP50.MB99	29
2800R/NP50.NB99	29
2800R/NP50.OB99	29
2800R/NP50.WB99	29
2800R/NR50VS.99	29
2800R/WD50.AB99	29
2800R/WD50.MB99	29
2800R/WD50.NB99	29
2800R/WD50.OB99	29
2800R/WD50.WB99	29
2800R/WP50.AB99	29
2800R/WP50.MB99	29
2800R/WP50.NB99	29
2800R/WP50.OB99	29
2800R/WP50.WB99	29
2800R/WR50VS.99	29

2800R/HD50VS.99	30
2800R/ND50VS.99	30
2800R/WD50VS.99	30
2801R/HD50.AB99	30
2801R/HD50.MB99	30
2801R/HD50.NB99	30
2801R/HD50.OB99	30
2801R/HD50.WB99	30
2801R/HP50.AB99	30
2801R/HP50.MB99	30
2801R/HP50.NB99	30
2801R/HP50.OB99	30
2801R/HP50.WB99	30
2801R/ND50.AB99	30
2801R/ND50.MB99	30
2801R/ND50.NB99	30
2801R/ND50.OB99	30
2801R/ND50.WB99	30
2801R/NP50.AB99	30
2801R/NP50.MB99	30
2801R/NP50.NB99	30
2801R/NP50.OB99	30
2801R/NP50.WB99	30
2801R/WD50.AB99	30
2801R/WD50.MB99	30
2801R/WD50.NB99	30
2801R/WD50.OB99	30
2801R/WD50.WB99	30
2801R/WP50.AB99	30
2801R/WP50.MB99	30
2801R/WP50.NB99	30
2801R/WP50.OB99	30
2801R/WP50.WB99	30
2801R/HD50VS.99	31
2801R/HR50VS.99	31
2801R/ND50VS.99	31
2801R/NR50VS.99	31
2801R/WD50VS.99	31
2801R/WR50VS.99	31
2802R/HD50.AB99	31
2802R/HD50.MB99	31
2802R/HD50.NB99	31
2802R/HD50.OB99	31
2802R/HD50.WB99	31
2802R/HP50.AB99	31
2802R/HP50.MB99	31
2802R/HP50.NB99	31
2802R/HP50.OB99	31

2802R/HP50.WB99	31
2802R/ND50.MB99	31
2802R/ND50.NB99	31
2802R/ND50.WB99	31
2802R/NP50.AB99	31
2802R/NP50.MB99	31
2802R/NP50.NB99	31
2802R/NP50.OB99	31
2802R/NP50.WB99	31
2802R/WD50.AB99	31
2802R/WD50.MB99	31
2802R/WD50.NB99	31
2802R/WD50.OB99	31
2802R/WD50.WB99	31
2802R/WP50.AB99	31
2802R/WP50.MB99	31
2802R/WP50.NB99	31
2802R/WP50.OB99	31
2802R/WP50.WB99	31
2802R/HD50VS.99	32
2802R/HR50VS.99	32
2802R/ND50.AB99	32
2802R/ND50.OB99	32
2802R/ND50VS.99	32
2802R/NR50VS.99	32
2802R/WD50VS.99	32
2802R/WR50VS.99	32
2803R/HD50.AB99	32
2803R/HD50.MB99	32
2803R/HD50.NB99	32
2803R/HD50.OB99	32
2803R/HD50.WB99	32
2803R/HP50.AB99	32
2803R/HP50.MB99	32
2803R/HP50.NB99	32
2803R/HP50.OB99	32
2803R/HP50.WB99	32
2803R/NP50.AB99	32
2803R/NP50.MB99	32
2803R/NP50.NB99	32
2803R/NP50.OB99	32
2803R/NP50.WB99	32
2803R/WD50.MB99	32
2803R/WD50.NB99	32
2803R/WP50.AB99	32
2803R/WP50.MB99	32
2803R/WP50.NB99	32
2803R/WP50.OB99	32

2803R/WP50.WB99	32
2803R/HD50VS.99	33
2803R/HR50VS.99	33
2803R/ND50.AB99	33
2803R/ND50.MB99	33
2803R/ND50.NB99	33
2803R/ND50.OB99	33
2803R/ND50.WB99	33
2803R/ND50VS.99	33
2803R/NR50VS.99	33
2803R/WD50.AB99	33
2803R/WD50.OB99	33
2803R/WD50.WB99	33
2803R/WD50VS.99	33
2803R/WR50VS.99	33
2800R/RCRC.MB99	34
2800R/RCRC.O499	34
2800R/RCRC.SW99	34
2800R/RCRC.WB99	34
2801R/RCRC.MB99	34
2801R/RCRC.O499	34
2801R/RCRC.SW99	34
2801R/RCRC.WB99	34
2802R/RCRC.MB99	34
2802R/RCRC.O499	34
2802R/RCRC.SW99	34
2802R/RCRC.WB99	34
2803R/RCRC.MB99	34
2803R/RCRC.O499	34
2803R/RCRC.SW99	34
2803R/RCRC.WB99	34
5000W/HRCCMB	35
5000W/HRCCNB	35
5000W/HRCCWB	35
5000W/HRRRCMB	35
5000W/HRRRCNB	35
5000W/HRRRCWB	35
5000W/NRCCMB	35
5000W/NRCCNB	35
5000W/NRCCWB	35
5000W/NRRCMB	35
5000W/NRRCNB	35
5000W/NRRCWB	35
5000W/WRCCMB	35
5000W/WRCCNB	35
5000W/WRCCWB	35
5000W/WRRRCMB	35
5000W/WRRRCNB	35

5000W/WRRRCWB	35
5050W/HRCCMB	36
5050W/HRCCNB	36
5050W/HRCCWB	36
5050W/HRRRCMB	36
5050W/HRRRCNB	36
5050W/HRRRCWB	36
5050W/NRCCMB	36
5050W/NRCCNB	36
5050W/NRCCWB	36
5050W/NRRCMB	36
5050W/NRRCNB	36
5050W/NRRCWB	36
5050W/WRCCMB	36
5050W/WRCCNB	36
5050W/WRCCWB	36
5050W/WRRRCMB	36
5050W/WRRRCNB	36
5050W/WRRRCWB	36
5085W/HRCCMB	37
5085W/HRCCNB	37
5085W/HRCCWB	37
5085W/HRRRCMB	37
5085W/HRRRCNB	37
5085W/HRRRCWB	37
5085W/NRCCMB	37
5085W/NRCCNB	37
5085W/NRCCWB	37
5085W/NRRCMB	37
5085W/NRRCNB	37
5085W/NRRCWB	37
5085W/WRCCMB	37
5085W/WRCCNB	37
5085W/WRCCWB	37
5085W/WRRRCMB	37
5085W/WRRRCNB	37
5085W/WRRRCWB	37
2700P/NC35.MB	38
2700P/NC35.NB	38
2700P/NC35.WB	38
2700P/WC35.MB	38
2700P/WC35.NB	38
2700P/WC35.WB	38
2700W/NC35.MB	38
2700W/NC35.NB	38
2700W/NC35.WB	38
2700W/WC35.MB	38
2700W/WC35.NB	38

2700W/WC35.WB	38
9650P/HC0.MB	39
9650P/HC0.NB	39
9650P/HC0.WB	39
9650P/NC0.MB	39
9650P/NC0.NB	39
9650P/NC0.WB	39
9650P/WC0.MB	39
9650P/WC0.NB	39
9650P/WC0.WB	39
9650W/HC0.MB	39
9650W/HC0.NB	39
9650W/HC0.WB	39
9650W/HD0.MB	39
9650W/HD0.NB	39
9650W/HD0.WB	39
9650W/NC0.MB	39
9650W/NC0.NB	39
9650W/NC0.WB	39
9650W/ND0.MB	39
9650W/ND0.NB	39
9650W/ND0.WB	39
9650W/WC0.MB	39
9650W/WC0.NB	39
9650W/WC0.WB	39
9650W/WD0.MB	39
9650W/WD0.NB	39
9650W/WD0.WB	39
9650P/HD0.MB	40
9650P/HD0.NB	40
9650P/HD0.WB	40
9650P/ND0.MB	40
9650P/ND0.NB	40
9650P/ND0.WB	40
9650P/WCA.NB	40
9650P/WCA.WB	40
9650P/WD0.MB	40
9650P/WD0.NB	40
9650P/WD0.WB	40
9650W/WCA.NB	40
9650W/WCA.WB	40
9600P/HC3.MB	41
9600P/HC3.NB	41
9600P/HC3.WB	41
9600P/NC3.MB	41
9600P/NC3.NB	41
9600P/NC3.WB	41
9600P/WC3.MB	41

9600P/WC3.NB	41
9600P/WC3.WB	41
9600W/HC3.MB	41
9600W/HC3.NB	41
9600W/HC3.WB	41
9600W/HD3.MB	41
9600W/HD3.NB	41
9600W/HD3.WB	41
9600W/NC3.MB	41
9600W/NC3.NB	41
9600W/NC3.WB	41
9600W/ND3.MB	41
9600W/ND3.NB	41
9600W/ND3.WB	41
9600W/WC3.MB	41
9600W/WC3.NB	41
9600W/WC3.WB	41
9600W/WD3.MB	41
9600W/WD3.NB	41
9600W/WD3.WB	41
9600P/HD3.MB	42
9600P/HD3.NB	42
9600P/HD3.WB	42
9600P/ND3.MB	42
9600P/ND3.NB	42
9600P/ND3.WB	42
9600P/WD3.MB	42
9600P/WD3.NB	42
9600P/WD3.WB	42
9710W/HC50MB	43
9710W/HC50NB	43
9710W/HC50WB	43
9710W/HD50MB	43
9710W/HD50NB	43
9710W/HD50WB	43
9710W/NC50MB	43
9710W/NC50NB	43
9710W/NC50WB	43
9710W/ND50MB	43
9710W/ND50NB	43
9710W/ND50WB	43
9710W/WC50MB	43
9710W/WC50NB	43
9710W/WC50WB	43
9710W/WD50MB	43
9710W/WD50NB	43
9710W/WD50WB	43
610W1/HD70BB	44

610W1/HD70MB	44
610W1/HD70NB	44
610W1/HD70WB	44
610W1/HP70BB	44
610W1/HP70MB	44
610W1/HP70NB	44
610W1/HP70WB	44
610W1/ND70BB	44
610W1/ND70MB	44
610W1/ND70NB	44
610W1/ND70WB	44
610W1/NP70BB	44
610W1/NP70MB	44
610W1/NP70NB	44
610W1/NP70WB	44
610W1/WD70BB	44
610W1/WD70MB	44
610W1/WD70NB	44
610W1/WD70WB	44
610W1/WP70BB	44
610W1/WP70MB	44
610W1/WP70NB	44
610W1/WP70WB	44
611W1/HP70BB	44
611W1/HP70MB	44
611W1/HP70NB	44
611W1/HP70WB	44
611W1/NP70BB	44
611W1/NP70MB	44
611W1/NP70NB	44
611W1/NP70WB	44
611W1/WP70BB	44
611W1/WP70MB	44
611W1/WP70NB	44
611W1/WP70WB	44
611W1/HD70BB	45
611W1/HD70MB	45
611W1/HD70NB	45
611W1/HD70WB	45
611W1/ND70BB	45
611W1/ND70MB	45
611W1/ND70NB	45
611W1/ND70WB	45
611W1/WD70BB	45
611W1/WD70MB	45
611W1/WD70NB	45
611W1/WD70WB	45
2107W/HCRCMB	46

2107W/HCRCNB	46
2107W/HCRCWB	46
2107W/NCRCMB	46
2107W/NCRCNB	46
2107W/NCRCWB	46
2107W/WCACNB	46
2107W/WCACWB	46
2107W/WCRCMB	46
2107W/WCRCNB	46
2107W/WCRCWB	46
2112W/HC35.MB	47
2112W/HC35.NB	47
2112W/HC35.WB	47
2112W/HD35.MB	47
2112W/HD35.NB	47
2112W/HD35.WB	47
2112W/NC35.MB	47
2112W/NC35.NB	47
2112W/NC35.WB	47
2112W/ND35.MB	47
2112W/ND35.NB	47
2112W/ND35.WB	47
2112W/WC35.MB	47
2112W/WC35.NB	47
2112W/WC35.WB	47
2112W/WD35.MB	47
2112W/WD35.NB	47
2112W/WD35.WB	47
2112W/RCRC.MB	48
2112W/RCRC.NB	48
2112W/RCRC.SW	48
2112W/RCRC.WB	48
2113W/HC35MB	49
2113W/HC35NB	49
2113W/HC35WB	49
2113W/HD35MB	49
2113W/HD35NB	49
2113W/HD35WB	49
2113W/NC35MB	49
2113W/NC35NB	49
2113W/NC35WB	49
2113W/ND35MB	49
2113W/ND35NB	49
2113W/ND35WB	49
2113W/WC35MB	49
2113W/WC35NB	49
2113W/WC35WB	49
2113W/WD35MB	49

2113W/WD35NB	49
2113W/WD35WB	49
2123W/HC50MB	50
2123W/HC50NB	50
2123W/HC50WB	50
2123W/HD50MB	50
2123W/HD50NB	50
2123W/HD50WB	50
2123W/NC50MB	50
2123W/NC50NB	50
2123W/NC50WB	50
2123W/ND50MB	50
2123W/ND50NB	50
2123W/ND50WB	50
2123W/WC50MB	50
2123W/WC50NB	50
2123W/WC50WB	50
2123W/WD50MB	50
2123W/WD50NB	50
2113W/RCRCMB	51
2113W/RCRCNB	51
2113W/RCRCSW	51
2113W/RCRCWB	51
2811P/HPRCNB	52
2811P/HPRCOB	52
2811P/HPRCWB	52
2811P/HRRCVS	52
2811P/NPRCNB	52
2811P/NPRCOB	52
2811P/NPRCWB	52
2811P/NRRCVS	52
2811P/WPRCNB	52
2811P/WPRCOB	52
2811P/WPRCWB	52
2811P/WRRCVS	52
2812P/HPRCNB	52
2812P/HPRCOB	52
2812P/HPRCWB	52
2812P/HRRCVS	52
2812P/NPRCNB	52
2812P/NPRCOB	52
2812P/NPRCWB	52
2812P/NRRCVS	52
2812P/WPRCNB	52
2812P/WPRCOB	52
2812P/WPRCWB	52
2812P/WRRCVS	52

2813P/HPRCNB	53
2813P/HPRCOB	53
2813P/HPRCWB	53
2813P/HRRCVS	53
2813P/NPRCNB	53
2813P/NPRCOB	53
2813P/NPRCWB	53
2813P/NRRCVS	53
2813P/WPRCNB	53
2813P/WPRCOB	53
2813P/WPRCWB	53
2813P/WRRCVS	53
2800P/HD50.MB	54
2800P/HD50.NB	54
2800P/HD50.OB	54
2800P/HD50.WB	54
2800P/HP50.MB	54
2800P/HP50.NB	54
2800P/HP50.OB	54
2800P/HP50.WB	54
2800P/HR50VS	54
2800P/ND50.MB	54
2800P/ND50.NB	54
2800P/ND50.OB	54
2800P/ND50.WB	54
2800P/NP50.MB	54
2800P/NP50.NB	54
2800P/NP50.OB	54
2800P/NP50.WB	54
2800P/NR50VS	54
2800P/WD50.MB	54
2800P/WD50.NB	54
2800P/WD50.OB	54
2800P/WD50.WB	54
2800P/WP50.MB	54
2800P/WP50.NB	54
2800P/WP50.OB	54
2800P/WP50.WB	54
2800P/WR50VS	54
2800P/HD50VS	55
2800P/ND50VS	55
2800P/WD50VS	55
2801P/HD50.MB	55
2801P/HD50.NB	55
2801P/HD50.OB	55
2801P/HD50.WB	55
2801P/HP50.MB	55
2801P/HP50.NB	55

2801P/HP50.OB	55
2801P/HP50.WB	55
2801P/HR50VS	55
2801P/ND50.MB	55
2801P/ND50.NB	55
2801P/ND50.OB	55
2801P/ND50.WB	55
2801P/NP50.MB	55
2801P/NP50.NB	55
2801P/NP50.OB	55
2801P/NP50.WB	55
2801P/NR50VS	55
2801P/WD50.MB	55
2801P/WD50.NB	55
2801P/WD50.OB	55
2801P/WD50.WB	55
2801P/WP50.MB	55
2801P/WP50.NB	55
2801P/WP50.OB	55
2801P/WP50.WB	55
2801P/WR50VS	55
2801P/HD50VS	56
2801P/ND50VS	56
2801P/WD50VS	56
2802P/HD50.MB	56
2802P/HD50.NB	56
2802P/HD50.OB	56
2802P/HD50.WB	56
2802P/HP50.MB	56
2802P/HP50.NB	56
2802P/HP50.OB	56
2802P/HP50.WB	56
2802P/HR50VS	56
2802P/ND50.MB	56
2802P/ND50.NB	56
2802P/ND50.OB	56
2802P/ND50.WB	56
2802P/NP50.MB	56
2802P/NP50.NB	56
2802P/NP50.OB	56
2802P/NP50.WB	56
2802P/NR50VS	56
2802P/WD50.MB	56
2802P/WD50.NB	56
2802P/WD50.OB	56
2802P/WD50.WB	56
2802P/WP50.MB	56
2802P/WP50.NB	56

2802P/WP50.OB	56
2802P/WP50.WB	56
2802P/WR50VS	56
2802P/HD50VS	57
2802P/ND50VS	57
2802P/WD50VS	57
2803P/HD50.MB	57
2803P/HD50.NB	57
2803P/HD50.OB	57
2803P/HD50.WB	57
2803P/HP50.MB	57
2803P/HP50.NB	57
2803P/HP50.OB	57
2803P/HP50.WB	57
2803P/HR50VS	57
2803P/ND50.MB	57
2803P/ND50.NB	57
2803P/ND50.OB	57
2803P/ND50.WB	57
2803P/NP50.MB	57
2803P/NP50.NB	57
2803P/NP50.OB	57
2803P/NP50.WB	57
2803P/NR50VS	57
2803P/WD50.MB	57
2803P/WD50.NB	57
2803P/WD50.OB	57
2803P/WD50.WB	57
2803P/WP50.MB	57
2803P/WP50.NB	57
2803P/WP50.OB	57
2803P/WP50.WB	57
2803P/WR50VS	57
2803P/HD50VS	58
2803P/ND50VS	58
2803P/WD50VS	58
2800P/RCRC.MB	59
2800P/RCRC.O4	59
2800P/RCRC.SW	59
2800P/RCRC.WB	59
2801P/RCRC.MB	59
2801P/RCRC.O4	59
2801P/RCRC.SW	59
2801P/RCRC.WB	59
2802P/RCRC.MB	59
2802P/RCRC.O4	59
2802P/RCRC.SW	59
2802P/RCRC.WB	59

2803P/RCRC.MB	59
2803P/RCRC.O4	59
2803P/RCRC.SW	59
2803P/RCRC.WB	59
350F1/HRRC	60
350F1/NRRC	60
350F1/WRRC	60
350F1/WTAC	60
350F2/HRRC	60
350F2/NRRC	60
350F2/WRRC	60
350F2/WTAC	60
350F3/HRRC	60
350F3/NRRC	60
350F3/WRRC	60
350F3/WTAC	61
5000F1/HRRCMB	62
5000F1/HRRCNB	62
5000F1/HRRCWB	62
5000F1/NRRCMB	62
5000F1/NRRCNB	62
5000F1/NRRCWB	62
5000F1/WRRCMB	62
5000F1/WRRCNB	62
5000F1/WRRCWB	62
5000F2/HRRCMB	62
5000F2/HRRCNB	62
5000F2/HRRCWB	62
5000F2/NRRCMB	62
5000F2/NRRCNB	62
5000F2/NRRCWB	62
5000F2/WRRCMB	62
5000F2/WRRCNB	62
5000F2/WRRCWB	62
5000F3/HRRCMB	62
5000F3/HRRCNB	62
5000F3/HRRCWB	62
5000F3/NRRCMB	62
5000F3/NRRCNB	62
5000F3/NRRCWB	62
5000F3/WRRCMB	62
5000F3/WRRCNB	62
5000F3/WRRCWB	62
5000F1/HRCCMB	63
5000F1/HRCCNB	63
5000F1/HRCCWB	63
5000F1/NRCCMB	63
5000F1/NRCCNB	63

5000F1/NRCCWB	63
5000F1/WRCCMB	63
5000F1/WRCCNB	63
5000F1/WRCCWB	63
5000F2/HRCCMB	63
5000F2/HRCCNB	63
5000F2/HRCCWB	63
5000F2/NRCCMB	63
5000F2/NRCCNB	63
5000F2/NRCCWB	63
5000F2/WRCCMB	63
5000F2/WRCCNB	63
5000F2/WRCCWB	63
5000F3/HRCCMB	63
5000F3/HRCCNB	63
5000F3/HRCCWB	63
5000F3/NRCCMB	63
5000F3/NRCCNB	63
5000F3/NRCCWB	63
5000F3/WRCCMB	63
5000F3/WRCCNB	63
5000F3/WRCCWB	63
420F0/HD50PT	65
420F0/HR50PT	65
420F0/HT50PT	65
420F0/ND50PT	65
420F0/NR50PT	65
420F0/NT50PT	65
420F0/WD50PT	65
420F0/WR50PT	65
420F0/WT50PT	65
420F1/HD50PT	65
420F1/HR50PT	65
420F1/ND50PT	65
420F1/NR50PT	65
420F1/WD50PT	65
420F1/WR50PT	65
420F1/HT50PT	66
420F1/NT50PT	66
420F1/WT50PT	66
420F2/HD50PT	66
420F2/HR50PT	66
420F2/HT50PT	66
420F2/ND50PT	66
420F2/NR50PT	66
420F2/NT50PT	66
420F2/WD50PT	66
420F2/WR50PT	66

420F2/WT50PT	66
400F0/HR35.PT	67
400F0/HR50.PT	67
400F0/NR35.PT	67
400F0/NR50.PT	67
400F0/WR35.PT	67
400F0/WR50.PT	67
400F1/HD50.PT	67
400F1/HR35.PT	67
400F1/HR50.PT	67
400F1/ND50.PT	67
400F1/NR35.PT	67
400F1/NR50.PT	67
400F1/WD50.PT	67
400F1/WR35.PT	67
400F1/WR50.PT	67
400F2/HD50.PT	68
400F2/HR35.PT	68
400F2/HR50.PT	68
400F2/ND50.PT	68
400F2/NR35.PT	68
400F2/NR50.PT	68
400F2/WD50.PT	68
400F2/WR35.PT	68
400F2/WR50.PT	68
402F0/HR35.PT	68
402F0/HR50.PT	68
402F0/NR35.PT	68
402F0/NR50.PT	68
402F0/WR35.PT	68
402F0/WR50.PT	68
402F1/HR35.PT	68
402F1/NR35.PT	68
402F1/WR35.PT	68
402F1/HD50.PT	69
402F1/HR50.PT	69
402F1/ND50.PT	69
402F1/NR50.PT	69
402F1/WD50.PT	69
402F1/WR50.PT	69
402F2/HD50.PT	69
402F2/HR35.PT	69
402F2/HR50.PT	69
402F2/ND50.PT	69
402F2/NR35.PT	69
402F2/NR50.PT	69
402F2/WD50.PT	69
402F2/WR35.PT	69

402F2/WR50.PT	69
401F0/HR35.PT	70
401F0/HR50.PT	70
401F0/NR35.PT	70
401F0/NR50.PT	70
401F0/WR35.PT	70
401F0/WR50.PT	70
401F1/HD50.PT	70
401F1/HR35.PT	70
401F1/HR50.PT	70
401F1/ND50.PT	70
401F1/NR35.PT	70
401F1/NR50.PT	70
401F1/WD50.PT	70
401F1/WR35.PT	70
401F1/WR50.PT	70
401F2/HD50.PT	71
401F2/HR35.PT	71
401F2/HR50.PT	71
401F2/ND50.PT	71
401F2/NR35.PT	71
401F2/NR50.PT	71
401F2/WD50.PT	71
401F2/WR35.PT	71
401F2/WR50.PT	71
403F0/HR35.PT	71
403F0/HR50.PT	71
403F0/NR35.PT	71
403F0/NR50.PT	71
403F0/WR35.PT	71
403F0/WR50.PT	71
403F1/HR35.PT	71
403F1/NR35.PT	71
403F1/WR35.PT	71
403F1/HD50.PT	72
403F1/HR50.PT	72
403F1/ND50.PT	72
403F1/NR50.PT	72
403F1/WD50.PT	72
403F1/WR50.PT	72
403F2/HD50.PT	72
403F2/HR35.PT	72
403F2/HR50.PT	72
403F2/ND50.PT	72
403F2/NR35.PT	72
403F2/NR50.PT	72
403F2/WD50.PT	72
403F2/WR35.PT	72

403F2/WR50PT	72
410F0/HD70PO	73
410F0/HR70PO	73
410F0/HT70PO	73
410F0/ND70PO	73
410F0/NR70PO	73
410F0/NT70PO	73
410F0/WD70PO	73
410F0/WR70PO	73
410F0/WT70PO	73
410F1/HD70PO	73
410F1/HR70PO	73
410F1/ND70PO	73
410F1/NR70PO	73
410F1/WD70PO	73
410F1/WR70PO	73
410F1/HT70PO	74
410F1/NT70PO	74
410F1/WT70PO	74
410F2/HD70PO	74
410F2/HR70PO	74
410F2/HT70PO	74
410F2/ND70PO	74
410F2/NR70PO	74
410F2/NT70PO	74
410F2/WD70PO	74
410F2/WR70PO	74
410F2/WT70PO	74
325F1/HD65PT	75
325F1/HR65PT	75
325F1/ND65PT	75
325F1/NR65PT	75
325F1/WD65PT	75
325F1/WR65PT	75
335F1/HD65PT	75
335F1/HR65PT	75
335F1/ND65PT	75
335F1/NR65PT	75
335F1/WD65PT	75
335F1/WR65PT	75
620F1/HD35A1	76
620F1/HD35A2	76
620F1/HD70A1	76
620F1/HD70A2	76
620F1/HP35A1	76
620F1/HP35A2	76
620F1/HP70A1	76
620F1/HP70A2	76

620F1/ND35A1	76
620F1/ND35A2	76
620F1/ND70A1	76
620F1/ND70A2	76
620F1/NP35A1	76
620F1/NP35A2	76
620F1/NP70A1	76
620F1/NP70A2	76
620F1/WD35A1	76
620F1/WD35A2	76
620F1/WD70A1	76
620F1/WD70A2	76
620F1/WP35A1	76
620F1/WP35A2	76
620F1/WP70A1	76
620F1/WP70A2	76
620F1/HT35A1	77
620F1/HT35A2	77
620F1/HT70A1	77
620F1/HT70A2	77
620F1/NT35A1	77
620F1/NT35A2	77
620F1/NT70A1	77
620F1/NT70A2	77
620F1/WT35A1	77
620F1/WT35A2	77
620F1/WT70A1	77
620F1/WT70A2	77
620F2/HP35A1	77
620F2/HP35A2	77
620F2/HP70A1	77
620F2/HP70A2	77
620F2/NP35A1	77
620F2/NP35A2	77
620F2/NP70A1	77
620F2/NP70A2	77
620F2/WP35A1	77
620F2/WP35A2	77
620F2/WP70A1	77
620F2/WP70A2	77
620F2/HD35A1	78
620F2/HD35A2	78
620F2/HD70A1	78
620F2/HD70A2	78
620F2/HT35A1	78
620F2/HT35A2	78
620F2/HT70A1	78
620F2/HT70A2	78

620F2/ND35A1	78
620F2/ND35A2	78
620F2/ND70A1	78
620F2/ND70A2	78
620F2/NT35A1	78
620F2/NT35A2	78
620F2/NT70A1	78
620F2/NT70A2	78
620F2/WD35A1	78
620F2/WD35A2	78
620F2/WD70A1	78
620F2/WD70A2	78
620F2/WT35A1	78
620F2/WT35A2	78
620F2/WT70A1	78
620F2/WT70A2	78
601F1/HD70A2	79
601F1/HD70WB	79
601F1/HP70A2	79
601F1/HP70WB	79
601F1/ND70A2	79
601F1/ND70WB	79
601F1/NP70A2	79
601F1/NP70WB	79
601F1/WD70A2	79
601F1/WD70WB	79
601F1/WP70A2	79
601F1/WP70WB	79
601F2/HD70A2	79
601F2/HD70WB	79
601F2/HP70A2	79
601F2/HP70WB	79
601F2/ND70A2	79
601F2/ND70WB	79
601F2/NP70A2	79
601F2/NP70WB	79
601F2/WD70A2	79
601F2/WD70WB	79
601F2/WP70A2	79
601F2/WP70WB	79
602F1/HD70A2	80
602F1/HD70WB	80
602F1/HP70A2	80
602F1/HP70WB	80
602F1/ND70A2	80
602F1/ND70WB	80
602F1/NP70A2	80
602F1/NP70WB	80

602F1/WD70A2	80
602F1/WD70WB	80
602F1/WP70A2	80
602F1/WP70WB	80
602F2/HD70A2	80
602F2/HD70WB	80
602F2/HP70A2	80
602F2/HP70WB	80
602F2/ND70A2	80
602F2/ND70WB	80
602F2/NP70A2	80
602F2/NP70WB	80
602F2/WD70A2	80
602F2/WD70WB	80
602F2/WP70A2	80
602F2/WP70WB	80
603F1/HD70A2	81
603F1/HD70BB	81
603F1/HD70WB	81
603F1/HP70A2	81
603F1/HP70BB	81
603F1/HP70WB	81
603F1/ND70A2	81
603F1/ND70BB	81
603F1/ND70WB	81
603F1/NP70A2	81
603F1/NP70BB	81
603F1/NP70WB	81
603F1/WD70A2	81
603F1/WD70BB	81
603F1/WD70WB	81
603F1/WP70A2	81
603F1/WP70BB	81
603F1/WP70WB	81
603F2/HD70A2	81
603F2/HD70BB	81
603F2/HD70WB	81
603F2/HP70A2	81
603F2/HP70BB	81
603F2/HP70WB	81
603F2/ND70A2	81
603F2/NP70A2	81
603F2/NP70BB	81
603F2/NP70WB	81
603F2/WD70A2	81
603F2/WD70BB	81
603F2/WD70WB	81
603F2/WP70A2	81

603F2/WP70BB	81
603F2/WP70WB	81
603F2/ND70BB	82
603F2/ND70WB	82
604F1/HD70A2	82
604F1/HD70BB	82
604F1/HD70WB	82
604F1/HP70A2	82
604F1/HP70BB	82
604F1/HP70WB	82
604F1/ND70A2	82
604F1/ND70BB	82
604F1/ND70WB	82
604F1/NP70A2	82
604F1/NP70BB	82
604F1/NP70WB	82
604F1/WD70A2	82
604F1/WD70BB	82
604F1/WD70WB	82
604F1/WP70A2	82
604F1/WP70BB	82
604F1/WP70WB	82
604F2/HP70A2	82
604F2/HP70BB	82
604F2/HP70WB	82
604F2/NP70A2	82
604F2/NP70BB	82
604F2/NP70WB	82
604F2/WP70A2	82
604F2/WP70BB	82
604F2/WP70WB	82
604F2/HD70A2	83
604F2/HD70BB	83
604F2/HD70WB	83
604F2/ND70A2	83
604F2/ND70BB	83
604F2/ND70WB	83
604F2/WD70A2	83
604F2/WD70BB	83
604F2/WD70WB	83
560F1/ND35VS	84
560F1/NR35VS	84
560F1/WD35VS	84
560F1/WR35VS	84
560F2/ND35VS	84
560F2/NR35VS	84
560F2/WD35VS	84
560F2/WR35VS	84

474F0/HD50PO	85
474F0/HR50PO	85
474F0/ND50PO	85
474F0/NR50PO	85
474F0/WD50PO	85
474F0/WR50PO	85
474F1/HD50PO	85
474F1/HR50PO	85
474F1/ND50PO	85
474F1/NR50PO	85
474F1/WD50PO	85
474F1/WR50PO	85
481F0/HR35PO	85
481F0/NR35PO	85
481F0/WR35PO	85
481F0/HD35PO	86
481F0/ND35PO	86
481F0/WD35PO	86
481F1/HR35PO	86
481F1/NR35PO	86
481F1/WR35PO	86
482F0/HD35PO	86
482F0/HR35PO	86
482F0/ND35PO	86
482F0/NR35PO	86
482F0/WD35PO	86
482F0/WR35PO	86
484F0/HD35PO	86
484F0/HR35PO	86
484F0/ND35PO	86
484F0/NR35PO	86
484F0/WD35PO	86
484F0/WR35PO	86
481F1/HD35PO	87
481F1/ND35PO	87
481F1/WD35PO	87
482F1/HD35PO	87
482F1/HR35PO	87
482F1/ND35PO	87
482F1/NR35PO	87
482F1/WD35PO	87
482F1/WR35PO	87
484F1/HD35PO	87
484F1/HR35PO	87
484F1/ND35PO	87
484F1/NR35PO	87
484F1/WD35PO	87
484F1/WR35PO	87

451F0/NR50PO	88
451F0/WR50PO	88
451F1/NR50PO	88
451F1/WR50PO	88
452F0/NR50PO	88
452F0/WR50PO	88
452F1/NR50PO	88
452F1/WR50PO	88
454F0/NR50PO	88
454F0/WR50PO	88
454F1/NR50PO	88
454F1/WR50PO	88
464F1/NR50PO	89
464F1/WR50PO	89
290F0/ND3.PR	90
290F0/NR3.PR	90
290F0/WD3.PR	90
290F0/WR3.PR	90
290F1/ND3.PR	90
290F1/NR3.PR	90
290F1/WD3.PR	90
290F1/WR3.PR	90
295F0/ND3.PR	90
295F0/NR3.PR	90
295F0/WD3.PR	90
295F0/WR3.PR	90
295F1/ND3.PR	91
295F1/NR3.PR	91
295F1/WD3.PR	91
295F1/WR3.PR	91
7556W/HC35MB	92
7556W/HC35NB	92
7556W/HC35WB	92
7556W/HD35MB	92
7556W/HD35NB	92
7556W/HD35WB	92
7556W/HT35MB	92
7556W/HT35NB	92
7556W/HT35WB	92
7556W/NC35MB	92
7556W/NC35NB	92
7556W/NC35WB	92
7556W/ND35MB	92
7556W/ND35NB	92
7556W/ND35WB	92
7556W/NT35MB	92
7556W/NT35NB	92
7556W/NT35WB	92

7556W/WC35MB	92
7556W/WC35NB	92
7556W/WC35WB	92
7556W/WD35MB	92
7556W/WD35NB	92
7556W/WD35WB	92
7556W/WT35MB	92
7556W/WT35NB	92
7556W/WT35WB	92
7555W/HC35MB	93
7555W/HC35NB	93
7555W/HC35NW	93
7555W/HC35WB	93
7555W/HD35MB	93
7555W/HD35NB	93
7555W/HD35NW	93
7555W/HD35WB	93
7555W/HT35MB	93
7555W/HT35NB	93
7555W/HT35NW	93
7555W/HT35WB	93
7555W/NC35MB	93
7555W/NC35NB	93
7555W/NC35NW	93
7555W/NC35WB	93
7555W/ND35MB	93
7555W/ND35NB	93
7555W/ND35NW	93
7555W/ND35WB	93
7555W/NT35MB	93
7555W/NT35NB	93
7555W/NT35NW	93
7555W/NT35WB	93
7555W/WC35MB	93
7555W/WC35NB	93
7555W/WC35NW	93
7555W/WC35WB	93
7555W/WD35MB	93
7555W/WD35NB	93
7555W/WD35NW	93
7555W/WD35WB	93
7555W/WT35MB	93
7555W/WT35NB	93
7555W/WT35NW	93
7555W/WT35WB	93
7506W/HC35MB	95
7506W/HC35NB	95
7506W/HC35WB	95

7506W/HD35MB	95
7506W/HD35NB	95
7506W/HD35WB	95
7506W/HT35MB	95
7506W/HT35NB	95
7506W/HT35WB	95
7506W/NC35MB	95
7506W/NC35NB	95
7506W/NC35WB	95
7506W/ND35MB	95
7506W/ND35NB	95
7506W/ND35WB	95
7506W/NT35MB	95
7506W/NT35NB	95
7506W/NT35WB	95
7506W/WC35MB	95
7506W/WC35NB	95
7506W/WC35WB	95
7506W/WD35MB	95
7506W/WD35NB	95
7506W/WD35WB	95
7506W/WT35MB	95
7506W/WT35NB	95
7506W/WT35WB	95
7505W/HC35MB	96
7505W/HC35NB	96
7505W/HC35NW	96
7505W/HC35WB	96
7505W/HD35MB	96
7505W/HD35NB	96
7505W/HD35NW	96
7505W/HD35WB	96
7505W/HT35MB	96
7505W/HT35NB	96
7505W/HT35NW	96
7505W/HT35WB	96
7505W/NC35MB	96
7505W/NC35NB	96
7505W/NC35NW	96
7505W/NC35WB	96
7505W/ND35MB	96
7505W/ND35NB	96
7505W/ND35NW	96
7505W/ND35WB	96
7505W/NT35MB	96
7505W/NT35NB	96
7505W/NT35NW	96
7505W/NT35WB	96

7505W/WC35MB	96
7505W/WC35NB	96
7505W/WC35NW	96
7505W/WC35WB	96
7505W/WD35MB	96
7505W/WD35NB	96
7505W/WD35NW	96
7505W/WD35WB	96
7505W/WT35MB	96
7505W/WT35NB	96
7505W/WT35NW	96
7505W/WT35WB	96
7456W/HC55MB	98
7456W/HC55NB	98
7456W/HC55WB	98
7456W/HD55MB	98
7456W/HD55NB	98
7456W/HD55WB	98
7456W/HT55MB	98
7456W/HT55NB	98
7456W/HT55WB	98
7456W/NC55MB	98
7456W/NC55NB	98
7456W/NC55WB	98
7456W/ND55MB	98
7456W/ND55NB	98
7456W/ND55WB	98
7456W/NT55MB	98
7456W/NT55NB	98
7456W/NT55WB	98
7456W/WC55MB	98
7456W/WC55NB	98
7456W/WC55WB	98
7456W/WD55MB	98
7456W/WD55NB	98
7456W/WD55WB	98
7456W/WT55MB	98
7456W/WT55NB	98
7456W/WT55WB	98
7455W/HC55MB	99
7455W/HC55NB	99
7455W/HC55NW	99
7455W/HC55WB	99
7455W/HD55MB	99
7455W/HD55NB	99
7455W/HD55NW	99
7455W/HD55WB	99
7455W/HT55MB	99

7455W/HT55NB	99
7455W/HT55NW	99
7455W/HT55WB	99
7455W/NC55MB	99
7455W/NC55NB	99
7455W/NC55NW	99
7455W/NC55WB	99
7455W/ND55MB	99
7455W/ND55NB	99
7455W/ND55NW	99
7455W/ND55WB	99
7455W/NT55MB	99
7455W/NT55NB	99
7455W/NT55NW	99
7455W/NT55WB	99
7455W/WC55MB	99
7455W/WC55NB	99
7455W/WC55NW	99
7455W/WC55WB	99
7455W/WD55MB	99
7455W/WD55NB	99
7455W/WD55NW	99
7455W/WD55WB	99
7455W/WT55MB	99
7455W/WT55NB	99
7455W/WT55NW	99
7455W/WT55WB	99
9810W/HC0.MB	101
9810W/HC0.NB	101
9810W/HC0.NW	101
9810W/HC0.WB	101
9810W/NC0.MB	101
9810W/NC0.NB	101
9810W/NC0.NW	101
9810W/NC0.WB	101
9810W/WC0.MB	101
9810W/WC0.NB	101
9810W/WC0.NW	101
9810W/WC0.WB	101
9812W/HC0.MB	101
9812W/HC0.NB	101
9812W/HC0.WB	101
9812W/HD0.MB	101
9812W/HD0.NB	101
9812W/HD0.WB	101
9812W/NC0.MB	101
9812W/NC0.NB	101
9812W/NC0.WB	101

9812W/ND0.MB	101
9812W/ND0.NB	101
9812W/ND0.WB	101
9812W/WC0.MB	101
9812W/WC0.NB	101
9812W/WC0.WB	101
9812W/WD0.MB	101
9812W/WD0.NB	101
9812W/WD0.WB	101
9810W/HD0.MB	102
9810W/HD0.NB	102
9810W/HD0.NW	102
9810W/HD0.WB	102
9810W/ND0.MB	102
9810W/ND0.NB	102
9810W/ND0.NW	102
9810W/ND0.WB	102
9810W/WD0.MB	102
9810W/WD0.NB	102
9810W/WD0.NW	102
9810W/WD0.WB	102
9800W/NR3.V2	103
9800W/NR3.V4	103
9800W/NR3.VS	103
9800W/WR3.V2	103
9800W/WR3.V4	103
9800W/WR3.VS	103
9801W/NR3.V0	103
9801W/NR3.V1	103
9801W/NR3.VS	103
9801W/WR3.V0	103
9801W/WR3.V1	103
9801W/WR3.VS	103
9800W/NR3.V3	104
9800W/WR3.V3	104
9900W/HC4.VS	105
9900W/HD4.VS	105
9900W/NC4.VS	105
9900W/ND4.VS	105
9900W/WC4.VS	105
9900W/WD4.VS	105
9901W/HC4.VS	105
9901W/HD4.VS	105
9901W/HT4.VS	105
9901W/NC4.VS	105
9901W/ND4.VS	105
9901W/NT4.VS	105
9901W/WC4.VS	105

9901W/WD4.VS	105
9901W/WT4.VS	105
9900W/HT4.VS	106
9900W/NT4.VS	106
9900W/WT4.VS	106
9850W/HD70VS	107
9850W/HR70VS	107
9850W/HT70VS	107
9850W/ND70VS	107
9850W/NR70VS	107
9850W/NT70VS	107
9850W/WD70VS	107
9850W/WR70VS	107
9850W/WT70VS	107
9851W/HD70VS	107
9851W/HR70VS	107
9851W/ND70VS	107
9851W/NR70VS	107
9851W/WD70VS	107
9851W/WR70VS	107
9851W/HT70VS	108
9851W/NT70VS	108
9851W/WT70VS	108
9855W/HD35OB	109
9855W/HD35SW	109
9855W/HD70OB	109
9855W/HD70SW	109
9855W/HR35OB	109
9855W/HR35SW	109
9855W/HR70OB	109
9855W/HR70SW	109
9855W/ND35OB	109
9855W/ND35SW	109
9855W/ND70OB	109
9855W/ND70SW	109
9855W/NR35OB	109
9855W/NR35SW	109
9855W/NR70OB	109
9855W/NR70SW	109
9855W/WD35OB	109
9855W/WD35SW	109
9855W/WD70OB	109
9855W/WD70SW	109
9855W/WR35OB	109
9855W/WR35SW	109
9855W/WR70OB	109
9855W/WR70SW	109
9855W/HT35OB	110

9855W/HT35SW	110
9855W/HT70OB	110
9855W/HT70SW	110
9855W/NT35OB	110
9855W/NT35SW	110
9855W/NT70OB	110
9855W/NT70SW	110
9855W/WT35OB	110
9855W/WT35SW	110
9855W/WT70OB	110
9855W/WT70SW	110
601W1/HD70AB	111
601W1/HD70MB	111
601W1/HD70NB	111
601W1/HD70WB	111
601W1/HP70AB	111
601W1/HP70MB	111
601W1/HP70NB	111
601W1/HP70WB	111
601W1/ND70AB	111
601W1/ND70MB	111
601W1/ND70NB	111
601W1/ND70WB	111
601W1/NP70AB	111
601W1/NP70MB	111
601W1/NP70NB	111
601W1/NP70WB	111
601W1/WD70AB	111
601W1/WD70MB	111
601W1/WD70NB	111
601W1/WD70WB	111
601W1/WP70AB	111
601W1/WP70MB	111
601W1/WP70NB	111
601W1/WP70WB	111
602W1/HP70AB	111
602W1/HP70MB	111
602W1/HP70NB	111
602W1/HP70NW	111
602W1/HP70WB	111
602W1/NP70MB	111
602W1/NP70NB	111
602W1/WP70AB	111
602W1/WP70MB	111
602W1/WP70NB	111
602W1/WP70NW	111
602W1/WP70WB	111
602W1/HD70AB	112

602W1/HD70MB	112
602W1/HD70NB	112
602W1/HD70NW	112
602W1/HD70WB	112
602W1/ND70AB	112
602W1/ND70MB	112
602W1/ND70NB	112
602W1/ND70NW	112
602W1/ND70WB	112
602W1/NP70AB	112
602W1/NP70NW	112
602W1/NP70WB	112
602W1/WD70AB	112
602W1/WD70MB	112
602W1/WD70NB	112
602W1/WD70NW	112
602W1/WD70WB	112
603W1/HD70AB	112
603W1/HD70BB	112
603W1/HP70AB	112
603W1/HP70BB	112
603W1/ND70AB	112
603W1/ND70BB	112
603W1/NP70AB	112
603W1/NP70BB	112
603W1/WD70AB	112
603W1/WD70BB	112
603W1/WP70AB	112
603W1/WP70BB	112
4500W/HD50PO	114
4500W/HD50VS	114
4500W/HR50PO	114
4500W/HR50VS	114
4500W/HT50PO	114
4500W/ND50PO	114
4500W/ND50VS	114
4500W/NR50PO	114
4500W/NR50VS	114
4500W/NT50PO	114
4500W/WD50PO	114
4500W/WD50VS	114
4500W/WR50PO	114
4500W/WR50VS	114
4500W/WT50PO	114
4500W/HT50VS	115
4500W/NT50VS	115
4500W/WT50VS	115
4550W/NC4.VS	115

4550W/WC4.VS	115
4560W/NC4.VS	115
4560W/WC4.VS	115
4570W/HD50VS	116
4570W/HR50VS	116
4570W/ND50VS	116
4570W/NR50VS	116
4570W/WD50VS	116
4570W/WR50VS	116
4571W/HD50VS	116
4571W/HR50VS	116
4571W/ND50VS	116
4571W/NR50VS	116
4571W/WD50VS	116
4571W/WR50VS	116
4572W/HD50VS	117
4572W/HR50VS	117
4572W/ND50VS	117
4572W/NR50VS	117
4572W/WD50VS	117
4572W/WR50VS	117
350W/HRRC	118
350W/NRRC	118
350W/WRRC	118
350W/WTAC	118
1050W/HRRCVO	119
1050W/HRRCVO	119
1050W/NRRCVO	119
1050W/NRRCVO	119
1050W/WRACVO	119
1050W/WRACVO	119
1050W/WRRCVO	119
1050W/WRRCVO	119
1051W/HRRCVO	119
1051W/HRRCVO	119
1051W/NRRCVO	119
1051W/NRRCVO	119
1051W/WRACVO	119
1051W/WRACVO	119
1051W/WRRCVO	119
1051W/WRRCVO	119
1052W/HRRCVO	119
1052W/HRRCVO	119
1052W/NRRCVO	119
1052W/NRRCVO	119
1052W/WRRCVO	119
1052W/WRRCVO	119
1052W/WRACVO	120

1052W/WRACVO	120
1070W/HRRCVO	120
1070W/HRRCVO	120
1070W/NRRCVO	120
1070W/NRRCVO	120
1070W/WRACVO	120
1070W/WRACVO	120
1070W/WRRCVO	120
1070W/WRRCVO	120
8300C/HD3.PO	121
8300C/HR3.PO	121
8300C/ND3.PO	121
8300C/NR3.PO	121
8300C/WD3.PO	121
8300C/WR3.PO	121
8301C/HD3.PO	121
8301C/HR3.PO	121
8301C/ND3.PO	121
8301C/NR3.PO	121
8301C/WD3.PO	121
8301C/WR3.PO	121
8302C/HR3.PO	121
8302C/NR3.PO	121
8302C/WR3.PO	121
8303C/HR3.PO	122
8303C/NR3.PO	122
8303C/WR3.PO	122
8210C/HC3.PO	123
8210C/HD3.PO	123
8210C/NC3.PO	123
8210C/ND3.PO	123
8210C/WC3.PO	123
8210C/WD3.PO	123
8211C/HC3.PO	123
8211C/HD3.PO	123
8211C/NC3.PO	123
8211C/ND3.PO	123
8211C/WC3.PO	123
8211C/WD3.PO	123
8212C/HC3.PO	123
8212C/NC3.PO	123
8212C/WC3.PO	123
8200C/HD4.PO	124
8200C/HR4.PO	124
8200C/ND4.PO	124
8200C/NR4.PO	124
8200C/WD4.PO	124
8200C/WR4.PO	124

8202C/HR4.PO	124
8202C/NR4.PO	124
8202C/WR4.PO	124
8213C/HC3.PO	124
8213C/NC3.PO	124
8213C/WC3.PO	124
8100C/HC3.PO	125
8100C/HD3.PO	125
8100C/NC3.PO	125
8100C/ND3.PO	125
8100C/WC3.PO	125
8100C/WD3.PO	125
8101C/HC3.PO	125
8101C/HD3.PO	125
8101C/NC3.PO	125
8101C/ND3.PO	125
8101C/WC3.PO	125
8101C/WD3.PO	125
8000C/HC3.PO	126
8000C/HD3.PO	126
8000C/NC3.PO	126
8000C/ND3.PO	126
8000C/WC3.PO	126
8000C/WD3.PO	126
8001C/HC3.PO	126
8001C/HD3.PO	126
8001C/NC3.PO	126
8001C/ND3.PO	126
8001C/WC3.PO	126
8001C/WD3.PO	126
8420W/HD35VT	127
8420W/HR35VT	127
8420W/ND35VT	127
8420W/NR35VT	127
8420W/WD35VT	127
8420W/WR35VT	127
8430W/HD35VT	127
8430W/HR35VT	127
8430W/ND35VT	127
8430W/NR35VT	127
8430W/WD35VT	127
8430W/WR35VT	127
1060R/HRRCVO99	128
1060R/NRRCVO99	128
1060R/WRACVO99	128
1060R/WRRCVO99	128
1080R/HRRCVO99	128
1080R/NRRCVO99	128

1080R/WRACVO99	128
1080R/WRRRCVO99	128
9110R/HRRCVO	129
9110R/NRRRCVO	129
9110R/WRRRCVO	129
9110R/WTACVO	129
9111R/HRRCVO	129
9111R/NRRRCVO	129
9111R/WRRRCVO	129
9111R/WTACVO	129
9120R/HRRCVO	129
9120R/NRRRCVO	129
9120R/WRRRCVO	129
9120R/WTACVO	130
9130R/HRRCVO	130
9130R/NRRRCVO	130
9130R/WRRRCVO	130
9130R/WTACVO	130
9210R/HRRCVO	131
9210R/NRRRCVO	131
9210R/WRRRCVO	131
9210R/WTACVO	131
9211R/HRRCVO	131
9211R/NRRRCVO	131
9211R/WRRRCVO	131
9211R/WTACVO	131
9220R/HRRCVO	131
9220R/NRRRCVO	131
9220R/WRRRCVO	131
9220R/WTACVO	132
9230R/HRRCVO	132
9230R/NRRRCVO	132
9230R/WRRRCVO	132
9230R/WTACVO	132
9200R/HRRCVT	133
9200R/NRRRCVT	133
9200R/WRRRCVT	133
9201R/HRRCVT	133
9201R/NRRRCVT	133
9201R/WRRRCVT	133
9202R/HRRCVT	133
9202R/NRRRCVT	133
9202R/WRRRCVT	133
9450R/HD20VO	134
9450R/HR20VO	134
9450R/ND20VO	134
9450R/NR20VO	134
9450R/WD20VO	134

9450R/WR20VO	134
9550R/HD20VO	134
9550R/HR20VO	134
9550R/HT20VO	134
9550R/ND20VO	134
9550R/NR20VO	134
9550R/NT20VO	134
9550R/WD20VO	134
9550R/WR20VO	134
9550R/WT20VO	134
9400R/HR35VO	135
9400R/NR35VO	135
9400R/WR35VO	135
9450R/HT20VO	135
9450R/NT20VO	135
9450R/WT20VO	135
9500R/HR35VO	135
9500R/NR35VO	135
9500R/WR35VO	135
2900R/ND3.PR	136
2900R/NR3.PR	136
2900R/WD3.PR	136
2900R/WR3.PR	136
2950R/ND3.PR	136
2950R/NR3.PR	136
2950R/WD3.PR	136
2950R/WR3.PR	136
4045R/HRCC1L	137
4045R/HRCC2L	137
4045R/HRRC1L	137
4045R/HRRC2L	137
4045R/HRRC4L	137
4045R/NRCC1L	137
4045R/NRCC2L	137
4045R/NRRC1L	137
4045R/NRRC2L	137
4045R/NRRC4L	137
4045R/WRCC1L	137
4045R/WRCC2L	137
4045R/WRRC1L	137
4045R/WRRC2L	137
4045R/WRRC4L	137
4045R/HRCC4L	138
4045R/NRCC4L	138
4045R/WRCC4L	138
4070R/HRCC1L	139
4070R/HRCC2L	139
4070R/HRRC1L	139

4070R/HRRC2L	139
4070R/HRRC4L	139
4070R/NRCC1L	139
4070R/NRCC2L	139
4070R/NRRC1L	139
4070R/NRRC2L	139
4070R/NRRC4L	139
4070R/WRCC1L	139
4070R/WRCC2L	139
4070R/WRRC1L	139
4070R/WRRC2L	139
4070R/WRRC4L	139
4070R/HRCC4L	140
4070R/NRCC4L	140
4070R/WRCC4L	140
3045R/HRCCMB99	141
3045R/HRCCNB99	141
3045R/HRCCOB199	141
3045R/HRCCSW99	141
3045R/HRCCWB99	141
3045R/HRRRCMB99	141
3045R/HRRRCNB99	141
3045R/HRRRCOB199	141
3045R/HRRRCVS99	141
3045R/HRRRCWB99	141
3045R/NRCCMB99	141
3045R/NRCCNB99	141
3045R/NRCCOB199	141
3045R/NRCCSW99	141
3045R/NRCCWB99	141
3045R/NRRRCMB99	141
3045R/NRRRCNB99	141
3045R/NRRRCOB199	141
3045R/NRRRCVS99	141
3045R/NRRRCWB99	141
3045R/WRCCMB99	141
3045R/WRCCNB99	141
3045R/WRCCOB199	141
3045R/WRCCSW99	141
3045R/WRCCWB99	141
3045R/WRRRCMB99	141
3045R/WRRRCNB99	141
3045R/WRRRCOB199	141
3045R/WRRRCVS99	141
3045R/WRRRCWB99	141

3045R/HRCCVS99	142
3045R/NRCCVS99	142
3045R/WRCCVS99	142
3045R/HRCCMB	143
3045R/HRCCNB	143
3045R/HRCCOBI	143
3045R/HRCCSW	143
3045R/HRCCWB	143
3045R/HRRCMB	143
3045R/HRRCNB	143
3045R/HRRCOBI	143
3045R/HRRCSW	143
3045R/HRRCVS	143
3045R/HRRCWB	143
3045R/NRCCMB	143
3045R/NRCCNB	143
3045R/NRCCOBI	143
3045R/NRCCSW	143
3045R/NRCCWB	143
3045R/NRRCMB	143
3045R/NRRCNB	143
3045R/NRRCOBI	143
3045R/NRRCSW	143
3045R/NRRCVS	143
3045R/NRRCWB	143
3045R/WRCCMB	143
3045R/WRCCNB	143
3045R/WRCCOBI	143
3045R/WRCCSW	143
3045R/WRCCWB	143
3045R/WRRCMB	143
3045R/WRRCNB	143
3045R/WRRCOBI	143
3045R/WRRCSW	143
3045R/WRRCVS	143
3045R/WRRCWB	143
3045R/HRCCVS	144
3045R/NRCCVS	144
3045R/WRCCVS	144
3070R/HRCCMB99	145
3070R/HRCCNB99	145
3070R/HRCCOB99	145
3070R/HRCCSW99	145
3070R/HRCCWB99	145
3070R/HRRCMB99	145
3070R/HRRCNB99	145
3070R/HRRCOB99	145
3070R/HRRCSW99	145

3070R/HRRCVS99	145
3070R/HRRCWB99	145
3070R/NRCCMB99	145
3070R/NRCCNB99	145
3070R/NRCCOB99	145
3070R/NRCCSW99	145
3070R/NRCCWB99	145
3070R/NRRCMB99	145
3070R/NRRCNB99	145
3070R/NRRCOB99	145
3070R/NRRCSW99	145
3070R/NRRCVS99	145
3070R/NRRCWB99	145
3070R/WRCCMB99	145
3070R/WRCCNB99	145
3070R/WRCCOB99	145
3070R/WRCCSW99	145
3070R/WRCCWB99	145
3070R/WRRCMB99	145
3070R/WRRCNB99	145
3070R/WRRCOB99	145
3070R/WRRCSW99	145
3070R/WRRCVS99	145
3070R/WRRCWB99	145
3070R/HRCCVS99	146
3070R/NRCCVS99	146
3070R/WRCCVS99	146
3070R/HRCCMB	147
3070R/HRCCNB	147
3070R/HRCCOB	147
3070R/HRCCSW	147
3070R/HRCCWB	147
3070R/HRRCMB	147
3070R/HRRCNB	147
3070R/HRRCOB	147
3070R/HRRCSW	147
3070R/HRRCVS	147
3070R/HRRCWB	147
3070R/NRCCMB	147
3070R/NRCCNB	147
3070R/NRCCOB	147
3070R/NRCCSW	147
3070R/NRCCWB	147
3070R/NRRCMB	147
3070R/NRRCNB	147
3070R/NRRCOB	147
3070R/NRRCSW	147
3070R/NRRCVS	147

3070R/NRRCWB	147
3070R/WRCCMB	147
3070R/WRCCNB	147
3070R/WRCCOB	147
3070R/WRCCSW	147
3070R/WRCCWB	147
3070R/WRRCMB	147
3070R/WRRCNB	147
3070R/WRRCOB	147
3070R/WRRCSW	147
3070R/WRRCVS	147
3070R/WRRCWB	147
3070R/HRCCVS	148
3070R/NRCCVS	148
3070R/WRCCVS	148
3045C/HRCCMB99	149
3045C/HRCCNB99	149
3045C/HRCCOBI99	149
3045C/HRCCSW99	149
3045C/HRCCWB99	149
3045C/HRRCMB99	149
3045C/HRRCNB99	149
3045C/HRRCOBI99	149
3045C/HRRCSW99	149
3045C/HRRCVS99	149
3045C/HRRCWB99	149
3045C/NRCCMB99	149
3045C/NRCCNB99	149
3045C/NRCCOBI99	149
3045C/NRCCSW99	149
3045C/NRCCWB99	149
3045C/NRRCMB99	149
3045C/NRRCNB99	149
3045C/NRRCOBI99	149
3045C/NRRCSW99	149
3045C/NRRCVS99	149
3045C/NRRCWB99	149
3045C/WRCCMB99	149
3045C/WRCCNB99	149
3045C/WRCCOBI99	149
3045C/WRCCSW99	149
3045C/WRCCWB99	149
3045C/WRRCMB99	149
3045C/WRRCNB99	149
3045C/WRRCOBI99	149
3045C/WRRCSW99	149
3045C/WRRCVS99	149
3045C/WRRCWB99	149

3045C/HRCCVS99	150
3045C/NRCCVS99	150
3045C/WRCCVS99	150
3045C/HRCCMB	151
3045C/HRCCNB	151
3045C/HRCCOBI	151
3045C/HRCCSW	151
3045C/HRCCWB	151
3045C/HRRCMB	151
3045C/HRRCNB	151
3045C/HRRCOBI	151
3045C/HRRCSW	151
3045C/HRRCVS	151
3045C/HRRCWB	151
3045C/NRCCMB	151
3045C/NRCCNB	151
3045C/NRCCOBI	151
3045C/NRCCSW	151
3045C/NRCCWB	151
3045C/NRRCMB	151
3045C/NRRCNB	151
3045C/NRRCOBI	151
3045C/NRRCSW	151
3045C/NRRCVS	151
3045C/NRRCWB	151
3045C/WRCCMB	151
3045C/WRCCNB	151
3045C/WRCCOBI	151
3045C/WRCCSW	151
3045C/WRCCWB	151
3045C/WRRCMB	151
3045C/WRRCNB	151
3045C/WRRCOBI	151
3045C/WRRCSW	151
3045C/WRRCVS	151
3045C/WRRCWB	151
3045C/HRCCVS	152
3045C/NRCCVS	152
3045C/WRCCVS	152
3070C/HRCCMB99	153
3070C/HRCCNB99	153
3070C/HRCCOB99	153
3070C/HRCCSW99	153
3070C/HRCCWB99	153
3070C/HRRCMB99	153
3070C/HRRCNB99	153
3070C/HRRCOB99	153
3070C/HRRCSW99	153

3070C/HRRCVS99	153
3070C/HRRCWB99	153
3070C/NRCCMB99	153
3070C/NRCCNB99	153
3070C/NRCCOB99	153
3070C/NRCCSW99	153
3070C/NRCCWB99	153
3070C/NRRCMB99	153
3070C/NRRCNB99	153
3070C/NRRCOB99	153
3070C/NRRCSW99	153
3070C/NRRCVS99	153
3070C/NRRCWB99	153
3070C/WRCCMB99	153
3070C/WRCCNB99	153
3070C/WRCCOB99	153
3070C/WRCCSW99	153
3070C/WRCCWB99	153
3070C/WRRCMB99	153
3070C/WRRCNB99	153
3070C/WRRCOB99	153
3070C/WRRCSW99	153
3070C/WRRCVS99	153
3070C/WRRCWB99	153
3070C/HRCCVS99	154
3070C/NRCCVS99	154
3070C/WRCCVS99	154
3070C/HRCCMB	155
3070C/HRCCNB	155
3070C/HRCCOB	155
3070C/HRCCSW	155
3070C/HRCCWB	155
3070C/HRRCMB	155
3070C/HRRCNB	155
3070C/HRRCOB	155
3070C/HRRCSW	155
3070C/HRRCVS	155
3070C/HRRCWB	155
3070C/NRCCMB	155
3070C/NRCCNB	155
3070C/NRCCOB	155
3070C/NRCCSW	155
3070C/NRCCWB	155
3070C/NRRCMB	155
3070C/NRRCNB	155
3070C/NRRCOB	155
3070C/NRRCSW	155
3070C/NRRCVS	155

3070C/NRRCWB	155
3070C/WRCCMB	155
3070C/WRCCNB	155
3070C/WRCCOB	155
3070C/WRCCSW	155
3070C/WRCCWB	155
3070C/WRRCMB	155
3070C/WRRCNB	155
3070C/WRRCOB	155
3070C/WRRCSW	155
3070C/WRRCVS	155
3070C/WRRCWB	155
3070C/HRCCVS	156
3070C/NRCCVS	156
3070C/WRCCVS	156
4250C/NC2.MB.99	157
4250C/NC2.NB.99	157
4250C/NC2.WB.99	157
4250C/NR50MB.99	157
4250C/NR50NB.99	157
4250C/NR50WB.99	157
4250C/WC2.MB.99	157
4250C/WC2.NB.99	157
4250C/WC2.WB.99	157
4250C/WR50MB.99	157
4250C/WR50NB.99	157
4250C/WR50WB.99	157
4251C/NC2.MB.99	157
4251C/NC2.NB.99	157
4251C/NC2.WB.99	157
4251C/NR50MB.99	157
4251C/NR50NB.99	157
4251C/NR50WB.99	157
4251C/WC2.MB.99	157
4251C/WC2.NB.99	157
4251C/WC2.WB.99	157
4251C/WR50MB.99	157
4251C/WR50NB.99	157
4251C/WR50WB.99	157
7506C/HC35MB	158
7506C/HC35NB	158
7506C/HC35WB	158
7506C/HD35MB	158
7506C/HD35NB	158
7506C/HD35WB	158
7506C/HT35MB	158
7506C/HT35NB	158
7506C/HT35WB	158

7506C/NC35MB	158
7506C/NC35NB	158
7506C/NC35WB	158
7506C/ND35MB	158
7506C/ND35NB	158
7506C/ND35WB	158
7506C/NT35MB	158
7506C/NT35NB	158
7506C/NT35WB	158
7506C/WC35MB	158
7506C/WC35NB	158
7506C/WC35WB	158
7506C/WD35MB	158
7506C/WD35NB	158
7506C/WD35WB	158
7506C/WT35MB	158
7506C/WT35NB	158
7506C/WT35WB	158
7456C/HC55MB	159
7456C/HC55NB	159
7456C/HC55WB	159
7456C/HD55MB	159
7456C/HD55NB	159
7456C/HD55WB	159
7456C/HT55MB	159
7456C/HT55NB	159
7456C/HT55WB	159
7456C/NC55MB	159
7456C/NC55NB	159
7456C/NC55WB	159
7456C/ND55MB	159
7456C/ND55NB	159
7456C/ND55WB	159
7456C/NT55MB	159
7456C/NT55NB	159
7456C/NT55WB	159
7456C/WC55MB	159
7456C/WC55NB	159
7456C/WC55WB	159
7456C/WD55MB	159
7456C/WD55NB	159
7456C/WD55WB	159
7456C/WT55MB	159
7456C/WT55NB	159
7456C/WT55WB	159
9814C/HC0.MB	160
9814C/HC0.NB	160
9814C/HC0.WB	160

9814C/HD0.MB	160
9814C/HD0.NB	160
9814C/HD0.WB	160
9814C/NC0.MB	160
9814C/NC0.NB	160
9814C/NC0.WB	160
9814C/ND0.MB	160
9814C/ND0.NB	160
9814C/ND0.WB	160
9814C/WD0.MB	160
9814C/WD0.NB	160
9814C/WD0.WB	160
601C1/HD70MB	161
601C1/HD70NB	161
601C1/HD70WB	161
601C1/HP70MB	161
601C1/HP70NB	161
601C1/HP70WB	161
601C1/ND70MB	161
601C1/ND70NB	161
601C1/ND70WB	161
601C1/NP70MB	161
601C1/NP70NB	161
601C1/NP70WB	161
601C1/WD70MB	161
601C1/WD70NB	161
601C1/WD70WB	161
601C1/WP70MB	161
601C1/WP70NB	161
601C1/WP70WB	161
601S1/HP70MB	161
601S1/HP70NB	161
601S1/HP70WB	161
601S1/NP70MB	161
601S1/NP70NB	161
601S1/NP70WB	161
601S1/WP70MB	161
601S1/WP70NB	161
601S1/WP70WB	161
601S1/HD70MB	162
601S1/HD70NB	162
601S1/HD70WB	162
601S1/ND70MB	162
601S1/ND70NB	162
601S1/ND70WB	162

601S1/WD70MB	162
601S1/WD70NB	162
601S1/WD70WB	162
8402C/ND35VO	162
8402C/NE35VO	162
8402C/NR35VO	162
8402C/WD35VO	162
8402C/WE35VO	162
8402C/WR35VO	162
84I2C/ND35VO	163
84I2C/NE35VO	163
84I2C/NR35VO	163
84I2C/WD35VO	163
84I2C/WE35VO	163
84I2C/WR35VO	163
1070W/HC20MB	164
1070W/HC20NB	164
1070W/HC20WB	164
1070W/HRRCVO	164
1070W/HRRCVO	164
1070W/NC20MB	164
1070W/NC20NB	164
1070W/NC20WB	164
1070W/NRRCVO	164
1070W/NRRCVO	164
1070W/WC20MB	164
1070W/WC20NB	164
1070W/WC20WB	164
1070W/WRACVO	164
1070W/WRACVO	164
1070W/WRRCVO	164
1070W/WRRCVO	164
1050W/HC20MB	165
1050W/HC20NB	165
1050W/HC20WB	165
1050W/NC20MB	165
1050W/NC20NB	165
1050W/NC20WB	165
1050W/WC20MB	165
1050W/WC20NB	165
1050W/WC20WB	165
1051W/HC20MB	165
1051W/HC20NB	165
1051W/HC20WB	165
1051W/NC20MB	165
1051W/NC20NB	165
1051W/NC20WB	165
1051W/WC20MB	165

1051W/WC20NB	165
1051W/WC20WB	165
1052W/HC20MB	165
1052W/HC20NB	165
1052W/HC20WB	165
1052W/NC20MB	165
1052W/NC20NB	165
1052W/NC20WB	165
1052W/WC20MB	165
1052W/WC20NB	165
1052W/WC20WB	165
1050W/HRRCVO	166
1050W/HRRCVO	166
1050W/NRRCVO	166
1050W/NRRCVO	166
1050W/WRACVO	166
1050W/WRACVO	166
1050W/WRRCVO	166
1050W/WRRCVO	166
1050W/WRRCVO	166
1051W/HRRCVO	166
1051W/HRRCVO	166
1051W/NRRCVO	166
1051W/NRRCVO	166
1051W/WRACVO	166
1051W/WRACVO	166
1051W/WRACVO	166
1051W/WRRCVO	166
1051W/WRRCVO	166
1052W/HRRCVO	166
1052W/HRRCVO	166
1052W/NRRCVO	166
1052W/NRRCVO	166
1052W/WRACVO	166
1052W/WRACVO	166
1052W/WRRCVO	166
1052W/WRRCVO	166
380F1/HD24PO	168
380F1/HR24PO	168
380F1/ND24PO	168
380F1/NR24PO	168
380F1/WD24PO	168
380F1/WR24PO	168
380F2/HD24PO	168
380F2/HR24PO	168
380F2/ND24PO	168
380F2/NR24PO	168
380F2/WD24PO	168
380F2/WR24PO	168
380F3/HR24PO	168

380F3/NR24PO	168
380F3/WR24PO	168
330F1/HR24PO	169
330F1/NR24PO	169
330F1/WR24PO	169
330F2/HR24PO	169
330F2/NR24PO	169
330F2/WR24PO	169
330F3/HR24PO	169
330F3/NR24PO	169
330F3/WR24PO	169
380F3/HD24PO	169
380F3/ND24PO	169
380F3/WD24PO	169
9000F/NC5.NB	170
9000F/WC5.NB	170
9000H/NC5.NB	170
9000H/WC5.NB	170
570F2/NC50EW	171
570F2/ND50EW	171
570F2/WC50EW	171
570F2/WD50EW	171
570F4/NC50EW	171
570F4/ND50EW	171
570F4/WC50EW	171
570F4/WD50EW	171
491F2/HR24PO	172
491F2/NR24PO	172
491F2/WR24PO	172
492F2/HR24PO	172
492F2/NR24PO	172
492F2/WR24PO	172
494F2/HR24PO	172
494F2/NR24PO	172
494F2/WR24PO	172
492F0/NR50PO	173
492F0/WR50PO	173
492F4/NR50PO	173
492F4/WR50PO	173
494F0/NR35PO	173
494F0/WR35PO	173
494F4/NR35PO	173
494F4/WR35PO	173
760F3/NP70.CP	174
760F3/NP70.PP	174
760F3/NP70.ST	174
760F3/WP70.CP	174
760F3/WP70.PP	174

760F3/WP70.ST	174
760F4/NP70.CP	174
760F4/NP70.PP	174
760F4/NP70.ST	174
760F4/WP70.CP	174
760F4/WP70.PP	174
760F4/WP70.ST	174
760F5/NP70.CP	174
760F5/NP70.PP	174
760F5/NP70.ST	174
760F5/WP70.CP	174
760F5/WP70.PP	174
760F5/WP70.ST	174
770F4/NP70.CP	174
770F4/NP70.PP	174
770F4/NP70.ST	174
770F4/WP70.CP	174
770F4/WP70.PP	174
770F4/WP70.ST	174
770F5/NP70.CP	175
770F5/NP70.PP	175
770F5/NP70.ST	175
770F5/WP70.CP	175
770F5/WP70.PP	175
770F5/WP70.ST	175
761F3/NP70.CP	176
761F3/NP70.PP	176
761F3/NP70.ST	176
761F3/WP70.CP	176
761F3/WP70.PP	176
761F3/WP70.ST	176
761F4/NP70.CP	176
761F4/NP70.PP	176
761F4/NP70.ST	176
761F4/WP70.CP	176
761F4/WP70.PP	176
761F4/WP70.ST	176
771F4/NP70.CP	176
771F4/NP70.PP	176
771F4/NP70.ST	176
771F4/WP70.CP	176
771F4/WP70.PP	176

771F4/WP70.ST	176
762F5/NP70.CP	177
762F5/NP70.PP	177
762F5/NP70.ST	177
762F5/WP70.CP	177
762F5/WP70.PP	177
762F5/WP70.ST	177
771F5/NP70.CP	177
771F5/NP70.PP	177
771F5/NP70.ST	177
771F5/WP70.CP	177
771F5/WP70.PP	177
771F5/WP70.ST	177
772F5/NP70.CP	177
772F5/NP70.PP	177
772F5/NP70.ST	177
772F5/WP70.CP	177
772F5/WP70.PP	177
772F5/WP70.ST	177
SG15W/NP50CP	178
SG15W/NP50PP	178
SG15W/NP50ST	178
SG15W/WP50CP	178
SG15W/WP50PP	178
SG15W/WP50ST	178
SP04W/NP90CP	178
SP04W/NP90PP	178
SP04W/NP90ST	178
SP04W/WP90CP	178
SP04W/WP90PP	178
SP04W/WP90ST	178
SP07W/NP10CP	178
SP07W/NP10PP	178
SP07W/NP10ST	178
SP07W/WP10CP	178
SP07W/WP10PP	178
SP07W/WP10ST	178
SPI0W/NP90CP	178
SPI0W/NP90PP	178
SPI0W/NP90ST	178
SPI0W/WP90CP	178
SPI0W/WP90PP	178
SPI0W/WP90ST	178
SG20W/NP55CP	179
SG20W/NP55PP	179
SG20W/NP55ST	179
SG20W/WP55CP	179
SG20W/WP55PP	179

SG20W/WP55ST	179
SG15H/NP50CP	180
SG15H/NP50PP	180
SG15H/NP50ST	180
SG15H/WP50CP	180
SG15H/WP50PP	180
SG15H/WP50ST	180
SP04H/NP90CP	180
SP04H/NP90PP	180
SP04H/NP90ST	180
SP04H/WP90CP	180
SP04H/WP90PP	180
SP04H/WP90ST	180
SP07H/NP10CP	180
SP07H/NP10PP	180
SP07H/NP10ST	180
SP07H/WP10CP	180
SP07H/WP10PP	180
SP07H/WP10ST	180
SPI0H/NP90CP	180
SPI0H/NP90PP	180
SPI0H/NP90ST	180
SPI0H/WP90CP	180
SPI0H/WP90PP	180
SPI0H/WP90ST	180
SG20H/NP55CP	181
SG20H/NP55PP	181
SG20H/NP55ST	181
SG20H/WP55CP	181
SG20H/WP55PP	181
SG20H/WP55ST	181
2112W/RCRC.MB	182
2112W/RCRC.NB	182
2112W/RCRC.SW	182
2112W/RCRC.WB	182
2113W/RCRCMB	182
2113W/RCRCNB	182
2113W/RCRCSW	182
2113W/RCRCWB	182
2800P/RCRC.MB	183
2800P/RCRC.O4	183
2800P/RCRC.SW	183
2800P/RCRC.WB	183
2801P/RCRC.MB	183
2801P/RCRC.O4	183
2801P/RCRC.SW	183
2801P/RCRC.WB	183
2802P/RCRC.MB	183

2802P/RCRC.O4	183
2802P/RCRC.SW	183
2802P/RCRC.WB	183
2803P/RCRC.MB	183
2803P/RCRC.O4	183
2803P/RCRC.SW	183
2803P/RCRC.WB	183
2800R/RCRC.MB99	184
2800R/RCRC.O499	184
2800R/RCRC.SW99	184
2800R/RCRC.WB99	184
2801R/RCRC.MB99	184
2801R/RCRC.O499	184
2801R/RCRC.SW99	184
2801R/RCRC.WB99	184
2802R/RCRC.MB99	184
2802R/RCRC.O499	184
2802R/RCRC.SW99	184
2802R/RCRC.WB99	184
2803R/RCRC.MB99	184
2803R/RCRC.O499	184
2803R/RCRC.SW99	184
2803R/RCRC.WB99	184
3200R/RCRCMB99	185
3200R/RCRCNB99	185
3200R/RCRCSW99	185
3200R/RCRCWB99	185
3210R/RCRCMB99	185
3210R/RCRCNB99	185
3210R/RCRCSW99	185
3210R/RCRCWB99	185
AG205RGBW5000	185
AG115N30K5000I5	186
AG115N30K500030	186
AG20527K5000	186
AG20530K5000	186
AG20540K5000	186
AG205RGBW5000	187
7506C/HD35NB	158
7506C/HD35MB	158
7506C/HD35WB	158
7506C/HC35MB	158
7456C/NT55WB	159
7456C/WD55WB	159
7456C/ND55NB	159
7456C/ND55MB	159
7456C/ND55WB	159
7456C/HT55NB	159

7456C/HT55WB	159
7456C/HT55MB	159
7456C/WT55MB	159
7456C/WT55WB	159
7456C/NT55NB	159
7456C/WD55MB	159
7456C/NT55MB	159
7456C/HC55WB	159
7456C/WT55NB	159
7456C/WD55NB	159
7456C/HC55MB	159
7456C/WC55NB	159
7456C/WC55MB	159
7456C/WC55WB	159
7456C/HD55WB	159
7456C/NC55MB	159
7456C/NC55WB	159
7456C/HD55NB	159
7456C/HD55MB	159
7456C/NC55NB	159
7456C/HC55NB	159
9814C/HD0.WB	160
9814C/WD0.NB	160
9814C/WD0.MB	160
9814C/WD0.WB	160
9814C/ND0.NB	160
9814C/ND0.WB	160
9814C/HD0.MB	160
9814C/NC0.MB	160
9814C/ND0.MB	160
9814C/NC0.WB	160
9814C/NC0.NB	160
9814C/WC0.WB	160
9814C/WC0.MB	160
9814C/WC0.NB	160
9814C/HC0.WB	160
9814C/HC0.MB	160
9814C/HC0.NB	160
9814C/HD0.NB	160
601SI/NP70WB	161
601CI/WD70WB	161
601CI/ND70NB	161
601CI/ND70MB	161
601CI/ND70WB	161
601SI/HP70NB	161
601SI/HP70MB	161
601SI/HP70WB	161
601SI/WP70NB	161

601SI/NP70MB	161
601CI/WD70MB	161
601SI/WP70MB	161
601SI/WP70WB	161
601CI/WP70NB	161
601CI/WD70NB	161
601CI/HP70MB	161
601SI/NP70NB	161
601CI/HP70NB	161
601CI/WP70MB	161
601CI/WP70WB	161
601CI/NP70NB	161
601CI/NP70MB	161
601CI/NP70WB	161
601CI/HD70NB	161
601CI/HD70MB	161
601CI/HD70WB	161
601CI/HP70WB	161
601SI/HD70NB	162
601SI/ND70WB	162
8402C/NE35VO	162
8402C/WE35VO	162
8402C/ND35VO	162
8402C/WD35VO	162
8402C/NR35VO	162
8402C/WR35VO	162
601SI/ND70MB	162
601SI/ND70NB	162
601SI/WD70WB	162
601SI/WD70MB	162
601SI/WD70NB	162
601SI/HD70MB	162
601SI/HD70WB	162
8412C/ND35VO	163
8412C/WE35VO	163
8412C/NR35VO	163
8412C/WR35VO	163
8412C/NE35VO	163
8412C/WD35VO	163
1070W/WRRRCVO	164
1070W/WRACVO	164
1070W/WRACVO	164
1070W/NRRCVO	164
1070W/WRRRCVO	164
1070W/HRRCVO	164
1070W/HRRCVO	164
1070W/NC20WB	164
1070W/HC20NB	164

1070W/NC20NB	164
1070W/WC20WB	164
1070W/WC20MB	164
1070W/WC20NB	164
1070W/HC20WB	164
1070W/HC20MB	164
1070W/NRRCVO	164
1070W/NC20MB	164
1052W/HC20MB	165
1052W/HC20NB	165
1051W/NC20WB	165
1052W/HC20WB	165
1051W/NC20NB	165
1052W/NC20WB	165
1051W/NC20MB	165
1052W/WC20NB	165
1052W/WC20WB	165
1052W/NC20MB	165
1051W/HC20NB	165
1051W/WC20WB	165
1052W/NC20NB	165
1050W/HC20WB	165
1050W/HC20MB	165
1050W/WC20NB	165
1050W/WC20MB	165
1050W/WC20WB	165
1050W/NC20NB	165
1050W/NC20WB	165
1051W/HC20WB	165
1051W/HC20MB	165
1050W/HC20NB	165
1051W/WC20NB	165
1050W/NC20MB	165
1051W/WC20MB	165
1052W/WRACVO	166
1051W/NRRCVO	166
1051W/WRACVO	166
1052W/HRRCVO	166
1052W/WRRRCVO	166
1052W/WRRRCVO	166
1052W/NRRCVO	166
1052W/WRACVO	166
1051W/NRRCVO	166
1051W/WRACVO	166
1052W/NRRCVO	166
1050W/NRRCVO	166
1052W/HRRCVO	166

1051W/WRRCVO	166
1050W/HRRCVO	166
1050W/WRRCVO	166
1050W/NRRCVO	166
1050W/WRACVO	166
1050W/WRACVO	166
1050W/HRRCVO	166
1051W/HRRCVO	166
1051W/HRRCVO	166
1051W/WRRCVO	166
1050W/WRRCVO	166
380F3/WR24PO	168
380FI/HD24PO	168
380F2/NR24PO	168
380F3/HR24PO	168
380F2/ND24PO	168
380F2/WD24PO	168
380F2/HD24PO	168
380F2/WR24PO	168
380F2/HR24PO	168
380FI/WD24PO	168
380FI/NR24PO	168
380FI/WR24PO	168
380FI/HR24PO	168
380F3/NR24PO	168
380FI/ND24PO	168
330F2/HR24PO	169
330F3/WR24PO	169
330F3/NR24PO	169
330F3/HR24PO	169
330F2/NR24PO	169
330F2/WR24PO	169
330FI/WR24PO	169
330FI/HR24PO	169
380F3/ND24PO	169
380F3/HD24PO	169
380F3/WD24PO	169
330FI/NR24PO	169
9000F/WC5.NB	170
9000F/NC5.NB	170
9000H/WC5.NB	170
9000H/NC5.NB	170
570F2/WC50EW	171
570F4/ND50EW	171
570F4/WD50EW	171
570F2/ND50EW	171
570F2/WD50EW	171
570F4/NC50EW	171

570F2/NC50EW	171
570F4/WC50EW	171
492F2/WR24PO	172
494F2/WR24PO	172
494F2/NR24PO	172
492F2/NR24PO	172
491F2/NR24PO	172
491F2/WR24PO	172
491F2/HR24PO	172
494F2/HR24PO	172
492F2/HR24PO	172
494F4/WR35PO	173
494F4/NR35PO	173
492F4/NR50PO	173
492F4/WR50PO	173
494F0/NR35PO	173
494F0/WR35PO	173
492F0/NR50PO	173
492F0/WR50PO	173
760F5/NP70.CP	174
770F4/NP70.CP	174
770F4/WP70.ST	174
770F4/WP70.PP	174
770F4/WP70.CP	174
760F5/WP70.CP	174
760F5/NP70.PP	174
770F4/NP70.ST	174
760F5/WP70.ST	174
760F5/WP70.PP	174
770F4/NP70.PP	174
760F3/NP70.PP	174
760F4/NP70.ST	174
760F5/NP70.ST	174
760F3/WP70.CP	174
760F3/WP70.PP	174
760F3/NP70.CP	174
760F3/NP70.ST	174
760F4/WP70.CP	174
760F4/WP70.PP	174
760F4/WP70.ST	174
760F4/NP70.CP	174
760F4/NP70.PP	174
760F3/WP70.ST	174
770F5/WP70.PP	175
770F5/NP70.PP	175
770F5/NP70.ST	175
770F5/WP70.ST	175
770F5/WP70.CP	175

770F5/NP70.CP	175
761F5/WP70.PP	176
761F4/WP70.CP	176
771F4/NP70.ST	176
771F4/NP70.PP	176
771F4/NP70.CP	176
771F4/WP70.ST	176
771F4/WP70.PP	176
771F4/WP70.CP	176
761F5/NP70.ST	176
761F5/NP70.PP	176
761F5/NP70.CP	176
761F5/WP70.ST	176
761F3/NP70.CP	176
761F3/WP70.CP	176
761F4/WP70.ST	176
761F3/WP70.ST	176
761F5/WP70.CP	176
761F3/NP70.PP	176
761F3/NP70.ST	176
761F4/WP70.PP	176
761F4/NP70.CP	176
761F4/NP70.PP	176
761F4/NP70.ST	176
761F3/WP70.PP	176
762F5/WP70.PP	177
762F5/NP70.PP	177
772F5/NP70.ST	177
772F5/NP70.PP	177
772F5/NP70.CP	177
772F5/WP70.ST	177
772F5/WP70.PP	177
772F5/WP70.CP	177
762F5/NP70.ST	177
762F5/WP70.ST	177
771F5/WP70.CP	177
762F5/WP70.CP	177
771F5/NP70.ST	177
771F5/NP70.PP	177
771F5/NP70.CP	177
771F5/WP70.ST	177
771F5/WP70.PP	177
762F5/NP70.CP	177
SG15W/NP50ST	178
SP10W/WP90PP	178
SP10W/WP90ST	178
SP10W/NP90PP	178
SG15W/WP50CP	178

SG15W/WP50PP	178
SG15W/WP50ST	178
SPI0W/WP90CP	178
SG15W/NP50PP	178
SPI0W/NP90CP	178
SG15W/NP50CP	178
SP04W/NP90ST	178
SP07W/NPI0ST	178
SP04W/WP90CP	178
SP04W/WP90PP	178
SP04W/WP90ST	178
SPI0W/NP90ST	178
SP04W/NP90PP	178
SP07W/WPI0CP	178
SP07W/WPI0PP	178
SP07W/WPI0ST	178
SP07W/NP10CP	178
SP07W/NP10PP	178
SP04W/NP90CP	178
SG20W/WP55PP	179
SG20W/NP55ST	179
SG20W/NP55PP	179
SG20W/WP55ST	179
SG20W/WP55CP	179
SG20W/NP55CP	179
SPI0H/WP90CP	180
SG15H/NP50PP	180
SG15H/NP50CP	180
SG15H/WP50ST	180
SG15H/WP50PP	180
SG15H/WP50CP	180
SPI0H/NP90ST	180
SPI0H/NP90PP	180
SPI0H/NP90CP	180
SPI0H/WP90ST	180
SPI0H/WP90PP	180
SP04H/NP90PP	180
SG15H/NP50ST	180
SP04H/WP90CP	180
SP04H/WP90PP	180
SP04H/NP90CP	180
SP07H/NPI0ST	180
SP04H/NP90ST	180
SP07H/WPI0CP	180
SP07H/WPI0PP	180
SP07H/WPI0ST	180
SP07H/NP10CP	180
SP07H/NP10PP	180

SP04H/WP90ST	180
SG20H/NP55CP	181
SG20H/NP55ST	181
SG20H/NP55PP	181
SG20H/WP55ST	181
SG20H/WP55CP	181
SG20H/WP55PP	181
2I13W/RCRCNB	182
2I12W/RCRC.WB	182
2I13W/RCRCSW	182
2I13W/RCRCSW	182
2I13W/RCRCWB	182
2I13W/RCRCWB	182
2I13W/RCRCMB	182
2I13W/RCRCMB	182
2I12W/RCRC.NB	182
2I12W/RCRC.SW	182
2I12W/RCRC.WB	182
2I12W/RCRC.MB	182
2I12W/RCRC.MB	182
2I12W/RCRC.NB	182
2I13W/RCRCNB	182
2I12W/RCRC.SW	182
2802P/RCRC.MB	183
2802P/RCRC.WB	183
2802P/RCRC.WB	183
2802P/RCRC.SW	183
2802P/RCRC.SW	183
2802P/RCRC.O4	183
2802P/RCRC.O4	183
2803P/RCRC.MB	183
2803P/RCRC.MB	183
2803P/RCRC.WB	183
2803P/RCRC.SW	183
2803P/RCRC.O4	183
2803P/RCRC.WB	183
2802P/RCRC.MB	183
2803P/RCRC.O4	183
2800P/RCRC.SW	183
2803P/RCRC.SW	183
280IP/RCRC.O4	183
2800P/RCRC.MB	183
2800P/RCRC.WB	183
2800P/RCRC.SW	183
2800P/RCRC.MB	183
2800P/RCRC.O4	183
2800P/RCRC.O4	183
2800P/RCRC.O4	183
280IP/RCRC.MB	183

280IP/RCRC.MB	183
280IP/RCRC.WB	183
280IP/RCRC.WB	183
280IP/RCRC.SW	183
280IP/RCRC.SW	183
280IP/RCRC.O4	183
2800P/RCRC.WB	183
2803R/RCRC.MB99	184
2802R/RCRC.MB99	184
2802R/RCRC.O499	184
2802R/RCRC.WB99	184
2802R/RCRC.SW99	184
2802R/RCRC.SW99	184
2803R/RCRC.MB99	184
2803R/RCRC.O499	184
2803R/RCRC.O499	184
2803R/RCRC.WB99	184
2803R/RCRC.WB99	184
2802R/RCRC.MB99	184
2803R/RCRC.SW99	184
2802R/RCRC.O499	184
2803R/RCRC.SW99	184
2800R/RCRC.O499	184
2802R/RCRC.WB99	184
2801R/RCRC.SW99	184
2800R/RCRC.MB99	184
2800R/RCRC.O499	184
2800R/RCRC.WB99	184
2800R/RCRC.WB99	184
2800R/RCRC.SW99	184
2801R/RCRC.MB99	184
2801R/RCRC.MB99	184
2801R/RCRC.O499	184
2801R/RCRC.O499	184
2801R/RCRC.WB99	184
2800R/RCRC.SW99	184
2801R/RCRC.SW99	184
2800R/RCRC.MB99	184
2801R/RCRC.WB99	184
3210R/RCRCSW99	185
3210R/RCRCNB99	185
3210R/RCRCMB99	185
3210R/RCRCMB99	185
3210R/RCRCWB99	185
3210R/RCRCSW99	185
3210R/RCRCNB99	185
3200R/RCRCNB99	185
3210R/RCRCWB99	185

AG205RGBW5000	185
3200R/RCRCSW99	185
3200R/RCRCWB99	185
3200R/RCRCWB99	185
3200R/RCRCMB99	185
3200R/RCRCNB99	185
AG205RGBW5000	185
3200R/RCRCSW99	185
3200R/RCRCMB99	185
AG20540K5000	186
AG20530K5000	186
AG20527K5000	186
AG115N30K500030	186
AG115N30K500015	186
AG205RGBW5000	187
AG205RGBW5000	187

[illegible]

[illegible]

